

MOBILE



Call Us first, for all of your Fleet Automotive, & Light Truck needs.

Quote

PHONE (800) ALANJAY (252-6529) DIRECT 863-402-4234 WWW.ALANJAY.COM 62100-3 2003 U.S. 27 South P.O. BOX 9200 Corporate MOBILE 863-273-1105 Mailing Office Address Sebring, FL 33870 Sebring, FL 33871-9200 FAX 863-402-4221

ORIGINAL QUOTE DATE 3/6/2025

QUICK QUOTE SHEET

REVISED QUOTE DATE 3/6/2025

REQUESTING AGENCY OCALA, CITY OF

LIZA WARMUTH

LWarmuth@ocalafl.gov **EMAIL**

352-351-6750 **PHONE**

FAX

SOURCEWELL CONTRACT # 2025 091521-NAF & 032824-NAF

www.NationalAutoFleetGroup.com

CK30943 1WT \$57,140.00 MODEL **MSRP**

DESCRIPTION

2025 CHEVY SILVERADO 3500HD CREW CAB PICKUP 4WD DRW WT 8'

8' Bed

Summit White

BED

CUSTOMER ID 2026 CIP WR/WETLANDS

CONTRACT PRICE

\$51,196.00

\$0.00

BED LENGTH

FACTORY OPTIONS

GAZ

CONTACT PERSON

** All vehicles will be ordered white w/ darkest interior unless clearly stated otherwise on purchase order.

		7
H2G	Jet Black, Vinyl seat trim	\$0.00
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline	\$0.00
MKM	Transmission, Allison 10-Speed automatic	\$0.00
1WT	OPTIONS Work Truck Preferred Equipment Group	\$0.00
9L7	Upfitter switch kit, (5)	\$145.00
AZ3	Seats, front 40/20/40 split-bench	\$0.00
DZW	Dual Rear Wheels	\$0.00
E63	Durabed, pickup bed	\$0.00
FE9	Emissions, Federal requirements	\$0.00
G9Y	GVWR, 14,000 lbs. (6350 kg) with dual rear wheels	\$0.00
GT4	Rear axle, 3.73 ratio	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo	\$0.00
P03	Wheel trim, painted center caps	\$0.00
PYW	Wheels, 17" (43.2 cm) painted steel	\$0.00
QZT	Tires, LT235/80R17E all-terrain, blackwall	\$0.00
RVQ	LPO, Black tubular assist steps, 6" rectangular	\$790.00
U01	Lamps, Smoked Amber roof marker, (LED)	\$0.00
UJM	Tire Pressure Monitoring System	\$0.00
ZZT	Tire, spare LT235/80R17E all-terrain	\$0.00
BUDGET QUOTE	THIS QUOTE IS CURRENT PRICING ONLY, FOR BUDGET PURPOSES PLEASE ADD 10% INCREASE (2026 Pricing not available at time of quote)	\$0.00
	FACTORY OPTIONS	\$935.00
CONTRACT OPTIONS	DESCRIPTION	
NO-TEMP	TEMP TAG NOT REQUESTED, CUSTOMER WILL HANDLE THEIR OWN TAG WORK.	\$0.00
EWD	EXTENDED WARRANTY DECLINED	\$0.00
3KR	Additional key and remote, cut and programmed.	\$310.00
WTF CRW	Weather Tech floor liner system for crew cab pick-up trucks.	\$315.00
W MJYAAAAP	Whelen Mini Justice light bar, Amber, with mounting feet. 16 INCH	\$795.00
W TLI2-4-AW	(4) Whelen ION T-Series DUAL color ultra thin light heads with (2) mounted in grille and (2) mounted to rear of vehicle (AMBER/WHITE).	\$900.00
9L7-INST	GM UPFITTER SWITCH INSTALL.	\$195.00
HD SOB SH	HD Scorpion spray on bed liner (short bed) under rail.	\$760.00

\$3,275.00

CONTRACT OPTIONS





SOURCEWELL CONTRACT # 2025 091521-NAF & 032824-NAF

www.NationalAutoFleetGroup.com

TRADE IN TOTAL COST \$55,406.00

YES WE TAKE TRADE INS ~~~ ASK ABOUT MUNICIPAL FINANCING ~~~

TOTAL COST LESS TRADE IN(S) QTY 1 \$55,406.00

Estimated Annual payments for 60 months paid in advance: \$12,738.98

Municipal finance for any essential use vehicle, requires lender approval, WAC.

Comments QUOTE SUBJECT TO FACTORY ORDER ACCEPTANCE or 30 DAYS

VEHICLE QUOTED BY ASHLEE WILSON GOVERNMENT ACCOUNT MANAGER Ashlee.Wilson@AlanJay.com

"I Want to be Your Fleet Provider"

I appreciate the opportunity to submit this quotation. Please review it carefully. If there are any errors or changes, please feel free to contact me at any time.

I am always happy to be of assistance.





Note:Photo may not represent exact vehicle or selected equipment.

Window Sticker

SUMMARY

[Fleet] 2025 Chevrolet Silverado 3500HD (CK30943) 4WD Crew Cab 172" Work Truck

MSRP:\$54,200.00

Interior: Jet Black, Vinyl seat trim

Exterior 1:Summit White

Exterior 2:No color has been selected.

Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline

Transmission, Allison 10-speed automatic

OPTIONS

CODE	MODEL	MSRP
CK30943	[Fleet] 2025 Chevrolet Silverado 3500HD (CK30943) 4WD Crew Cab 172" Work Truck	\$54,200.00
	OPTIONS	
1WT	Work Truck Preferred Equipment Group	\$0.00
9L7	Upfitter switch kit, (5)	\$150.00
AZ3	Seats, front 40/20/40 split-bench	\$0.00
DZW	Dual Rear Wheels	\$0.00
E63	Durabed, pickup bed	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24874. Data Updated: Mar 4, 2025 6:46:00 PM PST.





FE9	Emissions, Federal requirements		\$0.00
G9Y	GVWR, 14,000 lbs. (6350 kg) with dual rear wheels	Inc.	
GAZ	Summit White		\$0.00
GT4	Rear axle, 3.73 ratio		\$0.00
H2G	Jet Black, Vinyl seat trim		\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD colo touchscreen, AM/FM stereo	or	\$0.00
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline		\$0.00
MKM	Transmission, Allison 10-speed automatic		\$0.00
P03	Wheel trim, painted center caps	Inc.	
PYW	Wheels, 17" (43.2 cm) painted steel	Inc.	
QZT	Tires, LT235/80R17E all-terrain, blackwall		\$0.00
RVQ	LPO, Black tubular assist steps, 6" rectangular		\$795.00
U01	Lamps, Smoked Amber roof marker, (LED)	Inc.	
UJM	Tire Pressure Monitoring System	Inc.	
ZZT	Tire, spare LT235/80R17E all-terrain		\$0.00
	SUBTOTAL		\$55,145.00
	Adjustments Total		\$0.00
	Destination Charge		\$1,995.00
	TOTAL PRICE		\$57,140.00

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range: N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24874. Data Updated: Mar 4, 2025 6:46:00 PM PST.



Standard Equipment

	•
Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, Allison 10-speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (STD) (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo- Diesel V8 engine.)
	Durabed, pickup bed (STD)
	GVWR, 11,700 lbs. (5307 kg) with single rear wheels (STD) (Included and only available with CK30943 model and (L8T) 6.6L V8 gas engine. Requires single rear wheels.)
	Push Button Start
	Air filter, heavy-duty
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Auto-locking rear differential
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Recovery hooks, front, frame-mounted, Black
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Suspension Package
	Steering, Recirculating ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24874. Data Updated: Mar 4, 2025 6:46:00 PM PST.



Mechanical	
	Exhaust, single, side
Exterior	
	Wheels, 18" (45.7 cm) painted steel (STD) (Requires single rear wheels.)
	Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels.)
	Tire, spare LT275/70R18 all-terrain, blackwall (STD) (Included and only available with (QF6) LT275/70R18E all-terrain, blackwall tires with (E63) Durabed, pickup bed single rear wheel models. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered with single rear wheel models. Not available with dual rear wheels.)
	Single Rear Wheels (STD)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumpers, front, Black
	Bumpers, rear, Black
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	CornerStep, rear bumper
	Moldings, beltline, Black
	Cargo tie downs (12), fixed, rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Taillamps, with incandescent tail, stop and reverse lights (Note: Trucks equipped with dual rear wheels will feature LED signature tail and stop lamps, with incandescent reverse lamp.)
	Lamps, cargo area cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel
	Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black (Not included on Regular Cab models.)
	Mirror caps, Black
	Glass, solar absorbing, tinted
	Door handles, Black grained
	Tailgate, standard (Deleted with (ZW9) pickup bed delete.)
	Tailgate and bed rail protection cap, top

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24874. Data Updated: Mar 4, 2025 6:46:00 PM PST.



Exterior	
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)
	Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)
Entertainment	
	Audio system, Chevrolet Infotainment 3 system, 7" diagonal HD color touchscreen, AM/FM stereo Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Bluetooth for phone connectivity to vehicle infotainment system
	Wireless Phone Projection for Apple CarPlay and Android Auto
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Compass, located in instrument cluster
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power
	Remote Keyless Entry with 2 transmitters

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24874. Data Updated: Mar 4, 2025 6:46:00 PM PST.



Interior	
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	Power outlet, front auxiliary, 12-volt
	USB Ports, 2, Charge/Data ports located on instrument panel
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar Services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)
	OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)
	HD Rear Vision Camera (Deleted when (ZW9) pickup bed delete is ordered.)
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Lane Departure Warning
	Following Distance Indicator

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24874. Data Updated: Mar 4, 2025 6:46:00 PM PST.



Safety-Interior	
	Forward Collision Alert
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Indicator-Seat Belt WARNING, Rear Seat (Requires Crew Cab or Double Cab model.)
	Seat Belt Adjustable Guide Loops front row only (Included and only available on Crew Cab and Double Cab models.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire) (Not included on dual rear wheel models.)
Processing-Other	
	Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)
WARRANTY	
	Warranty Note: <<< Preliminary 2025 Warranty >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5

qualified fleet vehicles: 5 years/100,000 miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Drivetrain Miles/km: 60,000

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government,

Drivetrain Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and

and qualified fleet vehicles: 5 years/100,000 miles Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24874. Data Updated: Mar 4, 2025 6:46:00 PM PST.



Technical Specifications

common opcomonic			
owertrain			
Transmission			
Drivetrain	Four Wheel Drive	Trans Order Code	MKM
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.54
Second Gear Ratio (:1)	2.87	Third Gear Ratio (:1)	2.06
Fourth Gear Ratio (:1)	1.72	Fifth Gear Ratio (:1)	1.48
Sixth Gear Ratio (:1)	1.26	Reverse Ratio (:1)	4.54
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.63		
Mileage			
EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A
Engine			
Engine Order Code	L8T	Engine Type	Gas V8
Displacement	6.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	Yes		
Electrical			
Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24874. Data Updated: Mar 4, 2025 6:46:00 PM PST.



Powertrain			
Cooling System			
Total Cooling System Capacity	N/A		
Vehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
Chassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	5200 lbs
Gross Axle Wt Rating - Rear	10400 lbs	Curb Weight - Front	N/A
Curb Weight - Rear	N/A	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	N/A
As Spec'd Payload	N/A	Maximum Payload Capacity	N/A
Gross Combined Wt Rating	26000 lbs	Gross Axle Weight Rating	15600.00 lbs
Curb Weight	N/A	Reserve Axle Capacity	N/A
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	14000.00 lbs
Trailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	17800 lbs	Wt Distributing Hitch - Max Tongue Wt.	1780 lbs
Fifth Wheel Hitch - Max Trailer Wt.	17800 lbs	Fifth Wheel Hitch - Max Tongue Wt.	4450 lbs
Maximum Trailering Capacity	20000 lbs		
Frame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24874. Data Updated: Mar 4, 2025 6:46:00 PM PST.



assis			
uspension			
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Independent
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51 mm	Shock Absorber Diameter - Rear	51 mm
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
res			
Front Tire Order Code	QZT	Rear Tire Order Code	QZT
Spare Tire Order Code	ZZT	Front Tire Size	LT235/80R17
Rear Tire Size	LT235/80R17	Spare Tire Size	LT235/80R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
heels			
Front Wheel Size	17 x -TBD- in	Rear Wheel Size	17 x -TBD- in
Spare Wheel Size	17 x -TBD- in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
teering			
Steering Type	Pwr Recirculating Ball	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	57.0 ft	Turning Diameter - Wall to Wall	N/A
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

N/A

Disc - Front (Yes or)

Yes

Data Version: 24874. Data Updated: Mar 4, 2025 6:46:00 PM PST.

Brake ABS System (Second Line)



Changin			
Chassis			
Brakes			
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	14 x 1.6 in
Rear Brake Rotor Diam x Thickness	14 x 1.6 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	36 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
	. 4, .		
Dimensions			
Interior Dimensions			
Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.54 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	40.12 in
Second Leg Room	43.4 in	Second Shoulder Room	65.3 in
Second Hip Room	60.24 in		
Exterior Dimensions			
Wheelbase	172 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	266.06 in
Width, Max w/o mirrors	96.75 in	Height, Overall	80.04 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	55.24 in
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	10.39 in	Ground Clearance, Rear	10.39 in
Body Length	0.00 ft	Cab to Body	N/A
Cargo Area Dimensions			
Cargo Box Length @ Floor	98.27 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.55 in

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24874. Data Updated: Mar 4, 2025 6:46:00 PM PST.



Dimensions

Cargo Area Dimensions

Cargo Box (Area) Height	21 in	Tailgate Width	N/A
Cargo Volume	83.5 ft ³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24874. Data Updated: Mar 4, 2025 6:46:00 PM PST.