



Call Us first, for all of your Fleet Automotive, & Light Truck needs.

Quote

PHONE (800) ALANJAY (252-6529)		DIRECT	863-402-4234	WWW.ALAN	NJAY.COM	61990-1
	2003 U.S. 27 South	MOBILE	863-273-1105	_	P.O. BOX 9200	
Office	Sebring, FL 33870	FAX	863-402-4221	Address	Sebring, FL 33871-92	200

ORIGINAL QUOTE DATE 3/3/2025

# **QUICK QUOTE SHEET**

REVISED QUOTE DATE 3/3/2025

REQUESTING AGENCY OCALA, CITY OF

CONTACT PERSON LIZA WARMUTH EMAIL LWarmuth@ocalafl.gov

PHONE 352-351-6750 MOBILE FAX

SOURCEWELL CONTRACT # 2025 091521-NAF & 032824-NAF

www.NationalAutoFleetGroup.com

MODEL CC10706 1FL MSRP \$56,545.00

2025 CHEVY TAHOE 2WD 9C1 POLICE

CUSTOMER ID CONTRACT PRICE \$50,562.00

#### **BED LENGTH**

<sup>\*\*</sup> All vehicles will be ordered white w/ darkest interior unless clearly stated otherwise on purchase order.

<b>FACTORY OPTIONS</b>	DESCRIPTION	
GNT	Radiant Red Tintcoat	\$490.00
H1T	Jet Black, Cloth seat trim	\$0.00
L84	Engine, 5.3L EcoTec3 V8	\$0.00
MHU	Transmission, 10-speed automatic	\$0.00
1FL	OPTIONS Commercial Preferred Equipment Group	\$0.00
6C7	Lighting, red and white front auxiliary dome	\$165.00
AZ3	Seats, front 40/20/40 split-bench	\$0.00
C6C	GVWR, 7400 lbs. (3357 kg)	\$0.00
СТВ	Intersection Automatic Emergency Braking	\$0.00
DRZ	Rear Camera Mirror, inside rearview auto-dimming	\$0.00
FE9	Emissions, Federal requirements	\$0.00
GU5	Rear axle, 3.23 ratio	\$0.00
PQA	1FL Safety Package	\$820.00
PXT	Wheels, 20" x 9" (50.8 cm x 22.9 cm) steel	\$0.00
TQ5	IntelliBeam, automatic high beam on/off	\$0.00
UEU	Forward Collision Alert	\$0.00
UFB	Rear Cross Traffic Braking	\$0.00
UHY	Automatic Emergency Braking	\$0.00
UKI	Blind Zone Steering Assist	\$0.00
UKM	Lane Keep Assist	\$0.00
UKT	Front Pedestrian and Bicyclist Braking	\$0.00
UOW	Side Bicyclist Alert	\$0.00
URW	Audio system, 17.7" diagonal advanced color LCD display	\$0.00
VK3	License plate front mounting package	\$0.00
WX7	Wiring, auxiliary speaker.	\$55.00
XCS	Tires, 275/55R20SL all-season, blackwall, Firestone Firehawk Pursuit	\$0.00
Z56	Suspension Package, heavy-duty, police-rated.	\$0.00
	FACTORY OPTIONS	\$1.530.00

**FACTORY OPTIONS** 

\$1,530.00





\$8,295.00

SOURCEWELL CONTRACT # 2025 091521-NAF & 032824-NAF www.NationalAutoFleetGroup.com				
CONTRACT OPTIONS	DESCRIPTION			
NO-TEMP	TEMP TAG NOT REQUESTED, CUSTOMER WILL HANDLE THEIR OWN TAG WORK.	\$0.00		
EWD	EXTENDED WARRANTY DECLINED	\$0.00		
DTF SUV	Deep tint film on SUV with full side and rear glass coverage.	\$410.00		
WSTP	Windshield strip	\$60.00		
W SLICK2-HH-TAH- RWA	Whelen FST Front DUO and RST Rear DUO Inner Edge interior visor lights with LED Modules, traffic advisor, takedown lights, mounting hardware, Core Hand Held Controller, Sync Module, speaker, and bracket (RED FRONT WITH OVERRIDE TO WHITE AND RED REAR WITH OVERRIDE TO AMBER).	\$4,705.00		
W HOWLER-TAH	Whelen low frequency supplemental siren, with TAHOE Utility mounting bracket.	\$985.00		
W TLI2-4GL-RW	(4) Whelen ION T-Series DUAL color ultra thin light mounted in grille (RED/WHITE).	\$900.00		
W STRIPLT-DUO- 2RQG-RW	(2) Whelen Strip-Light LED light duo color surface mount light heads mounted in rear quarter glass with L-brackets (RED/WHITE).	\$565.00		
W TLI2-2LIC-RAW	(2) Whelen ION T-Series DUAL color ultra thin light surface mounted adjacent to license plate, vertically (One RED/WHITE & One AMBER/WHITE).	\$450.00		
W ULF44	WHELEN LOW CURRENT FLASHER FOR HALO/LED LIGHTS	\$220.00		

TRADE IN TOTAL COST \$60,387.00

YES WE TAKE TRADE INS ~~~ ASK ABOUT MUNICIPAL FINANCING ~~~

TOTAL COST LESS TRADE IN(S) QTY 1 \$60,387.00

**CONTRACT OPTIONS** 

Estimated Annual payments for 60 months paid in advance: \$13,884.22

Municipal finance for any essential use vehicle, requires lender approval, WAC.

Comments QUOTE SUBJECT TO FACTORY ORDER ACCEPTANCE or 30 DAYS

VEHICLE QUOTED BY ASHLEE WILSON GOVERNMENT ACCOUNT MANAGER Ashlee.Wilson@AlanJay.com

"I Want to be Your Fleet Provider"

I appreciate the opportunity to submit this quotation. Please review it carefully. If there are any errors or changes, please feel free to contact me at any time.

I am always happy to be of assistance.



Note:Photo may not represent exact vehicle or selected equipment.

### **Window Sticker**

#### **SUMMARY**

[Fleet] 2025 Chevrolet Tahoe (CC10706) 2WD 4dr Police

MSRP:\$53,000.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Radiant Red Tintcoat

Exterior 2:No color has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic

#### **OPTIONS**

CODE	MODEL		MSRP
CC10706	[Fleet] 2025 Chevrolet Tahoe (CC10706) 2WD 4dr Police		\$53,000.00
	OPTIONS		
1FL	Commercial Preferred Equipment Group		\$0.00
6C7	Lighting, red and white front auxiliary dome		\$170.00
AZ3	Seats, front 40/20/40 split-bench		\$0.00
C6C	GVWR, 7400 lbs. (3357 kg)		\$0.00
СТВ	Intersection Automatic Emergency Braking	Inc.	
DRZ	Rear Camera Mirror, inside rearview auto-dimming	Inc.	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24847. Data Updated: Mar 1, 2025 6:43:00 PM PST.



F	E9	Emissions, Federal requirements		\$0.00
G	GNT	Radiant Red Tintcoat		\$495.00
G	GU5	Rear axle, 3.23 ratio		\$0.00
F	H1T	Jet Black, Cloth seat trim		\$0.00
L	.84	Engine, 5.3L EcoTec3 V8		\$0.00
N	ини	Transmission, 10-speed automatic		\$0.00
P	PQA	1FL Safety Package		\$825.00
P	PXT	Wheels, 20" x 9" (50.8 cm x 22.9 cm) steel		\$0.00
Т	CQ5	IntelliBeam, automatic high beam on/off	Inc.	
L	JEU	Forward Collision Alert	Inc.	
L	JFB	Rear Cross Traffic Braking	Inc.	
L	JHY	Automatic Emergency Braking	Inc.	
L	JKI	Blind Zone Steering Assist	Inc.	
L	JKM	Lane Keep Assist	Inc.	
L	JKT	Front Pedestrian and Bicyclist Braking	Inc.	
L	JOW	Side Bicyclist Alert	Inc.	
L	JRW	Audio system, 17.7" diagonal advanced color LCD display		\$0.00
٧	/K3	License plate front mounting package		\$0.00
V	VX7	Wiring, auxiliary speaker.		\$60.00
Х	CS	Tires, 275/55R20SL all-season, blackwall, Firestone Firehawk Pursuit		\$0.00
Z	<b>2</b> 56	Suspension Package, heavy-duty, police-rated.		\$0.00
		SUBTOTAL		\$54,550.00
		Adjustments Total		\$0.00
		Destination Charge		\$1,995.00
		TOTAL PRICE		\$56,545.00
	CONOMY			

#### **FUEL ECONOMY**

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range: N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24847. Data Updated: Mar 1, 2025 6:43:00 PM PST.

## **Standard Equipment**

Package	
	Identifier for Police Package Vehicle includes, (K47) heavy-duty air filter, (KX4) 250 amp high output alternator, (K6K) 760 cold-cranking amps auxiliary battery, electrical power & vehicle signals for customer connection located at the center front floor. Auxiliary battery circuit for customer connection located in the rear cargo area, (Z56) heavy-duty, police-rated suspension, (XCS) 275/55R20SL all-season tires, (RAV) 275/55R20 all-season spare tire, Police brakes, (RC1) front skid plate, (PXT) 20" steel wheels, Certified speedometer, SEO (5J3) Surveillance Mode interior lighting calibration, SEO (UT7) blunt cut cargo area and blunt cut console area ground wires, (V53) delete luggage rack side rails and (ATD) third row seat delete)
	Remote Keyless Entry Package includes 4 additional transmitters, NOTE: programming of remotes is at customer's expense. Programming remotes is not a warranty expense
Mechanical	
	Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD)
	Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul
	Rear axle, 3.23 ratio
	Suspension Package, heavy-duty, police-rated. Full independent suspension with monotube dampers, linear coil springs, 35mm solid front stabilizer bar and 32mm hollow rear stabilizer bar
	GVWR, 7400 lbs. (3357 kg) (2WD models only.) (STD)
	Keyless start, push button
	Automatic Stop/Start
	Engine control, stop/start system disable button, non-latching
	Engine air filtration monitor
	Fuel, gasoline, E15
	Differential, mechanical limited-slip
	Rear wheel drive
	Air filter, heavy-duty
	Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator
	Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
	Battery, 850 cold-cranking amps with 95 amp hour rating
	Battery, auxiliary, 760 cold-cranking amps with 70 amp hour rating (packaged behind left rear cargo area panel)
	Alternator, 250 amps
	Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24847. Data Updated: Mar 1, 2025 6:43:00 PM PST.

Machanical	
Mechanical	— ·· · · · · · · · · · · · · · · · · ·
	Trailer sway control
	Hitch Guidance
	Recovery hooks, 2 front, frame-mounted, Black Required on all models going to Alaska, Guam, Hawaii, Puerto Rico and Virgin Islands. All Tahoe (9C1) and (5W4) vehicles include front fascia with recovery hook openings.)
	Skid plate, front
	Suspension, front coil-over-shock with stabilizer bar
	Suspension, rear multi-link with coil springs
	Steering, power
	Brake system, heavy duty with front Brembo calipers and 16" front rotors
	Capless Fuel Fill
	Exhaust, single system, single-outlet
	Mechanical Jack with tools
	Ground wires, blunt cut cargo area and blunt cut console area
	Wiring provision, for outside mirrors and cargo side mirrors
	Flasher system, headlamp and taillamp, DRL compatible with control wire
	Calibration, taillamp flasher, Red/White
	Calibration, taillamp flasher, Red/Red
Exterior	
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) steel (STD)
	Tires, 275/55R20SL all-season, blackwall, Firestone Firehawk Pursuit (STD)
	Wheel, full-size spare, matching 20" (50.8 cm) steel wheel without center cap
	Wheel, full-size spare, 17" (43.2 cm) steel
	Tire, spare P265/70R17 all-season, blackwall
	Tire, spare 275/55R20 all-season, blackwall, Firestone Firehawk Pursuit
	Tire carrier, lockable outside spare, winch-type mounted under frame at rear
	Active aero shutters, upper
	Fascia, front
	Fascia, front high-approach angle
	Luggage rack side rails, delete
	Assist steps, Black with chrome accent strip

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24847. Data Updated: Mar 1, 2025 6:43:00 PM PST.

Exterior	
	Headlamps, LED
	Tail lamps, LED
	Mirrors, outside heated power-adjustable, manual-folding, body-color
	Mirror caps, body-color
	Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)
	Glass, acoustic, laminated
	Glass, windshield shade band
	Windshield, solar absorbing
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Exterior ornamentation delete (front & rear Chevrolet bowties will remain)
	Door handles, body-color
	Liftgate, rear manual
Entertainment	
	Audio system, 17.7" diagonal advanced color LCD display with Google built-in compatibility (select service plan required, terms and limitations apply), including navigation capability, connected apps, personalized profiles for each driver's settings, Natural Voice Recognition and Phone Integration (STD)
	Audio system feature, 6-speaker system
	Bluetooth for phone personal cell phone connectivity to vehicle audio system
	5G Wi-Fi Hotspot capable (Requires (UE1) OnStar. Terms and limitations apply. See onstar.com or dealer for details.)
	Wi-Fi Hotspot capable (Requires (UE1) OnStar. Terms and limitations apply. See onstar.com or dealer for details.)
	SiriusXM, delete
	Wireless Apple CarPlay/Wireless Android Auto
Interior	
	Seats, front 40/20/40 split-bench
	Seat adjuster, driver 8-way power
	Seat adjuster, front passenger 6-way power
	Seat adjuster, front passenger 8-way power
	Seat adjuster, driver 2-way power lumbar

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24847. Data Updated: Mar 1, 2025 6:43:00 PM PST.

Interior	
	Seat adjuster, front passenger 2-way power lumbar
	Seats, second row 60/40 split-folding bench, manual
	Seat delete, third row (Deletes rear storage compartment.)
	Floor covering, Black rubberized vinyl (Deleted when (B30) floor covering is ordered.)
	Electronic Precision Shift
	Steering column lock, electrical
	<u> </u>
	Steering column, manual tilt and telescopic
	Steering wheel, vinyl
	Steering wheel controls, mounted audio, Driver Information Center, Adaptive Cruise Control, Forward Collision Alert following gap button and heated steering wheel (when equipped)
	Speedometer calibration
	Driver Information Center, 11" diagonal multi-color digital display
	Instrumentation, analog with certified 140 mph speedometer, odometer with trip odometer, engine hour meter, fuel level, voltmeter, engine temperature, oil pressure and tachometer
	Door locks, power programmable with lockout protection and delayed locking
	Keyless Open includes extended range Remote Keyless Entry
	Key, unique (Deleted when (AU7) fleet common key is ordered.
	Remote start
	Window, power with driver Express-Up/Down
	Window, power with front passenger Express-Up/Down
	Windows, power with rear Express-Down
	Cruise control, electronic with set and resume speed
	Universal Vehicle Module
	Theft-deterrent system, electrical, unauthorized entry
	Theft-deterrent system, vehicle, PASS-Key III
	Display, automatic occupant sensing
	Wireless Phone Charging, for portable devices
	USB ports, 2 type-A and C, charge and data, located on front console
	USB ports, 2 type-C, charge-only, located in third row
	Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24847. Data Updated: Mar 1, 2025 6:43:00 PM PST.

Interior	
	Air conditioning, rear
	Defogger, rear-window electric
	Power outlets, 2, 120-volt, located on the rear of the center console and rear cargo area
	Power supply, 50-amp, power supply, auxiliary battery, passenger compartment wiring harness
	Power supply, 100-amp, auxiliary battery, passenger compartment wiring harness
	Power supply, 120-amp, (4) 30-amp circuit, Primary battery, relay controlled, passenger compartment harness wiring
	Sill plates, bright, front and rear door
	Mirror, inside rearview manual day/night
	Visors, driver and front passenger illuminated vanity mirrors, sliding
	Assist handles, overhead, driver and front passenger, located in headliner
	Assist handles, front passenger A-pillar and second row outboard B-pillar
	Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
	Cargo management system
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
	Calibration, Surveillance Mode interior lighting
	Lock control, driver side auto door lock disable
Safety-Mechanical	
	StabiliTrak, stability control system with brake assist, includes traction control
Safety-Interior	
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for all rows in outboard seating positions
	Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Seat belts, 3-point, all seating positions
	Hill Start Assist
	Active Hill Hold Assist
	OnStar Services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24847. Data Updated: Mar 1, 2025 6:43:00 PM PST.

Safety-Interior	
Curoty interior	Rear Camera Washer
	Rear Pedestrian Alert
	Rear Parking Assist
	Safety Alert Seat
	Rear Seat Reminder
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings or Teen Driver menu (Defaulted off. Feature can be turned on in the infotainment menu.)
	Door locks, rear child security, manual
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats lower anchors and top tethers located in all second-row seating positions, top tethers located in third row seating positions
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire)
	Warning tones headlamp on, driver and right-front passenger seat belt unfasten and turn signal on
	OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)
Processing-Other	

Protected idle allows vehicle engine to remain idling and vehicle immobilized while FOB is outside vehicle

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24847. Data Updated: Mar 1, 2025 6:43:00 PM PST.

#### **WARRANTY**

Warranty Note: <<< Preliminary 2025 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000

Drivetrain Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and

qualified fleet vehicles: 5 years/100,000 miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government,

and qualified fleet vehicles: 5 years/100,000 miles Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24847. Data Updated: Mar 1, 2025 6:43:00 PM PST.

### **Technical Specifications**

#### **Powertrain Transmission** Drivetrain Rear Wheel Drive Trans Order Code MHS Trans Type 10 Trans Description Cont. Automatic First Gear Ratio (:1) Trans Description Cont. Again N/A N/A N/A Second Gear Ratio (:1) N/A Third Gear Ratio (:1) Fourth Gear Ratio (:1) N/A Fifth Gear Ratio (:1) N/A Sixth Gear Ratio (:1) N/A Reverse Ratio (:1) N/A Clutch Size Trans Power Take Off N/A N/A Final Drive Axle Ratio (:1) Transfer Case Model N/A N/A Transfer Case Gear Ratio (:1), High N/A Transfer Case Gear Ratio (:1), Low N/A Transfer Case Power Take Off N/A Seventh Gear Ratio (:1) N/A N/A Eighth Gear Ratio (:1) N/A Ninth Gear Ratio (:1) Tenth Gear Ratio (:1) N/A Mileage EPA Fuel Economy Est - Hwy N/A Cruising Range - City N/A EPA Fuel Economy Est - City N/A Fuel Economy Est-Combined N/A Cruising Range - Hwy N/A **Estimated Battery Range** N/A **Engine** Gas V8 **Engine Order Code** L84 **Engine Type** Displacement 5.3L/-TBD-**Direct Injection** Fuel System SAE Net Horsepower @ RPM 355 @ 5600 SAE Net Torque @ RPM 383 @ 4100 **Engine Oil Cooler** Yes **Electrical** Cold Cranking Amps @ 0° F (Primary) 850 Cold Cranking Amps @ 0° F (2nd) N/A Cold Cranking Amps @ 0° F (3rd) N/A Maximum Alternator Capacity (amps) 250

Data Version: 24847. Data Updated: Mar 1, 2025 6:43:00 PM PST.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Powertrain					
Cooling System					
Total Cooling System Capacity	N/A				
Vehicle					
Emissions					
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A		
Vehicle					
Rear Door Type	Liftgate				
	Lingate				
Chassis					
Weight Information					
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs		
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3700 lbs		
Gross Axle Wt Rating - Rear	4300 lbs	Curb Weight - Front	N/A		
Curb Weight - Rear	N/A	Option Weight - Front	0.00 lbs		
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A		
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	N/A		
As Spec'd Payload	N/A	Maximum Payload Capacity	N/A		
Gross Combined Wt Rating	14000 lbs	Gross Axle Weight Rating	8000.00 lbs		
Curb Weight	N/A	Reserve Axle Capacity	N/A		
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs		
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7400.00 lbs		
Trailering					
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs		
Wt Distributing Hitch - Max Trailer Wt.	7900 lbs	Wt Distributing Hitch - Max Tongue Wt.	790 lbs		
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Fifth Wheel Hitch - Max Tongue Wt.	N/A		
Maximum Trailering Capacity	8400 lbs				
Frame					
Frame Type	N/A	Sect Modulus Rails Only	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24847. Data Updated: Mar 1, 2025 6:43:00 PM PST.

ssis		
ame		
Frame RBM	N/A	Frame Strength
Frame Thickness	N/A	
uspension		
Suspension Type - Front	Independent	Suspension Type - Rear
Spring Capacity - Front	N/A	Spring Capacity - Rear
Axle Type - Front	N/A	Axle Type - Rear
Axle Capacity - Front	N/A	Axle Capacity - Rear
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter -
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Re
res		
Front Tire Order Code	XCS	Rear Tire Order Code
Spare Tire Order Code	RAV	Front Tire Size
Rear Tire Size	275/55R20SL	Spare Tire Size
Front Tire Capacity	N/A	Rear Tire Capacity
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph -
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph -
heels		
Front Wheel Size	20 x 9 in	Rear Wheel Size
Spare Wheel Size	17 x -TBD- in	Front Wheel Material
Rear Wheel Material	Aluminum	Spare Wheel Material
eering		
Steering Type	Pwr	Steering Ratio (:1), Overall
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock
Turning Diameter - Curb to Curb	39.5 ft	Turning Diameter - Wall to Wa

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24847. Data Updated: Mar 1, 2025 6:43:00 PM PST.

Ch	assis			
В	rakes			
	Brake Type	Pwr	Brake ABS System	4-Wheel Yes ness N/A
	Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	
	Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	
	Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or )	N/A
	Rear Drum Diam x Width	N/A		
E.	Fuel Tank			
	Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
	Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
		13// \	A CONTRAIN ESSAUST	14// (
Dimensions				
ln	terior Dimensions			
	Passenger Capacity	6	Front Head Room	42.3 in
	Front Leg Room	44.5 in	Front Shoulder Room	65.6 in
	Front Hip Room	61.5 in	Second Head Room	38.9 in
	Second Leg Room	42.0 in	Second Shoulder Room	64.6 in
	Second Hip Room	61.3 in	Third Head Room	38.2 in
	Third Leg Room	34.9 in	Third Shoulder Room	62.7 in
	Third Hip Room	49.4 in		
	witerior Dimensions Wheelbase	120.9 in	Length, Overall w/rear bumper	N/A
	Length, Overall	211.3 in	Width, Max w/o mirrors	81 in
	Height, Overall	N/A	Overhang, Front	N/A
	Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
	Cab to Axle	N/A	Cab to End of Frame	N/A
	Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
	Frame Width, Rear	N/A	Ground Clearance, Front	N/A
	Ground Clearance, Rear	N/A	Body Length	0.00 ft
	Rear Door Opening Height	N/A	Rear Door Opening Width	N/A
	Real Bool Opening Height	1 <b>1</b> //3	Real Bool Opening Width	I <b>V</b> / 🔼

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24847. Data Updated: Mar 1, 2025 6:43:00 PM PST.

Side Door Type

Vehicle: [Fleet] 2025 Chevrolet Tahoe (CC10706) 2WD 4dr Police (

✓ Complete)

N/A

Dimensions			
Exterior Dimensions			
Side Door Opening Height	N/A Side Door Opening Width		N/A
Step Up Height - Front	N/A	Step Up Height - Side	N/A
Cab to Body	N/A		
Cargo Area Dimensions			
Cargo Area Length @ Floor to Console	N/A	Cargo Area Length @ Floor to Seat 1	N/A
Cargo Area Length @ Floor to Seat 2	N/A	Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	49.5 in
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	122.7 ft <sup>3</sup>
Cargo Volume to Seat 2	72.5 ft <sup>3</sup>	Cargo Volume to Seat 3	25.5 ft³
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A
exterior			
Doors			

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices,
specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region.
Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's
input is subject to the accuracy of the input provided.
Data Varsian: 24947 Data Undatad: Mar 1, 2025 6:42:00 DM DST