OCALA ELECTRIC UTILITY OCALA, FLORIDA FIRST REVISED SHEET NO. 19.0 CANCELS ORIGINAL SHEET NO. 19.0

APPLICATION FOR INTERCONNECTION OF CUSTOMER-OWNED RENEWABLE GENERATION SYSTEMS

TIER 1 - Ten (10) kW or Less

TIER 2 - Greater than 10 kW and Less Than or Equal to 100 kW

TIER 3 - Greater than 100 kW and Less Than or Equal to Two (2) MW

Note: These customer-owned renewable generation system size limits may be subject to a cumulative enrollment limit on net-metering customers located in the area served by the City of Ocala Electric Utility. Please refer to the Ocala Electric Utility Net-Metering Rate Schedule.

Ocala Electric Utility customers who install customer-owned renewable generation systems (RGS) and desire to interconnect those facilities with the Ocala Electric Utility system are required to complete this application. When the completed application and fees are returned to Ocala Electric Utility, the process of completing the appropriate Tier 1, Tier 2 or Tier 3 Interconnection Agreement can begin. This application and copies of the Interconnection Agreements may be obtained at Ocala Electric Utility, located at 201 SE 3rd Street, Ocala, Florida 34471, or may be requested by email from OEU@ocalafl.org.

1. Customer Information

Name:Glenda K Bell						
Mailing Address: 4412 NE 20th Ave						
City: Ocala State: FL Zip Code: 34479						
Phone Number: (501) 258-4951 Alternate Phone Number:						
Email Address: gkbell08@att.net Fax Number:						
Ocala Electric Utility Customer Account Number: 518478-231119						
2. RGS Facility Information Facility Location:4412 NE 20th Ave Ocala FL 34479						
Ocala Electric Utility Customer Account Number: <u>518478-231119</u> RGS Manufacturer: Hanwha Q.Cells						
RGS Manufacturer: Hanwha Q.Cells Manufacturer's Address: 400 Spectrum Center Dr. Suite 1400 Irvine, CA 92618						
Reference or Model Number: Hanwha Q. Peak Duo BLK ML-G10+/T 400W						

Serial Number:

(Continued on Sheet No.19.1)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continue from Sheet No. 19.0)

FIRST REVISED SHEET NO. 19.1 CANCELS ORIGINAL SHEET NO. 19.1

3. Facility Rating Information

Gross Power	U .								manufacturer'	
nameplate gen										
interconnected	to and o	operate in	parallel with	n Ocala	Electric	Utility	's di	istribu	tion facilities.	For
inverter-based										
total installed	DC name	plate gene	rating capac	ity by ().85 in o	order to	acco	ount fo	or losses durir	g the
conversion fro	m DC to	AC.)								-

Fuel or Energy Source:	Solar Photovoltaic
Anticipated In- Service Date	e: 4/20/2024

4. Application Fee

The application fee is based on the Gross Power Rating and must be submitted with this application. The non-refundable application fee is \$375 for Tier 2 and \$750 for Tier 3 installations. There is no application fee for Tier 1 installations.

5. Interconnection Study Fee

For Tier 3 installations, a deposit in the amount of the estimated costs of the study (to be determined at time of application) must be paid along with this application in addition to the application fee referenced in Article 4 above. This deposit will be applied toward the cost of an interconnection study. The customer will be responsible for the actual costs of the study. Should the actual cost of the study be less than the deposit, the difference will be refunded to the customer. Customer agrees to comply with all interconnection requirements identified in the interconnection study report.

6. Required Documentation

Prior to completion of the Interconnection Agreement, the following information must be provided to the Ocala Electric Utility by the customer.

- A. Documentation demonstrating that the installation complies with (or most current version at time of inspection approval):
 - 1. IEEE 1547 (2018) Standard for Interconnecting Distributed Resources with Electric Power Systems.
 - 2. IEEE 1547.1 (2005) Standard Conformance Test Procedures for Equipment Interconnecting Distributed Resources with Electric Power Systems.
 - 3. UL 1741 (2010) Inverters, Converters, Controllers and Interconnection System Equipment for Use with Distributed Energy Resources.

(Continued on Sheet No. 19.2)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 19.1)

FIRST REVISED SHEET NO. 19.2 CANCELS ORIGINAL SHEET NO. 19.2

B. Documentation that the customer-owned renewable generation has been inspected and approved by local code officials prior to its operation in parallel with the Ocala Electric Utility system to ensure compliance with applicable local codes. OEU will also require proof of commission testing by a qualified 3rd party testing company (not affiliated in any way with the manufacturer, vendor or installation contractor), for compliance with all required and applicable codes, standards, and interconnection study requirements, prior to setting of OEU metering equipment.

C. Proof of insurance in the amount of: Tier 1 - \$100,000.00 Tier 2 - \$1,000,000.00 Tier 3 - \$2,000,000.00

Customer

By: Glenda BELL (Print Name) Olondo Bell _Date: _____

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

Scanned with CamScanner

OCALA ELECTRIC UTILITY OCALA, FLORIDA

FIRST REVISED SHEET NO. 20.0 CANCELS ORIGINAL SHEET NO. 20.0

Tri-Party Net-Metering Power Purchase Agreement

This Tri-Party Net-Metering Power Purchase Agreement (this "Agreement") is entered into this <u>20th</u> day of <u>March</u>, 20<u>24</u>, by and between the Florida Municipal Power Agency, a governmental joint action agency created and existing under the laws of the State of Florida (hereinafter "FMPA"), the City of Ocala doing business as Ocala Electric Utility, a body politic (hereinafter "OEU"), and <u>Glenda K Bell</u>, a retail electric customer of OEU (hereinafter "Customer").

Section 1. Recitals

1.01. OEU and Customer have executed OEU's Standard Interconnection Agreement for a Customer-Owned Renewable Generation System (RGS) pursuant to which OEU has agreed to permit interconnection of Customer's renewable generation to OEU's electric system at Customer's presently-metered location, and Customer has agreed to deliver excess electric energy generated by Customer's Renewable Generation System to OEU's electric distribution system;

1.02. The City of Ocala and FMPA have entered into the All-Requirements Power Supply Contract, dated as of May 1, 1986, (hereinafter the "ARP Contract") pursuant to which the City of Ocala has agreed to purchase and receive, and FMPA has agreed to sell and supply OEU with all energy and capacity necessary to operate the OEU electric system, which limits OEU's ability to directly purchase excess energy from customer-owned renewable generation.

1.03. In order to promote the development of small customer-owned renewable generation by permitting OEU to allow its customers to interconnect with OEU's electric system and to allow OEU's electric customers to offset their electric consumption with customer-owned renewable generation, FMPA, in accordance with the terms and conditions of this agreement, has agreed to purchase excess customer-owned generation from OEU's electric customers interconnected to OEU's electric system.

NOW THEREFORE, for and in consideration of the mutual covenants and agreements set forth herein, the Parties covenant and agree as follows:

Section 2. Interconnection

2.01. Customer shall not begin parallel operations with the OEU electric distribution system until Customer has executed OEU's electric Standard Interconnection Agreement for Small Customer-Owned Renewable Generation and is in compliance with all terms and conditions

OEU requires that the customer install and operate the RGS in accordance with all applicable safety codes and standards. OEU shall establish and enforce terms and conditions of operation and disconnection of all interconnected customer-owned renewable generation as it relates to the effect of the RGS on OEU's electric distribution system.

(Continued on Sheet No. 20.1)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 20.0) FIRST REVISED SHEET NO. 20.1 CANCELS ORIGINAL SHEET NO. 20.1

Section 3. Metering

3.01 In accordance with the OEU's Standard Interconnection Agreement for Customer-Owned Renewable Generation, OEU shall install metering equipment at the point of delivery capable of recording two separate kWh meter readings: (1) the flow of electricity from OEU to the Customer (Delivered), and (2) the flow of excess electricity from the Customer to OEU. OEU shall take meter readings on the same cycle as the otherwise applicable rate schedule.

Section 4. Purchase of Excess Customer-Owned Renewable Generation

4.01. Customer-owned renewable generation shall be first used for Customer's own load and shall offset Customer's demand for OEU's electricity. All electric power and energy delivered by OEU to Customer shall be received and paid for by Customer to OEU (Received) pursuant to the terms, conditions and rates of the OEU otherwise applicable rate schedule.

4.02. Excess customer-owned renewable generation shall be delivered to the OEU Electric distribution system. For purposes of this Agreement, the term "excess customer-owned renewable generation" means any kWh of electrical energy produced by the customer-owned renewable generation system that is not consumed by Customer and is delivered to the OEU electric distribution system. FMPA agrees to purchase and receive, and Customer agrees to sell and deliver, all excess customer-owned renewable generation at the energy rate established by FMPA, which shall be calculated in accordance with Schedule A. Excess customer-owned renewable generation shall be purchased in the form of a credit on Customer's monthly energy consumption bill from OEU.

4.03. In the event that a given monthly credit for excess customer-owned renewable generation exceeds the total billed amount for Customer's consumption in any corresponding month, then the excess credit shall be applied to the subsequent month's bill. Excess energy credits produced pursuant to the preceding sentence shall accumulate and be used to offset Customer's energy consumption bill for a period of not more than twelve (12) months. At the end of each calendar year, any unused excess energy credits shall be paid by OEU to the Customer in accordance with the OEU Electric Net-Metering Service Rate Schedule.

(Continued on Sheet No. 20.2)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 20.1)

FIRST REVISED SHEET NO. 20.2 CANCELS ORIGINAL SHEET NO. 20.2

4.04. FMPA and OEU shall not be required to purchase or receive excess customer-owned renewable generation, and may require Customer to interrupt or reduce production of customer-owned renewable generation, (a) when necessary in order to construct, install, maintain, repair, replace, remove, investigate, or inspect any OEU equipment or part of OEU's system; or (b) if either FMPA or OEU determine, in their sole judgment, that curtailment, interruption, or reduction is necessary because of emergencies, forced outages, force majeure, or compliance with any applicable electric code or standard.

4.05. Customer acknowledges that its provision of electricity to OEU hereunder is on a firstoffered, first-accepted basis and subject to diminution and/or rejection in the event the total amount of electricity delivered to OEU pursuant to the Net-Metering Service Rate Schedule (as filed with the Florida Public Service Commission), from all participating OEU customers, exceeds two and one-half percent (2.5%) of the aggregate customer peak demand on the OEU electric system.

Section 5. Renewable Energy Credits

5.01. Customer shall offer FMPA a first right of refusal before selling or granting to any third party the right to the Green Attributes associated with its customer-owned renewable generation that is interconnected to OEU electric distribution system. The term "Green Attributes" shall include any and all credits, certificates, benefits, environmental attributes, emissions reductions, offsets, and allowances, however entitled, attributable to the generation of electricity from the customer-owned-renewable generation and its displacement of conventional energy generation.

5.02. Any additional meter(s) installed to measure total renewable electricity generated by the Customer for the purposes of measuring Green Attributes, including and renewable energy certificates (or similarly titled credits for renewable energy generated), shall be installed at the expense of the Customer, unless determined otherwise during negotiations for the sale of the Customer's credits to FMPA.

Section 6. Term and Termination

6.01. This Agreement shall become effective upon execution by all Parties, and shall remain in effect thereafter on a month-to-month basis until terminated by any Party upon thirty (30) days written notice to all other Parties.

6.02. This Agreement shall terminate immediately and without notice upon: (a) termination of the electric distribution service by OEU or (b) failure by Customer to comply with any of the terms and conditions of this Agreement or OEU's Standard Interconnection Agreement for Customer-Owned Renewable Generation.

(Continued on Sheet No. 20.3)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 20.2)

FIRST REVISED SHEET NO. 20.3 CANCELS ORIGINAL SHEET NO. 20.3

Section 7. Miscellaneous Provisions

7.01. <u>Assignment</u>. It is understood and agreed that no party may transfer, sell, mortgage, pledge, hypothecate, convey, designate, or otherwise assign this Agreement, or any interest herein or any rights or obligations hereunder, in whole or in part, either voluntarily or by operation of law, (including, without limitation, by merger, consolidation, or otherwise), without the express written consent of the other parties (and any such attempt shall be void), which consent shall not be unreasonably withheld. Subject to the foregoing, this Agreement shall inure to the benefit of and be binding upon the parties and their respective successors and permitted assigns.

7.02 <u>Amendment</u>. It is understood and agreed that FMPA and OEU reserve the right, on no less than an annual basis, to change any of the terms and conditions, including pricing, in this Agreement on sixty (60) days advance written notice. FMPA and OEU may make such changes on an immediate basis in the event any applicable law, rule, regulation or court order requires them. In such event, FMPA and OEU will give Customer as much notice as reasonably possible under the circumstances.

7.03. <u>Indemnification</u>. To the fullest extent permitted by laws and regulations, and in return for adequate, separate consideration, Customer shall defend, indemnify, and hold harmless FMPA and OEU, their officers, directors, agents, guests, invitees, and employees from and against all claims, damages, losses to persons or property, whether direct, indirect, or consequential (including but not limited to fees and charges of attorneys, and other professionals and court and arbitration costs) arising out of, resulting from, occasioned by, or otherwise caused by the operation or misoperation of the customer-owned renewable generation, or the acts or omissions of any other person or organization directly or indirectly employed by the Customer to install, furnish, repair, replace or maintain the customer-owned renewable generation system, or anyone for whose acts any of them may be liable.

7.04. <u>Governing Law</u>. The validity and interpretation of this Agreement and the rights and obligations of the parties shall be governed and construed in accordance with the laws of the State of Florida without regard for any conflicts of law provisions that might cause the law of other jurisdictions to apply. All controversies, claims, or disputes arising out of or related to this Agreement or any agreement, instrument, or document contemplated hereby, shall be brought exclusively in the County or Circuit Court for Marion County, Florida, or the United States District Court sitting in Marion County, Florida, as appropriate.

(Continued on Sheet No. 20.4)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 20.3)

FIRST REVISED SHEET NO. 20.4 CANCELS ORIGINAL SHEET NO. 20.4

7.05. Enforcement of Agreement. In the event that either party is required to enforce this Agreement by court proceedings or otherwise, the prevailing party shall be entitled to recover all fees and costs incurred, including reasonable attorney's fees and costs for trial, alternative dispute resolution, and/or appellate proceedings.

7.06. <u>Severability</u>. To the extent any provision of this Agreement is prohibited by or invalid under applicable law, such provision shall be ineffective to the extent of such prohibition or invalidity, without invalidating the remainder of such provision or the remaining provisions of this Agreement.

7.07. Third Party Beneficiaries and Sovereign Immunity. This Agreement is solely for the benefit of FMPA, OEU, and Customer and no right nor shall any cause of action accrue upon or by reason, to or for the benefit of any third party not a formal party to this Agreement. Nothing in this Agreement, expressed or implied, is intended or shall be construed to confer upon any person or corporation other than FMPA, OEU, or Customer, any right, remedy, or claim under or by reason of this Agreement or any of the provisions or conditions of this Agreement; and, all provisions, representations, covenants, and conditions contained in this Agreement shall inure to the sole benefit of and be binding upon FMPA, OEU, and Customer and their respective representatives, successors, and assigns. Further, no term or condition contained in this Agreement shall be construed in any way as a waiver by either FMPA or OEU of the sovereign immunity applicable to either or both of them as established by Florida Statutes, 768.28.

(Continued on Sheet No. 20.5)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 20.4)

FIRST REVISED SHEET NO. 20.5 CANCELS ORIGINAL SHEET NO. 20.5

IN WITNESS WHEREOF, Customer and OEU have executed this Agreement the day and year first above written.

City of Ocala Electric Utility

By: Janice Mitchell

Title: CFO

Date: 7/10/2024

Florida Municipal Power Agency

By: DocuSigned by: Title: VP of IT/OT and System Ops Date: 7/10/2024

Customer By: Glando BELL Print Name) (Signature)

3)20 /202 Date: ____

Customer's City of Ocala Electric Utility Account Number: 518478-231119

Approved as to form and legality:

William E. Septon

William E. Sexton, Esq. City Attorney

(Continued on Sheet No. 20.6)

Issued by: Michael Poucher, P.E. **Electric Utility Director**

Effective: October 1, 2019

Scanned with CamScanner

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 20.5) FIRST REVISED SHEET NO. 20.6 CANCELS ORIGINAL SHEET NO. 20.6

Tri-Party Net-Metering Power Purchase Agreement Schedule A

I. All-Requirements Project Calculation of Excess Customer-Owned Renewable Generation Credit

a) FMPA shall pay OEU for the excess kWh energy delivered by customer-owned renewable generation to OEU's electric system. Every month, OEU shall determine the total kWh of customer-owned renewable generation that is delivered to OEU's electric system, and shall send the information to FMPA as soon as it becomes available, but no later than the second working day of every month. FMPA will then provide a monthly payment to OEU in the form of a credit on the ARP power bill for the excess energy delivered to the distribution grid. The ARP Renewable Generation Credit will be calculated as follows:

ARP Renewable Generation Credit = Quarterly Energy Rate * Monthly kWh of excess customer-owned renewable generation

Quarterly Energy Rate = 3 month average of ARP energy rate. FMPA will update the Quarterly Energy Rate every April 1, July 1, October 1 and January 1.

b) As part of the monthly bill adjustment, FMPA will also increase OEU's kWh billing amount by the same kWh amount as the customer-owned renewable generation purchased by FMPA. This adjustment is necessary because excess customer generation that flows onto OEU's electric system has been purchased by FMPA, but will remain on OEU's electric system and be used by OEU to meet its other customers' electric needs. As a result, OEU's monthly ARP bill will be adjusted accordingly to reflect FMPA's subsequent sale of this energy to OEU.

II. Payment for Unused Excess Energy Credits

- a) Monthly excess energy credits shall accumulate and be used to offset the Customer's following month energy consumption bill for a period of not more than twelve (12) months.
- b) At the end of each calendar year, OEU shall pay the Customer for any unused excess energy credits in accordance with the OEU Electric Net-Metering Service Rate Schedule.

OCALA ELECTRIC UTILITY OCALA, FLORIDA FIRST REVISED SHEET NO. 21.0 CANCELS ORIGINAL SHEET NO. 21.0

Tier 1 – Standard Interconnection Agreement Customer-Owned Renewable Generation System

This Agreement is made and entered into this <u>20th</u> day of <u>March</u>, 20 <u>24</u>, by and between <u>Glenda K Bell</u>, (hereinafter called "Customer"), located at <u>4412 NE 20th Ave</u> in <u>Ocala</u>, Florida, and the City of Ocala doing business as Ocala Electric Utility (hereinafter called OEU), a body politic. Customer and OEU shall collectively be called the "Parties". The physical location/premise where the interconnection is taking place: <u>4412 NE 20th Ave Ocala FL 34479</u>

WITNESSETH

Whereas, a Tier 1 Renewable Generation System (RGS) is an electric generating system that uses one or more of the following fuels or energy sources: hydrogen, biomass, solar energy, geothermal energy, wind energy, ocean energy, waste heat, or hydroelectric power as defined in Section 377.803, Florida Statutes, rated at no more than ten (10) kilowatts (10 kW) alternating current (AC) power output and is primarily intended to offset part or all of the Customer's current electric requirements; and

Whereas, OEU operates an electric system serving the City of Ocala; and

Whereas, Customer has made a written Application to OEU, a copy being attached hereto, to interconnect its RGS with OEU' electrical supply grid at the location identified above; and

Whereas, the City of Ocala and the Florida Municipal Power Agency (hereinafter called "FMPA") have entered into the All-Requirements Power Supply Contract pursuant to which the City of Ocala has agreed to purchase and receive, and FMPA has agreed to sell and supply OEU with all energy and capacity necessary to operate the OEU electric system, which limits OEU' ability to directly purchase excess energy from customer-owned renewable generation; and

Whereas, in order to promote the development of small customer-owned renewable generation by permitting OEU to allow its customers to interconnect with OEU's electric system and to allow OEU customers to offset their electric consumption with customer-owned renewable generation, FMPA, in accordance with the terms and conditions of this agreement, has agreed to purchase excess customer-owned generation from OEU customers interconnected to OEU's electric system; and

Whereas, the OEU desires to provide interconnection of a RGS under conditions which will insure the safety of OEU customers and employees, reliability and integrity of its distribution system;

NOW, THEREFORE, for and in consideration of the mutual covenants and agreements herein set forth, the parties hereto covenant and agree as follows:

(Continued on Sheet No. 21.1)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.0)

FIRST REVISED SHEET NO. 21.1 CANCELS ORIGINAL SHEET NO. 21.1

1. The Customer shall be required to enter into a Tri-Party Net-Metering Purchase Power Agreement with FMPA and the City of Ocala Electric Utility (OEU).

2. "Gross power rating" (GPR) means the total manufacturer's AC nameplate generating capacity of an on-site customer-owned renewable generation system that will be interconnected to and operate in parallel with OEU's distribution facilities. For inverter-based systems, the GPR shall be calculated by multiplying the total installed DC nameplate generating capacity by 0.85 in order to account for losses during the conversion from DC to AC.

3. This agreement is strictly limited to cover a Tier 1 RGS as defined above. It is the Customer's responsibility to notify OEU of any change to the GPR of the RGS by submitting a new application for interconnection specifying the modifications at least 30 days prior to making the modifications. Increase in GPR above the ten kilowatt (10 kW) limit would necessitate entering into a new agreement at either Tier 2 or Tier 3 which may impose additional requirements on the Customer. In no case does the Tier 1, Tier 2 or Tier 3 agreement cover increases in GPR above two megawatts (2MW).

4. The RGS GPR must not exceed 90 percent (90%) of the Customer's OEU calculated distribution service rating at the Customer's location (including shared electric facilities). If the GPR does exceed the 90 percent (90%) limit, the Customer shall be responsible to pay the cost of upgrades to the distribution facilities required to accommodate the GPR capacity and ensure the 90 percent (90%) threshold is not breached. OEU will not allow a RGS GPR greater than required to offset the customer's annual kWh energy consumption (based on customer's historical consumption data or by means of estimated usage of similar type of service as determined by OEU).

5. The Customer shall not be required to pay any special fees due solely to the installation of the RGS.

6. The Customer shall fully comply with OEU's Design Standards following NEC standards as those documents may be amended or revised by OUS from time to time.

7. The Customer certifies that its installation, its operation and its maintenance shall be in compliance with the following standards (or most current version at time of inspection approval):

- a. IEEE-1547 (2018) Standard for Interconnecting Distributed Resources with Electric Power Systems
- b. IEEE-1547.1.(2006) Standard Conformance Test Procedures for Equipment Interconnection Distributed Resources with Electric Power Systems;
- c. UL-1741 (2010) Inverters, Converters, Controllers and Interconnection System Equipment for Use with Distributed *Energy Resources*.
- d. The National Electric Code, state and/or local building codes, mechanical codes and/or electrical codes;
- e. The manufacturer's installation, operation and maintenance instructions.

(Continued to Sheet No. 21.2)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.1)

FIRST REVISED SHEET NO. 21.2 CANCELS ORIGINAL SHEET NO. 21.2

8. The Customer is not precluded from contracting for the lease, operation or maintenance of the RGS with a third party. Such lease may not provide terms or conditions that provide for any payments under the agreement to any way indicate or reflect the purchase of energy produced by the RGS. Customer shall not enter into any lease agreement that results in the retail purchase of electricity; or the retail sale of electricity from the customer-owned renewable generation. Notwithstanding this restriction, in the event that Customer is determined to have engaged in the retail purchase of electricity from a party other than OEU, then Customer shall be in breach of this Agreement and may be subject to the jurisdiction of the Florida Public Service Commission and to fines/penalties.

9. The Customer shall provide a copy of the manufacturer's installation, operation and maintenance instructions to OEU. If the RGS is leased to the Customer by a third party, or if the operation or maintenance of the RGS is to be performed by a third party, the lease and/or maintenance agreements and any pertinent documents related to these agreements shall be provided to OEU.

10. Prior to commencing parallel operation with OEU's electric system, Customer shall have the RGS inspected and approved by the appropriate code authorities having jurisdiction. Customer shall provide a copy of this inspection and approval to OEU.

11. The Customer agrees to permit OEU, if it should so choose, to inspect the RGS and its component equipment and the documents necessary to ensure compliance with this Agreement both before and after the RGS goes into service and to witness the initial testing of the RGS equipment and protective apparatus. OEU will provide Customer with as much notice as reasonably possible, either in writing, email, facsimile or by phone as to when OEU may conduct inspections and or document review. Upon reasonable notice, or at any time without notice in the event of an emergency or hazardous condition, Customer agrees to provide OEU access to the Customer's premises for any purpose in connection with the performance of the obligations required by this Agreement or, if necessary, to meet OEU's legal obligation to provide service to its customers. At least ten (10) business days prior to initially placing the customer-owned renewable generation system in service, Customer shall provide written notification to OEU advising of the date and time at which Customer intends to place the system in service, and OEU shall have the right to have personnel present on the in-service date in order to ensure compliance with the requirements of this Agreement.

(Continued on Sheet No. 21.3)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.2)

FIRST REVISED SHEET NO. 21.3 CANCELS ORIGINAL SHEET NO. 21.3

12. The Customer's RGS must have an appropriately sized grid-tie inverter system that includes applicable protective systems. Customer certifies that the RGS equipment includes an OEU interactive inverter or interconnection system equipment that ceases to interconnect with the OEU system upon a loss of OEU's electric power. The inverter shall be considered certified for interconnected operation if it has been submitted by a manufacturer to a nationally recognized testing laboratory (NRTL) to comply with UL 1741. The NRTL shall be approved by the Occupational Safety & Health Administration (OSHA).

13. If Customer adds another RGS that (i) utilizes the same OEU interactive inverter for both systems, or (ii) utilizes a separate OEU interactive inverter for each system, Customer shall provide OEU with sixty (60) days advance written notice of the addition.

14. The Customer shall not energize the OEU system when OEU's system is deenergized. The Customer shall cease to energize the OEU system during a faulted condition on the OEU system and/or upon any notice from OEU that the deenergizing of Customer's RGS equipment is necessary. The Customer shall cease to energize the OEU system prior to automatic or non-automatic reclosing of OEU's protective devices. There shall be no intentional islanding, as described in IEEE 1547, between the Customer's and OEU' systems.

15. The Customer is responsible for the protection of its generation equipment, inverters, protection devices, and other system components from damage from the normal and abnormal operations that occur on OEU system in delivering and restoring system power. Customer agrees that any damage to any of its property, including, without limitation, all components and related accessories of its RGS system, due to the normal or abnormal operation of OEU system, is at Customer's sole risk and expense. Customer is also responsible for ensuring that the customer-owned renewable generation equipment is inspected, maintained, and tested regularly in accordance with the manufacturer's instructions to ensure that it is operating correctly and safely.

16. The Customer must install, at their expense, a manual disconnect switch of the visible load break type to provide a separation point between the AC power output of the customer-owned renewable generation system and any Customer wiring connected to OEU's system, such that back feed from the customer-owned renewable generation system to OEU's system cannot occur when the switch is in the open position. The manual disconnect switch shall be mounted separate from the meter socket on an exterior surface adjacent to the meter. The switch shall be readily accessible to OEU and capable of being locked in the open position with an OEU padlock. When locked and tagged in the open position by OEU, this switch will be under the control of OEU.

(Continued on Sheet No. 21.4)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.3)

FIRST REVISED SHEET NO. 21.4 CANCELS ORIGINAL SHEET NO. 21.4

17. Subject to an approved inspection, including installation of acceptable disconnect switch, this Agreement shall be executed by OEU within thirty (30) calendar days of receipt of a completed application. Customer must execute this Agreement and return it to OEU at least thirty (30) calendar days prior to beginning parallel operations with OEU's electric system, subject to the requirements of Section 18, below, and within one (1) year after OEU executes this Agreement.

18. Once OEU has received Customer's written documentation that the requirements of this Agreement have been met, all agreements and documentation have been received and the correct operation of the manual switch has been demonstrated to an OEU representative, OEU will, within fifteen (15) business days, send written notice that parallel operation of the RGS may commence.

19. OEU requires the Customer to maintain general liability insurance for personal injury and property damage in the amount of not less than one hundred thousand dollars (\$100,000.00).

20. OEU will furnish, install, own and maintain metering equipment capable of measuring the flow of kilowatt-hours (kWh) of energy. The Customer's service associated with the RGS will be metered to measure the energy delivered by OEU to Customer, and measure the energy delivered by Customer to OEU. Customer agrees to provide safe and reasonable access to the premises for installation, maintenance and reading of the metering and related equipment. The Customer shall not be responsible for the cost of the installation and maintenance of the metering equipment necessary to measure the energy delivered by the Customer to OEU.

21. The Customer shall be solely responsible for all legal and financial obligations arising from the design, construction, installation, operation, maintenance and ownership of the RGS.

22. The Customer must obtain all permits, inspections and approvals required by applicable jurisdictions with respect to the generating system and must use a licensed, bonded and insured contractor to design and install the generating system. The Customer agrees to provide OEU with a copy of the local building code official inspection and certification of installation. The certification shall reflect that the local code official has inspected and certified that the installation was permitted, has been approved, and has met all electrical and mechanical qualifications.

(Continued on Sheet No. 21.5)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.4) FIRST REVISED SHEET NO. 21.5 CANCELS ORIGINAL SHEET NO. 21.5

23. In no event shall any statement, representation, or lack thereof, either express or implied, by OEU, relieve the Customer of exclusive responsibility for the Customer's system. Specifically, any OEU inspection of the RGS shall not be construed as confirming or endorsing the system design or its operating or maintenance procedures or as a warranty or guarantee as to the safety, reliability, or durability of the RGS. OEU's inspection, acceptance, or its failure to inspect shall not be deemed an endorsement of any RGS equipment or procedure. Further, as set forth in Sections 15 and 26 of this Agreement, Customer shall remain solely responsible for any and all losses, claims, damages and/or expenses related in any way to the operation or misoperation of its RGS equipment.

24. Notwithstanding any other provision of this Interconnection Agreement, OEU, at its sole and absolute discretion, may isolate the Customer's system from the distribution grid by whatever means necessary, without prior notice to the Customer. To the extent practical, however, prior notice shall be given. The system will be reconnected as soon as practical once the conditions causing the disconnection cease to exist. OEU shall have no obligation to compensate the Customer for any loss of energy during any and all periods when Customer's RGS is operating at reduced capacity or is disconnected from OEU' electrical distribution system pursuant to this Interconnection Agreement. Typical conditions which may require the disconnection of the Customer's system include, but are not limited to, the following:

- a. OEU system emergencies, forced outages, uncontrollable forces or compliance with prudent electric OEU practice.
- b. When necessary to investigate, inspect, construct, install, maintain, repair, replace or remove any OEU equipment, any part of OEU's electrical distribution system or Customer's generating system.
- c. Hazardous conditions existing on OEU's system due to the operation of the Customer's generation or protective equipment as determined by OEU.
- d. Adverse electrical affects (such as power quality problems) on the electrical equipment of OEU's other electric consumers caused by the Customer's generation as determined by OEU.
- e. When Customer is in breach of any of its obligations under this Interconnection Agreement or any other applicable policies and procedures of OEU.
- f. When the Customer fails to make any payments due to OEU by the due date thereof.

25. Upon termination of services pursuant to this Agreement, OEU shall open and padlock the manual disconnect switch and remove any additional metering equipment related to this Agreement. At the Customer's expense, within thirty (30) working days following the termination, the Customer shall permanently isolate the RGS and any associated equipment from OEU's electric supply system, notify OEU that the isolation is complete, and coordinate with OEU for return of OEU's lock.

(Continued to Sheet No. 21.6)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.5)

FIRST REVISED SHEET NO. 21.6 CANCELS ORIGINAL SHEET NO. 21.6

26. To the fullest extent permitted by law, and in return for adequate, separate consideration, Customer shall indemnify, defend and hold harmless OEU, any and all of their members of its governing bodies, and its officers, agents, and employees for, from and against any and all claims, demands, suits, costs of defense, attorneys fees, witness fees of any type, losses, damages, expenses, and liabilities, whether direct, indirect or consequential, related to, arising from, or in any way connected with:

- a. Customer's design, construction, installation, inspection, maintenance, testing or operation of Customer's generating system or equipment used in connection with this Interconnection Agreement, irrespective of any fault on the part of OEU.
- b. The interconnection of Customer's generating system with, and delivery of energy from the generating system to, OEU's electrical distribution system, irrespective of any fault on the part of OEU.
- c. The performance or nonperformance of Customer's obligations under this Interconnection Agreement or the obligations of any and all of the members of Customer's governing bodies and its officers, agents, contractors (and any subcontractor or material supplier thereof) and employees.

Customer's obligations under this Section shall survive the termination of this Interconnection Agreement.

27. Customer shall not have the right to assign its benefits or obligations under this Agreement without OEU's prior written consent and such consent shall not be unreasonably withheld. If there is a change in ownership of the RGS, Customer shall provide written notice to OEU at least thirty (30) days prior to the change in ownership. The new owner will be required to assume, in writing, the Customer's rights and duties under this Agreement, or execute a new Standard Interconnection Agreement. The new owner shall not be permitted to net meter or begin parallel operations until the new owner assumes this Agreement or executes a new Agreement.

28. This Agreement supersedes all previous agreements and representations either written or verbal heretofore made between OEU and Customer with respect to matters herein contained. This Agreement, when duly executed, constitutes the only Agreement between parties hereto relative to the matters herein described. This Agreement shall continue in effect from year to year until either party gives sixty (60) days' notice of its intent to terminate this Agreement.

(Continued on Sheet No. 21.7)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.6)

FIRST REVISED SHEET NO. 21.7 CANCELS ORIGINAL SHEET NO. 21.7

29. This Agreement shall be governed by and construed and enforced in accordance with the laws, rules and regulations of the State of Florida and OEU's tariff as it may be modified, changed, or amended from time to time, including any amendments modification or changes to OEU's Net-Metering Service Rate Schedule, the schedule applicable to this Agreement. The Customer and OEU agree that any action, suit, or proceeding arising out of or relating to this Interconnection Agreement shall be initiated and prosecuted in the state court of competent jurisdiction located in Marion County, Florida, and OEU and the Customer irrevocably submit to the jurisdiction and venue of such court. To the fullest extent permitted by law, each Party hereby irrevocably waives any and all rights to a trial by jury and covenants and agrees that it will not request a trial by jury with respect to any legal proceeding arising out of or relating to this Interconnection Agreement.

None of the provisions of this Interconnection Agreement shall be considered waived by either Party except when such waiver is given in writing. No waiver by either Party of any one or more defaults in the performance of the provisions of this Interconnection Agreement shall operate or be construed as a waiver of any other existing or future default or defaults. If any one or more of the provisions of this Interconnection Agreement or the applicability of any provision to a specific situation is held invalid or unenforceable, the provision shall be modified to the minimum extent necessary to make it or its application valid and enforceable, and the validity and enforceability of all other provisions of this Interconnection Agreement and all other applications of such provisions shall not be affected by any such invalidity or unenforceability. This Interconnection Agreement does not govern the terms and conditions for the delivery of power and energy to non-generating retail customers of OEU's electrical distribution system.

30. This Agreement incorporates by reference the terms of the tariff filed with the Florida Public Service Commission by OEU, including OEU's Net-Metering Service Rate Schedule, and associated technical terms and abbreviations, general rules and regulations and standard electric service requirements (as may be applicable) are incorporated by reference, as amended from time to time. To the extent of any conflict between this Agreement and such tariff, the tariff shall control.

31. OEU and Customer recognize that the Florida Statutes and/or the Florida Public Service Commission Rules, including those directly addressing the subject of this Agreement, may be amended from time to time. In the event that such statutes and/or rules are amended that affect the terms and conditions of this Agreement, OEU and Customer agree to supersede and replace this Agreement with a new Interconnection Agreement, which complies with the amended statutes/rules.

(Continued on Sheet No. 21.8)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.7)

FIRST REVISED SHEET NO. 21.8 CANCELS ORIGINAL SHEET NO. 21.8

32. Customer acknowledges that its provision of electricity to OEU hereunder is on a first-offered, first-accepted basis and subject to diminution and/or rejection in the event the total amount of electricity delivered to OEU pursuant to the OEU's Net-Metering Service Rate Schedule, (as filed with the Florida Public Service Commission), from all participating OEU customers, exceeds two and one-half percent (2.5%) of the aggregate customer peak demand on the OEU system.

33. This Agreement is solely for the benefit of OEU and Customer and no right nor any cause of action shall accrue upon or by reason, to or for the benefit of any third party not a formal party to this Agreement. Nothing in this Agreement, expressed or implied, is intended or shall be construed to confer upon any person or corporation other than OEU or Customer, any right, remedy, or claim under or by reason of this Agreement or any of the provisions or conditions of this Agreement; and, all provisions, representations, covenants, and conditions contained in this Agreement shall inure to the sole benefit of and be binding upon OEU and Customer and their respective representatives, successors, and assigns. Further, no term or condition contained in this Agreement shall be construed in any way as a waiver by OEU of the sovereign immunity applicable to OEU as established by Florida Statutes, 768.28.

(Continued on Sheet No. 21.9)

Issued by: Michael Poucher, P.E. Electric Utility Director

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.8)

FIRST REVISED SHEET NO. 21.9 CANCELS ORIGINAL SHEET NO. 21.9

IN WITNESS WHEREOF, Customer and OEU have executed this Agreement the day and year first above written.

City of Ocala Electric Utility:

Customer:

By: Janice Mitchell

Title: CFO

Date: 7/10/2024

By: <u>Alerde Beu</u> (Print Name) <u>Jende Bell</u> (Signature) / 2024 Date:

City of Ocala Electric Utility Account Number:

518478-231119

Approved as to form and legality:

William E. Septon

William E. Sexton, Esq. City Attorney

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

Scanned with CamScanner



Security First Insurance Company

P.O. Box 105651 Atlanta, GA 30348-5651

Agent Contact Information

ORDWAY INSURANCE, INC. JEANNINE ORDWAY 409 E Fort King St Ocala, FL 34471-2239

Email: jeannineordway@allstate.com Phone: (352) 861-8500

Agency ID: X03183

Agent License #: A196825

Policy Declarations

Policy Type: Dwelling Basic DF1 Policy Number: P008532345 Policy Effective Date: 04/10/2024 12:01 AM Policy Expiration Date: 04/10/2025 12:01 AM Date Printed: 02/20/2024

Premium Information

Total Premium Amount: \$1,695.52

Hurricane Premium: \$973.00 Non-Hurricane Premium: \$679.00 Total Policy Premium before Fees: \$1,652.00 Total Policy Fees: \$43.52 See additional premium detail on page 2

Named Insured(s)

Named Insured: GLENDA BELL Mailing Address: 4412 NE 20th Ave, Ocala, FL 34479-2029 Email Address: gkbell08@att.net

Phone: (501) 258-4951

Coverage Information

COVERAGE IS PROVIDED WHERE A PREMIUM OR LIMIT OF LIABILITY IS SHOWN FOR THE COVERAGE

Insured Property Location 4412 NE 20th Ave, Ocala, FL 34479-2029 C	ounty: MARION	
Property Coverages	Limit	Premium
Coverage A (Dwelling)	\$228,000	\$1,293.00
Coverage B (Other Structures)	\$4,560	\$24.00
Coverage C (Personal Property)	\$18,000	\$153.00
Coverage D (Loss of Use)	\$4,560	\$12.00
Liability Coverages Coverage L (Personal Liability)	\$300,000	\$80.00
Coverage M (Medical Payments to Others)	\$5,000	Included
	Amount	
All Other Perils Deductible	\$1,000	
Hurricane Deductible	\$4,560 (2% (of Coverage A)

Additional Coverages

Endorsement Name	Premium
Limited Fungi Coverage	Included
Limited Fungi Coverage Liability	Included
Limited Screened Enclosure/Carport Coverage	\$90.00
Roof Loss Settlement: Actual Cash Value	Included
Roof Surfaces Payment Schedule Endorsement	

	D	С	в	A	Wire Tag	TERMINATOF CONNECTOR	07 MICRO-INVE		07 MICRO-INVERTERS	NOTE: 3/4" OR GREATER LTNM RUN (7/8" ABOVE ROOF	ACOM FOR EQUIPMENT WITHIN 5 FEET FROM MSP. ALL CONDUIT SHALL BE LTNM 3/4" IN DIAMETER UNLESS OTHERWISE STATED.	(AUTHORITY HAVING JURISDICTION). PV INSTALLATION SHALL COMPLY WITH ALL APPLIC CODES. WIRE RATED AND AMPACITY CALCULATED @ 90°C FOR ROOFTOP INSTALLATION AND AT TO INVERTER. PER NEC REQUIRMENTS GROUNDING CONDUCTORS SMALLER THAN 6AWG SHALL BE PROTECTED IN A CONDUIT, RACEWAY, OR ARMORED PROTECTIVE SHEATHING (NEC 250 THE WORKING CLEARANCES AROUND THE EXISTING ELECTRICAL EQUIPMENT AS WELL NEW ELECTRICAL EQUIPMENT WILL BE MAINTAINED IN ACCORDANCE WITH NEC 110.26. NAY CONDUCTORS EXPOSED TO SUNLIGHT SHALL BE LISTED AS SUNLIGHT RESISTANT.
CTRIC,	3/4" LTNM	3/4" LTNM	3/4" LTNM	OPEN AIR	Conduit	MICRO-INVERTERS (240V) (LOCATED UNDER EACH PANEL) TERMINATOR CAP ON LAST CABLE CONNECTOR Q- CABLE (TYP)			RTERS IN BRANCH	LTNM CONDUIT ROOF SURFACE)	NT WITHIN 5 FEET 3E LTNM 3/4" IN DI	JURISDICTION), P JURISDICTION), P PACITY CALCULAT ITS GROUNDING (IDUIT, RACEWAY, IDUIT, RACEWAY, IANCES AROUND VIPMENT WILL BE VIPMENT WILL BE
AL LINE	ω	ω	4	2	Wire Qty	240V) ACH PANEL) CABLE P)			ICH #1		FROM MSP. AMETER UNLESS	FED @ 90°C FOR CONDUCTORS SN CONDUCTORS SN C
E DIAG	6 AWG	10 AWG	10 AWG	12 AWG	Wire Gauge						3 OTHERWISE ST	SHALL COMPLY V SHALL COMPLY V ROOFTOP INSTA VALLER THAN 6A ROTECTIVE SHEF ECTRICAL EQUIF ACCORDANCE W ISTED AS SUNLI
RAM WI	THWN-2	THWN-2	THWN-2	Q Cable	Wire Type			}		MAIN MAIN SEP MAIN CIRCUIT BRE MAIN SEF SERVICE SYSTEM SIZE:-		AS
TH CA	Э0°С	90°С	90°С	90°С	Temp. Rating		(N) JUNCTION BOX			MAIN PANEL BRAND: MAIN SERVICE PANEL: MAIN SERVICE LOCATION: SERVICE FEED SOURCE: SERVICE FEED SOURCE: SYSTEM SIZE:- 14 x 400W = 5 14 x 290VA = -	SERVICE INFO UTILITY PROVIDER: OC MAIN SERVICE VOLTAGE: 240	EC THE
LCULATI	75	40	40	30	Wire Ampacity (A)			(N) ENPHASE IQ COMBINER BOX 4 X2-IQ-AM1-240-4 (IEEE1547:2018) [240V]			E INFO. R: OCALA ELECTRIC UTILITY E: 240V	AMBIENT TEMI RECORD AI LOW TEMP (H
ON A	0.96	0.96	0.76	0.76	Temp. Derate							AMBIENT TEMP (HIGH TEMP 2%) 34°
	1.0	1.0	0.80	N/A	Conduit Fill Derate			FROM COM	AC DISCONNECT LOCATED 10 MAX	NOTE-TAP CONDUCTORS LESS PER NEC 705.31	UTILITY METER NO:	P CONDUCTOR b) TEMPERATURE 6) RATE 90°
	72.00	38.40	24.32	22.80	Derated Ampacity (A)	0		INER BOX	OCATED 10' MAX	31 31	NO: 111194	MP CONDUCTOR 2%) TEMPERATURE RATE 90°
	14	14	07	07	Inverter Qty		(N) AC DISCONNECT 60A FUSED.MSIBLE DISCONNECT, 240 VAC VAC					
	1.21	1.21	1.21	1.21	NOC (A)			Ö		a Z	MANUF	SOLAI MANUFACTURER / MODEL # HANWHA Q CELLS Q.PEAK DUO BLK ML-G10+ / t (400W) MODULE DIMENSION
	1.25	1.25	1.25	1.25	NEC Correction		CONNECTION		AC DISCONNECT SHALL BE LOCATED WITHIN 5' OF UTILITY METER	IQ8PLUS-72-2-US		
	21.18	21.18	10.59	10.59	Design Current (A)				LOCATED ETER BI-DIRECTIONAL UTILITY METER 1-PHASE, 3-W.	4	QUANTITY	SPECIFIC/ MP VOC 0.50 45.55 (A) (V) 74.0"
	06 AWG	10 AWG	10 AWG	06 AWG	Ground Size	EXISTING GROUNING SYSTEM	(E) N (E) N (E) M SEFA 150/ 225A N 120/24	C GOHZ	IONAL ETER 3-W,	240 VAC NOTE: THE AC DIS WITHIN SFT OF UI NOTE: AC DISCON FROM COMBINER	IFICATIONS NOMINAL OUTPUT VOLTAGE	ATIONS ISC TEMPERATURE USC COEFFICIENT 11.07 -0.27%/K (A) -0.27%/K L x 41.1" W x 1.26" D
	THWN-2	THWN-2	THWN-2	BARE CU	Ground Wire Type	۵	 (E) MAIN BREAKER 150A/2P, 240V (E) MAIN (E) MAIN 225A RATED, 120/240V 			240 VAC 1.21A NOTE: THE AC DISCONNECT IS LOCATED WITHIN 5FT OF UTILITY METER NOTE: AC DISCONNECT LOCATED 10' MAX FROM COMBINER BOX PER NEC 690.15(A)	JT NOMINAL OUTPUT CURRENT	UT MODULES
11" X 17" SHEET NUMBER	SHEET SIZE	CALCULATION	ELECTRICAL L	SHEET NAME	UTIL	GLENDA BEL 4412 NE 20TH / OCALA, FL 34479 APN# 1581012 FY: OCALA ELECTE AHJ: MARION CO	AVE, P, USA 009 RIC UTILITY	_	INITIAL RELEASE 02/08/2024 REDUCED 03/22/2024 SYSTEM SIZE 03/22/2024	AX A) DESCRIPTION DATE		



		DX (IE	3END / METER ERVICE PANEL E LOCKABLE LABELED DISCONNECT	NE 20	~93.42" DTH AVE		NOTE: 3/4" OR GREATER LTNM CONDUIT RUN (7/8" ABOVE ROOF SURFACE)
PV-1	SHEET SIZE ANSI B 11" X 17"	SHEET NAME SITE PLAN WITH ROOF PLAN	O UTILITY: Ał	GLENDA BELL 4412 NE 20TH AVE, CALA, FL 34479, USA APN# 1581012009 OCALA ELECTRIC UTILITY J: MARION COUNTY ECT NUMBER: P-0094808		VERSION DESCRIPTION DATE REV INITIAL RELEASE 02/08/2024 UR REDUCED 03/22/2024 M	Lumio *



IQ8 and IQ8+ Microinverters

Our newest IQ8 Microinverters are the industry's first microgrid-forming, software defined microinverters with split-phase power conversion capability to convert DC power to AC power efficiently. The brain of the semiconductor-based microinverters us our proprietary application specific integrated circuit (ASIC) which enables the microinverter to operate in grid-tied or off-grid modes. This chip is built in advanced 55nm technology with high speed digital logic and has superfast response times to changing loads and grid events, alleviating constraints on battery sizing for home energy systems.



Enphase 25 year limited warranty

Part of the Enphase Energy System, IQ8 Series Microinverters integrate with the IQB attery, IQ Gateway, and the Enphase App monitoring and analysis software.

IQ8 Series Microinverters redefine reliability standards with more than one million cumulative hours of power-on testing, enabling an industry-leading limited warranty of up to 25 years.



Ð

Connect PV modules quickly and easily to IO8 Series Microinverters using the Included Q-DCC-2 adapter cable with plug-n-play MC4 connectors.

IQ8 Series Microinverters are UL listed as PV Rapid Shutdown Equipment and conform with various regulations, when installed according to manufacturer's

instructions.

*Only when installed with IQ System Controller 2, meets UL 1741. **IQ8 and IQ8Plus support split-phase, 240V installations only.

© 2022 Enphase Energy. All rights reserved. Enphase, the Enphase logo, IC8 Microinverters, and other names are trademarks of Enphase Energy. Inc. Data subject to change.

Easy to install

- Lightweight and compact with plug-n-play connectors
- Power Line Communication (PLC) between components
- Faster installation with simple two-wire cabling

High productivity and reliability

- Produce power even when the grid is down*
- More than one million cumulative hours
 of testing
- Class II double-insulated enclosure
- Optimized for the latest high-powered PV modules

Microgrid-forming

- Complies with the latest advanced grid support**
- Remote automatic updates for the
- latest grid requirements
- Configurable to support a wide range
 of grid profiles
- 1547:2018 (UL 1741-SB) Meets CA Rule 21 (UL 1741-SA) and IEEE
- Note:

IQ8 Microinverters cannot be mixed together with previous generations of Enphase microinverters (IQ7 Series, IQ6 Series, etc.) in the same system.

IQ8SP-12A-DS-0067-02-EN-US-2022-12-02

DATA SHEET

CA Rule 21 (UL 1741-SA), UL 62109-1, IEEE 1547:2018 (UL 1741-SB), FCC Part 15 Class B, ICES-0003 Class B, CAN / CSA-C22.2 NO. 107.1-01 This product is UL Listed as PV Rapid Shutdown Equipment and conforms with NEC 2014, NEC 2017, and NEC 2020 section 690.12 and C221-2018 Rule 64-218 Rapid Shutdown of PV Systems, for AC and DC conductors, when installed according to manufacturer's instructions.		
	(UL 1741-SA), UL 62109-1, IEEE 1547:2018 (L ct is UL Listed as PV Rapid Shutdown Equip 8 Rapid Shutdown of PV Systems, for AC ar	Certifications Rule 64-218 Rule 64-218
NEMA Type 6 / outdoor		Environ. category / UV exposure rating
Class II double-insulated, corrosion resistant polymeric enclosure		Enclosure
PD3		Pollution degree
Yes		Approved for wet locations
Natural convection - no fans		Cooling
1.08 kg (2.38 lbs)		Weight
212 mm (8.3") x 175 mm (6.9") x 30.2 mm (1.2")		Dimensions (H x W x D)
MC4		DC Connector type
4% to 100% (condensing)		Relative humidity range
-40°C to +60°C (-40°F to +140°F)		Ambient temperature range
6 <u>0</u>	mW	Night-time power consumption MECHANICAL DATA
97		CEC weighted efficiency
97.7	36 3	Peak efficiency
0.65 leading - 0.85 lagging		Grid-tied power factor (adjustable)
10		Power factor setting
30	mA	AC port backfeed current
н		Overvoltage class AC port
×5×		Total harmonic distortion
ä	Arms 16	3 cycles Max. units per 20 A (L-L) branch circuit ³
2	1	short circuit fault current over
47-68	HZ I	Extended frequency range
00		Nominal frequency
1.21	A 1.0	Max. continuous output current
240 / 211 - 264	A 100	Nominal (L-L) voltage / range ²
	000	reax output power
300 -1-21/180/1981	108-00-2-05 VA 245	Deak output nower
nal DC side protection required; AC side protection	1x1Ungrounded array; No add	PV array configuration
0	mA	DC port backfeed current
-		Overvoltage class DC port
20	A	Max. module I _{se}
25 -	А	Max. input DC short-circuit current
12		Max. continuous input DC current
	У 50	Max. input DC voltage
		Min. / Max. start voltage
		Operating range
	V 27-37	MPPT voltage range
54-cell / 108 half-cell, 60-cell / 120 half-cell, 66-cell / 132 half- cell and 72-cell / 144 half-cell	60-cell /120 half-cell	Module compatibility
	W 235 - 350	Commonly used module pairings ¹
-US 108PLUS-72-2-US	108-60-2-US	INPUT DATA (DC)

SHEET NUMBER	SHEET SIZE ANSI B 11" X 17"	SHEET NAME	GLENDA BELL 4412 NE 20TH AVE, OCALA, FL 34479, USA APN# 1581012009 UTILITY: OCALA ELECTRIC UTILITY AHJ: MARION COUNTY PROJECT NUMBER: P-0094808		VERSION DESCRIPTION DATE REV INITIAL RELEASE 02/08/2024 UR REDUCED 03/22/2024 A		Lumio *
--------------	-----------------------------------	------------	---	--	--	--	---------

IQ Combiner 4/4C



It offers up to four 2-pole input circuits and pre-wired solution for residential applications. storage installations by providing a consistent, interconnection equipment into a single Eaton BR series busbar assembly. enclosure. It streamlines IQ Microinverters and only with IQ Combiner 4C) consolidates integrated LTE-M1 cell modem (included The IQ Combiner 4/4C with IQ Gateway and

Smart

- Includes IQ Gateway for communication and control Includes Mobile Connect cellular modem
- IQ Combiner 4C (CELLMODEM-M1-06-SP-05), included only with
- Includes solar shield to match Enphase IQ Battery
- aesthetics and deflect heat Supports Wi-Fi, Ethernet, or cellular connectivity Optional AC receptacle available for PLC bridge
- Provides production metering and consumption
- monitoring

Simple

- Mounts on single stud with centered brackets
- Supports bottom, back and side conduit entry
 Allows up to four 2-pole branch circuits for 240VAC plug-in breakers (not included)
- 80A total PV or storage branch circuits

Reliable

- Durable NRTL-certified NEMA type 3R enclosure
- Five-year limited warranty
- Two years labor reimbursement program coverage included for both the IQ Combiner SKU's
- UL listed
- X2-IQ-AM1-240-4 and X2-IQ-AM1-240-4C comply with IEEE 1547:2018 (UL 1741-SB, 3rd Ed.)

ENPHASE

IQ Combiner 4/4C

IQ Combiner 4	IQ Combiner 4 with IQ Gateway printed circuit board for integrated revenue g
X-IQ-AM1-240-4 X2-IQ-AM1-240-4 (IEEE 1547:2018)	and consumption monitoring ($\pm 2.3\%$). Includes a silver solar shield to match deflect heat.
IQ Combiner 4C X-IQ-AM1-240-4C X2-IQ-AM1-240-4C (IEEE 1547:2018)	IQ Combiner 4C with IQ Gateway printed circuit board for integrated revenue and consumption monitoring (± 2.5%). Includes Mobile Connect cellular mo industrial-grade cell modern for systems up to 60 microinverters. (Avail able US Virgin Islands, where there is adequate cellular service in the installation to Do the conserver consult of contact to construct the installation.
ACCESSORIES AND REPLACEMENT PARTS	(not included, order separately)
Supported microinverters	IQ6, IQ7, and IQ8. (Do not mix IQ6/7 Microinverters with IQ8)
Communications Kit COMMS-CELLMODEM-M1-06 CELLMODEM-M1-06-SP-05 CELLMODEM-M1-06-AT-05	 Includes COMMS-KIT-01 and CELLMODEM-M1-06-SP-05 with 5-year Sp 4G based LTE-M1 cellular modem with 5-year Sprint data plan 4G based LTE-M1 cellular modem with 5-year AT&T data plan
Circuit Breakers BRK-15A-2-240V BRK-15A-2-240V BRK-20A-2P-240V-R	Supports Eaton BR210, BR215, BR220, BR230, BR240, BR250, and BR260 Circuit breaker, 2 pole, 104, Eaton BR210 Circuit breaker, 2 pole, 154, Eaton BR215 Circuit breaker, 2 pole, 154, Eaton BR215 Circuit breaker, 2 pole, 154, Eaton BR215B with hold down kit support
	Replacement solar shield for IQ Combiner 4/4C
XA-PLUG-120-3	Accessory receptacle for Power Line Carrier in IQ Combiner 4/4C (required
X-IQ-NA-HD-125A Consumption monitoring CT	Hold-down kit for Eaton circuit breaker with screws A pair of 200A split core current transformers
ELECTRICAL SPECIFICATIONS	
Rating	Continuous duty
System voltage	120/240VAC, 60 Hz
Max. continuous current rating	65A
Max. continuous current rating (input from PV/storage)	64A
Max. fuse/circuit rating (output) Branch circuits (solar and/or storana)	90A His to four 2-note Eaton BR series Distributed Generation (DG) breakers o
Max. total branch circuit breaker rating (input)	80A of distributed generation/95A with IQ Gateway breaker included
IQ Gateway breaker	10A or 15A rating GE/Siemens/Eaton included
Production metering CT	200A solid core pre-installed and wired to IQ Gateway
MECHANICAL DATA	
Dimensions (WxHxD)	37.5 cm x 49.5 cm x 16.8 cm (14.75 in x 19.5 in x 6.63 in). Height is 53.5 ci
Weight	7.5 kg (16.5 lbs)
Ambient temperature range	-40°C to +46°C (-40°F to 115°F)
Cooling	Natural convection, plus heat shield
Enclosure environmental rating	Outdoor, NRTL-certified, NEMA type 3R, polycarbonate construction
Wire sizes	 20A to 50A breaker inputs: 14 to 4 AWG copper conductors 60A breaker branch input: 4 to 1/0 AWG copper conductors Main lug combined output: 10 to 2/0 AWG copper conductors Neutral and ground: 14 to 1/0 copper conductors Neutral and ground: 14 to 1/0 copper conductors Always follow local code requirements for conductor sizing.
Altitude	Up to 3,000 meters (9,842 feet)
INTERNET CONNECTION OPTIONS	
Integrated WI-Fi	IEEE 802.11b/g/n
Cellular	CELLMODEM-M1-06-SP-05, CELLMODEM-M1-06-AT-05 (4G based LTE-M cellular modem is required for all Enphase Energy System installations.
Ethernet	Optional, IEEE 802.3, Cat5E (or Cat6) UTP Ethernet cable (not included)
COMPLIANCE	
Compliance, IQ Combiner	CA Rule 21 (UL 1741-SA) IEEE 1547:2018 - UL 1741-SB, 3 rd Ed. (X2-10-AM1-240-4 and X2-10-AM1-2 CAN/CSA C22 2 No. 1071, Title 47 CFR, Part 15, Class B, ICES 003 Production metering: ANSI C12.20 accuracy class 0.5 (PV production) Consumption metering: accuracy class 2.5
Compliance, IQ Gateway	UL 60601-1/CANCSA 22.2 No. 61010-1

© UL 60601-1/CANCSA 22.2 No. 61010-1 © 2022 Enphase Energy. All rights reserved. Enphase, the Enphase logo, IQ Combiner 4/4C, and other names are trademarks of Enphase Energy. Inc. Data subject to change.

To learn more about Enphase offerings, visit enphase.com IQ-C-4-4C-DS-0103-EN-US-12-29-2022

IQ-C-4-4C-DS-0103-EN-US-12:29:2022		11-240-4C))	's only (not included) 5 cm (21.06 in) with mounting brackets. 5 cm (21.06 in) with mounting brackets. 5 cm (21.06 in) with mounting brackets.	e grade PV production metering (ANSI C12.20 ± 0.5%) to the IQ Battery and IQ System Controller 2 and to mue grade PV production metering (ANSI C12.20 ± 0.5%) modern (CELLMODEM-ANT-06-SP-05), a plug-and-play ble in the US, Canada, Mexico, Deuter Brico, and the ion area) Includes a silver solar shield to match the Sprint data plan 260 circuit breakers. t t t t t t t t t
AINOLD 11" X 17" SHEET NUMBER PV-9	SHEET SIZE	SHEET NAME	GLENDA BELL 4412 NE 20TH AVE, OCALA, FL 34479, USA APN# 1581012009 UTILITY: OCALA ELECTRIC UTILITY AHJ: MARION COUNTY PROJECT NUMBER: P-0094808	

Q.PEAK DUO BLK ML-G10+ SERIES

390-410 Wp | 132 Cells 20.9% Maximum Module Efficiency

MODEL Q.PEAK DUO BLK ML-G10+/t

	25 Warranty	
Enduring high performance Long-term yield security with Anti LeTID Technology, Anti PID Technology ² and Hot-Spot Protect.	A reliable investment Inclusive 25-year product warranty and 25-year linear performance warranty.	Breaking the 20% efficiency barrier QANTUM DUO Z Technology with zero gap cell layout boosts module efficiency up to 20.9%.

Extreme weather rating

High-tech aluminium alloy frame, certified for high snow (5400Pa) and wind loads (4000Pa).

R

Innovative all-weather technology

B

Optimal yields, whatever the weather with excellent low-light and temperature behaviour.

The most thorough testing programme in the industry

 Σ

Ocells is the first solar module manufacturer to pass the most comprehensive quality programme in the industry. The new "Quality Controlled PV" of the independent certification institute TUV Rheinland.

See data sheet on rear for further information. APT test conditions according to IEC/TS 6280412015, method A (-1500V, 96 h)

TOWNsemland Controlled PV 2022 4 2022

Q.PEAK DUO BLK ML-G10+ SERIES

-

400	395	390	SS	POWER CLASS
			Electrical Characteristics	Electrical
-+ 126 (32 mm) 0.957 (24.5 m			Stäubli MC4; IP68	Connector
	(1830mm)	4mm ² Solar cable; (+) ≥72.04 in (1830mm), (-) ≥72.04 in (1830mm)	4 mm^2 Solar cable; (+) ≥ 72	Cable
4 · Mouring and (DD	odes	2.09-3.98 in × 1.26-2.36 in × 0.59-0.71 in (53-101 mm × 32-60 mm × 15-18 mm), IP67, with bypass diodes	2.09-3.98 in × 1.26-2.36 in × 0.59-0.71 in (53-101 mm × 32-60 mm × 15-18 mm), IP6	Junction box
Labet-272.04" (88		ANTUM solar half cells	6 × 22 monocrystalline Q.ANTUM solar half cells	Cell
			Black anodised aluminium	Frame
		n with black grid	Transparent composite film with black grid	Back Cover
4 «Giounding points a Utile" (4.5 min		ore-stressed glass logy	013 in (3.2 mm) thermally pre-stressed glass with anti-reflection technology	Front Cover
			48.51bs (22.0 kg)	Weight
		luding frame) nm)	74.0 in × 411 in × 1.26 in (including frame) (1879 mm × 1045 mm × 32 mm)	Format
-			Mechanical Specification	 Mechanic

MINIMUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC (POWER TOLERANCE +5 W/-0 W) Short Powe

	≥20.4		≥ 20.1		≥19.9	[%]	ŋ	Efficiency ¹
38.08	38.09	37.81	37.81	37.53	37.54	M	Vapp	Voltage at MPP
11.49	10.50	11.43	10.45	11.37	10.39	[A]	Mpp	Current at MPP
45.72	45.55	45.68	45.52	45.65	45.49	M	Voc	Open Circuit Voltage ¹
12.11	11.07	12.08	11.04	12.05	11.01	[A]	19	Short Circuit Current
437.5	400	432.1	395	426.6	390	[W]	PNep	Power at MPP' P _{Mep} [M] 390 426.6 395 432.1 400 437.5
BSIC		BSTC.		BSIC.				

Bifaciality Measure

Mea	-	Mi	nim	um	
surement tolerances P _{MPP}	Voltage at MPP V _{MPP} [V] 35.86 36.10 36.33	Current at MPP	Open Circuit Voltage	Short Circuit Current	Power at MPP
±3%; sc; Voc ±59	Vapp	Mpp	Vac	Я	PMpp
6 at STC:	Z	[A]	3	[A]	[M]
1000 W/m ² , 25±2	35.86	8.16	42.90	8.87	292.6
*C, AM 1.5 according to	36.10	8.21	42.93	8.89	296.3
DIEC 60904-3 - 28001	36.33	8.26	42.96	8.92	300.1

Qcells PERFORMANCE WARRANTY PERFORMANCE AT LOW IRRADIANCE V/m2,



85

95 88 100

	inisation of your respective itry.	ordance with the warranty is of the Qcells sales	ata within measurement
		8	80
Typical module per comparison to STC	200		
ule per to STC	400		

80

-0.34 Nominal Module Operating	-0.34	[%/K]	Y	e Coefficient of P _{Mpp}
+0.04 Temperature Coefficient of	+0.04	a [%/K]	a	e Coefficient of I _{sc}
				FURE COEFFICIENTS
Typical module performance u comparison to STC conditions			ties with the	ard terms of guarantee for the 5 PV companies with the production capacity in 2021 (February 2021)

TEMPERAT

Standa

Temperature Temperature

Propertie Maximum System • n + Desin

Properties for System Design	em D	esign		
Maximum System Voltage	Vsvs	ß	1000 (IEC)/1000 (UL)	PV module classification
Maximum Series Fuse Rating		[A DC]	20	Fire Rating based on ANSI/UL 61730
Max. Design Load, Push/Pull ³		[lbs/ft²]	75 (3600.Pa)/55 (2660 Pa)	Permitted Module Temperature
Max. Test Load, Push/Pull ³		[lbs/ft2]	[lbs/ft ²] 113 (5400Pa)/84 (4000Pa)	on Continuous Duty

Qualifications and Certificates See Installation Manual

UL 61730, CE-compliant, Quality Controlled PV - TÚV Rheinland, IEC 61215:2016, IEC 61730:2016, U.S. Patent No. 9,893,215 (solar cells),



Ocells pursues minimizing paper output in consideration of the global environment. Note: Instalation instructions must be followed. Contact our technical service for further information on approved installation of this product Name National O CELLS America Inc. 400 Spectrum Center Drive, Suite 1400, Ivrine, CA 92518, USA I TEL, 1949 748 99 96 I EMAIL hquequipper

Rooftop arrays on residential buildings

The ideal solution for:



PC-7 GLENDA BELL 4412 NE 20TH AVE, OCALA, FL 34479, USA APN# 1581012009 UTILITY: OCALA ELECTRIC UTILITY AHJ: MARION COUNTY PROJECT NUMBER: P-0094808	VERSION DESCRIPTION DATE REV INITIAL RELEASE 02/08/2024 UR REDUCED 03/22/2024 UR SYSTEM SIZE 03/22/2024 IV INITIAL RELEASE 03/2024 IV I
--	---

acells



Cocells O.PEAK_DUO_BLK_ML-G10+_t_se ies_390-410_2022-10_Rev01_N/



V_{oc}

10.0	1 10.0
04-1-2according to IEC 60904-3	o IEC 60904-3
±2°C, AM 1.5 acco	£2°C, AM 1.5 according to IEC 60904-3
303.8	307.6
8.94	8.97
42.99	43.03
8.31	8.36
36.57	36.80
NMOT. spectrum AM 15	AM 15

BSTC" 448.5 12.18 45.78 11.61 38.62

10.56 38.35 410 11.13 45.62 10.61 38.63 ≥20.9

38.36 ≥20.6

45.59 405 BSTC^{*} 443.0 12.15 45.75 11.55

405 A LOS (ISTRI) 410

DocuSian

Certificate Of Completion

Envelope Id: E2E3D9E959DC48F1B5683D2CA9703B2D Subject: FOR SIGNATURES-Net Metering Agreement_ Glenda Bell (ELE/240841) Source Envelope: Document Pages: 26 Signatures: 5 Certificate Pages: 5 Initials: 0 AutoNav: Enabled Envelopeld Stamping: Enabled Time Zone: (UTC-05:00) Eastern Time (US & Canada)

Record Tracking

Status: Original 6/26/2024 2:23:58 PM Security Appliance Status: Connected Storage Appliance Status: Connected

Signer Events

William E. Sexton wsexton@ocalafl.org **City Attorney** City of Ocala Security Level: Email, Account Authentication (None)

Electronic Record and Signature Disclosure: Not Offered via DocuSign

Janice Mitchell jmitchell@Ocalafl.org CFO City of Ocala Security Level: Email, Account Authentication (None)

Electronic Record and Signature Disclosure: Accepted: 7/10/2024 10:37:18 AM

ID: b4735a2f-dd27-4225-b702-5a7ee5417750

Chris Gowder

chris.gowder@fmpa.com

VP of IT/OT and System Ops

Security Level: Email, Account Authentication (None)

Electronic Record and Signature Disclosure: Accepted: 7/10/2024 10:44:09 AM ID: 619f6b04-c16f-4f06-bc05-fdc700a6e79d

Holder: April Adolf aadolf@ocalafl.gov Pool: StateLocal Pool: City of Ocala - Procurement & Contracting

Signature

DocuSigned by William E. Sexton B07DCFC4E86E429.

Signature Adoption: Pre-selected Style Using IP Address: 216.255.240.104

DocuSigned by: Janice Mitchell 55198B43858A4E1..

Signature Adoption: Pre-selected Style Using IP Address: 216.255.240.104

Sent: 7/9/2024 12:25:55 PM Viewed: 7/10/2024 10:37:18 AM Signed: 7/10/2024 10:37:49 AM

Viewed: 7/10/2024 10:44:09 AM Signed: 7/10/2024 10:44:19 AM

In Person Signer Events Signature Timestamp **Editor Delivery Events** Status Timestamp **Agent Delivery Events** Status Timestamp **Intermediary Delivery Events** Status Timestamp

Status: Completed

Envelope Originator: April Adolf 110 SE Watula Avenue City Hall, Third Floor Ocala, FL 34471 aadolf@ocalafl.gov IP Address: 216.255.240.104

Location: DocuSign

Location: DocuSign

Timestamp

Sent: 6/26/2024 3:06:07 PM Viewed: 7/9/2024 10:57:35 AM Signed: 7/9/2024 12:25:53 PM

DocuSigned by: torl.

087F58EBB34B474...

Signature Adoption: Uploaded Signature Image Using IP Address: 38.77.131.2

Sent: 7/10/2024 10:37:52 AM

Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp
Notary Events	Signature	Timestamp
Envelope Summary Events	Status	Timestamps
Envelope Summary Events Envelope Sent	Status Hashed/Encrypted	Timestamps 6/26/2024 3:06:08 PM
		•
Envelope Sent	Hashed/Encrypted	6/26/2024 3:06:08 PM
Envelope Sent Certified Delivered	Hashed/Encrypted Security Checked	6/26/2024 3:06:08 PM 7/10/2024 10:44:09 AM
Envelope Sent Certified Delivered Signing Complete	Hashed/Encrypted Security Checked Security Checked	6/26/2024 3:06:08 PM 7/10/2024 10:44:09 AM 7/10/2024 10:44:19 AM

ELECTRONIC RECORD AND SIGNATURE DISCLOSURE

From time to time, City of Ocala - Procurement & Contracting (we, us or Company) may be required by law to provide to you certain written notices or disclosures. Described below are the terms and conditions for providing to you such notices and disclosures electronically through the DocuSign system. Please read the information below carefully and thoroughly, and if you can access this information electronically to your satisfaction and agree to this Electronic Record and Signature Disclosure (ERSD), please confirm your agreement by selecting the check-box next to 'I agree to use electronic records and signatures' before clicking 'CONTINUE' within the DocuSign system.

Getting paper copies

At any time, you may request from us a paper copy of any record provided or made available electronically to you by us. You will have the ability to download and print documents we send to you through the DocuSign system during and immediately after the signing session and, if you elect to create a DocuSign account, you may access the documents for a limited period of time (usually 30 days) after such documents are first sent to you. After such time, if you wish for us to send you paper copies of any such documents from our office to you, you will be charged a \$0.00 per-page fee. You may request delivery of such paper copies from us by following the procedure described below.

Withdrawing your consent

If you decide to receive notices and disclosures from us electronically, you may at any time change your mind and tell us that thereafter you want to receive required notices and disclosures only in paper format. How you must inform us of your decision to receive future notices and disclosure in paper format and withdraw your consent to receive notices and disclosures electronically is described below.

Consequences of changing your mind

If you elect to receive required notices and disclosures only in paper format, it will slow the speed at which we can complete certain steps in transactions with you and delivering services to you because we will need first to send the required notices or disclosures to you in paper format, and then wait until we receive back from you your acknowledgment of your receipt of such paper notices or disclosures. Further, you will no longer be able to use the DocuSign system to receive required notices and consents electronically from us or to sign electronically documents from us.

All notices and disclosures will be sent to you electronically

Unless you tell us otherwise in accordance with the procedures described herein, we will provide electronically to you through the DocuSign system all required notices, disclosures, authorizations, acknowledgements, and other documents that are required to be provided or made available to you during the course of our relationship with you. To reduce the chance of you inadvertently not receiving any notice or disclosure, we prefer to provide all of the required notices and disclosures to you by the same method and to the same address that you have given us. Thus, you can receive all the disclosures and notices electronically or in paper format through the paper mail delivery system. If you do not agree with this process, please let us know as described below. Please also see the paragraph immediately above that describes the consequences of your electing not to receive delivery of the notices and disclosures electronically from us.

How to contact City of Ocala - Procurement & Contracting:

You may contact us to let us know of your changes as to how we may contact you electronically, to request paper copies of certain information from us, and to withdraw your prior consent to receive notices and disclosures electronically as follows: To contact us by email send messages to: contracts@ocalafl.org

To advise City of Ocala - Procurement & Contracting of your new email address

To let us know of a change in your email address where we should send notices and disclosures electronically to you, you must send an email message to us at contracts@ocalafl.org and in the body of such request you must state: your previous email address, your new email address. We do not require any other information from you to change your email address.

If you created a DocuSign account, you may update it with your new email address through your account preferences.

To request paper copies from City of Ocala - Procurement & Contracting

To request delivery from us of paper copies of the notices and disclosures previously provided by us to you electronically, you must send us an email to contracts@ocalafl.org and in the body of such request you must state your email address, full name, mailing address, and telephone number. We will bill you for any fees at that time, if any.

To withdraw your consent with City of Ocala - Procurement & Contracting

To inform us that you no longer wish to receive future notices and disclosures in electronic format you may:

i. decline to sign a document from within your signing session, and on the subsequent page, select the check-box indicating you wish to withdraw your consent, or you may;

ii. send us an email to contracts@ocalafl.org and in the body of such request you must state your email, full name, mailing address, and telephone number. We do not need any other information from you to withdraw consent.. The consequences of your withdrawing consent for online documents will be that transactions may take a longer time to process..

Required hardware and software

The minimum system requirements for using the DocuSign system may change over time. The current system requirements are found here: <u>https://support.docusign.com/guides/signer-guide-signing-system-requirements</u>.

Acknowledging your access and consent to receive and sign documents electronically

To confirm to us that you can access this information electronically, which will be similar to other electronic notices and disclosures that we will provide to you, please confirm that you have read this ERSD, and (i) that you are able to print on paper or electronically save this ERSD for your future reference and access; or (ii) that you are able to email this ERSD to an email address where you will be able to print on paper or save it for your future reference and access. Further, if you consent to receiving notices and disclosures exclusively in electronic format as described herein, then select the check-box next to 'I agree to use electronic records and signatures' before clicking 'CONTINUE' within the DocuSign system.

By selecting the check-box next to 'I agree to use electronic records and signatures', you confirm that:

- You can access and read this Electronic Record and Signature Disclosure; and
- You can print on paper this Electronic Record and Signature Disclosure, or save or send this Electronic Record and Disclosure to a location where you can print it, for future reference and access; and
- Until or unless you notify City of Ocala Procurement & Contracting as described above, you consent to receive exclusively through electronic means all notices, disclosures, authorizations, acknowledgements, and other documents that are required to be provided or made available to you by City of Ocala Procurement & Contracting during the course of your relationship with City of Ocala Procurement & Contracting.