

230483

OCALA ELECTRIC UTILITY
OCALA, FLORIDA

FIRST REVISED SHEET NO. 19.0
CANCELS ORIGINAL SHEET NO. 19.0

**APPLICATION FOR INTERCONNECTION OF
CUSTOMER-OWNED RENEWABLE
GENERATION SYSTEMS**

TIER 1 - Ten (10) kW or Less

TIER 2 - Greater than 10 kW and Less Than or Equal to 100 kW

TIER 3 - Greater than 100 kW and Less Than or Equal to Two (2) MW

Note: These customer-owned renewable generation system size limits may be subject to a cumulative enrollment limit on net-metering customers located in the area served by the City of Ocala Electric Utility. Please refer to the Ocala Electric Utility Net-Metering Rate Schedule.

Ocala Electric Utility customers who install customer-owned renewable generation systems (RGS) and desire to interconnect those facilities with the Ocala Electric Utility system are required to complete this application. When the completed application and fees are returned to Ocala Electric Utility, the process of completing the appropriate Tier 1, Tier 2 or Tier 3 Interconnection Agreement can begin. This application and copies of the Interconnection Agreements may be obtained at Ocala Electric Utility, located at 201 SE 3rd Street, Ocala, Florida 34471, or may be requested by email from OEU@ocalafl.org.

1. Customer Information

Name: ROBERT W. LARKIN
Mailing Address: 2030 NE 125TH TERRACE RD
City: SILVER SPRINGS State: FL Zip Code: 34488
Phone Number: (352) 625-1095 Alternate Phone Number: _____
Email Address: Larkin.peggy@gmail.com Fax Number: _____
Ocala Electric Utility Customer Account Number: 551868-159397

2. RGS Facility Information

Facility Location: 2030 NE 125TH TERRACE RD, SILVER SPRINGS, FL 34488
Ocala Electric Utility Customer Account Number: 551868-159397
RGS Manufacturer: Hanwha QCELLS/SolarEdge Technologies
Manufacturer's Address: Hanwha: 2860 Innovation Drive, London, ON, N6M 0C5
SolarEdge Technologies: 700 Tasman Dr. Milpitas, CA 95035
Reference or Model Number: Hanwha: (25) Q.PEAK DUO ML-G10+/SolarEdge: (1) SE7600H-US
Serial Number: _____

(Continued on Sheet No.19.1)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continue from Sheet No. 19.0)

FIRST REVISED SHEET NO. 19.1
CANCELS ORIGINAL SHEET NO. 19.1

3. Facility Rating Information

Gross Power Rating: 8.50 ("Gross power rating" means the total manufacturer's AC nameplate generating capacity of an on-site customer-owned renewable generation system that will be interconnected to and operate in parallel with Ocala Electric Utility's distribution facilities. For inverter-based systems, the AC nameplate generating capacity shall be calculated by multiplying the total installed DC nameplate generating capacity by 0.85 in order to account for losses during the conversion from DC to AC.)

Fuel or Energy Source: Solar

Anticipated In- Service Date: 4-2023

4. Application Fee

The application fee is based on the Gross Power Rating and must be submitted with this application. The non-refundable application fee is \$375 for Tier 2 and \$750 for Tier 3 installations. There is no application fee for Tier 1 installations.

5. Interconnection Study Fee

For Tier 3 installations, a deposit in the amount of the estimated costs of the study (to be determined at time of application) must be paid along with this application in addition to the application fee referenced in Article 4 above. This deposit will be applied toward the cost of an interconnection study. The customer will be responsible for the actual costs of the study. Should the actual cost of the study be less than the deposit, the difference will be refunded to the customer. Customer agrees to comply with all interconnection requirements identified in the interconnection study report.

6. Required Documentation

Prior to completion of the Interconnection Agreement, the following information must be provided to the Ocala Electric Utility by the customer.

- A. Documentation demonstrating that the installation complies with (or most current version at time of inspection approval):
1. IEEE 1547 (2018) Standard for Interconnecting Distributed Resources with Electric Power Systems.
 2. IEEE 1547.1 (2005) Standard Conformance Test Procedures for Equipment Interconnecting Distributed Resources with Electric Power Systems.
 3. UL 1741 (2010) Inverters, Converters, Controllers and Interconnection System Equipment for Use with Distributed Energy Resources.

(Continued on Sheet No. 19.2)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continued from Sheet No. 19.1)

FIRST REVISED SHEET NO. 19.2
CANCELS ORIGINAL SHEET NO. 19.2

B. Documentation that the customer-owned renewable generation has been inspected and approved by local code officials prior to its operation in parallel with the Ocala Electric Utility system to ensure compliance with applicable local codes. OEU will also require proof of commission testing by a qualified 3rd party testing company (not affiliated in any way with the manufacturer, vendor or installation contractor), for compliance with all required and applicable codes, standards, and interconnection study requirements, prior to setting of OEU metering equipment.

C. Proof of insurance in the amount of:

Tier 1 - \$100,000.00

Tier 2 - \$1,000,000.00

Tier 3 - \$2,000,000.00

Customer

By: ROBERT W. LARKIN
(Print Name)

Date: 03-29-2023

Robert W Larkin
(Signature)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

American Strategic Insurance Corp
1 ASI Way
St. Petersburg, FL 33702
Phone: (727) 374-2502

PROGRESSIVE
UMBRELLA

Premises Only Liability Declarations Page

Agent:

Amsley Insurance Services
1617 13th St.
St. Cloud, FL 34769

Agent Code: 413525

For Policy Service, Call: (407) 892-9645

Total Policy Premium: \$358

Policy Number: FLU154504

Plan Type: UMB

Policy Period: From: 01/18/2023 To: 01/18/2024

Effective Date of Transaction: 01/18/2023

Transaction Type: New Business

Named Insured:

ROBERT LARKIN PEGGY KARNS-LARKIN
2030 NE 125TH TERRANCE RD
SILVER SPRINGS, FL 34488

Premises Location(s):

2030 NE 125TH TERRANCE RD , SILVER SPRINGS, FL 34488

Coverage Limit: \$ 2,000,000

Coverages	Limit	Premium
Liability Base Premium	\$ 2,000,000	\$200.00
Surcharges & Discounts		Premium
Desired Coverage Limit		\$150.00
Increased Underlying Property Liability		\$0.00
Territory Factor (UIM)		\$0.00
Premises Only Credit		(\$59.00)
Swimming Pool/Spas		\$40.00
Minimum Limit Premium Adjustment		\$0.00
Managing General Agent Fee		\$25.00
Florida Insurance Guaranty Association Fee		\$6.52
e-Policy Discount		(\$5.00)
TOTAL POLICY PREMIUM:		\$358.00

All Insureds:

LARKIN, ROBERT

Policy Forms:

Amendment of Policy Provisions - Florida

ASI PUP FL SP 10 20

Premises Liability

ASI PUP 005 09 99

Auto Liability Exclusion - Florida

ASI PUP FL ALE 10 20

Public Or Livery Conveyance Exclusion - Florida

ASI PUP FL PCE 10 20

Personal Umbrella Liability Policy

DL 98 01 06 98

Additional Interest:

David L Pratt

President

Jana Bell

Agent

Policyholder: ROBERT LARKIN PEGGY KARNS-LARKIN

Policy ID: FLU154504

Required Retained Limits**All Automobiles, Motorcycles, Motorhomes, Mopeds, and All Road Licensed Vehicles:****Required Retained Limits** (Does not apply for Premises Only Liability policies)

\$250,000 / \$500,000 / \$100,000 or \$300,000 CSL for policies with any drivers age 22-79

\$500,000 / \$500,000 / \$500,000 or \$500,000 CSL for policies with any drivers 21 and younger or 80 and older *

All Automobiles and Motorhomes Requesting UM Coverage:**Required Retained Limits**

UM: \$250,000 / \$500,000 / \$100,000 or \$300,000 CSL for policies with any drivers age 22-79

UM: \$500,000 / \$500,000 / \$500,000 or \$500,000 CSL for policies with any drivers 21 and younger or 80 and older

Comprehensive Personal Liability, Homeowners, or Farm Comprehensive Personal Liability:**Required Retained Limits**

\$300,000

Residential Rental Properties Covered Under the Dwelling Fire Policy for 1-4 Family Residences:**Required Retained Limits**

\$300,000

Personal Injury Coverage Endorsed to the Homeowners Policy (whenever available):**Required Retained Limits** (Does not apply for Premises Only Liability policies)

\$300,000

All Recreational Vehicles Including Golf Carts, Utility Vehicles, Trail Bikes or Other Vehicles Not Required to be Licensed:**Required Retained Limits** (Does not apply for Premises Only Liability policies)

\$250,000 / \$500,000 / \$100,000 or \$300,000 CSL

Watercraft:**Required Retained Limits** (Does not apply for Premises Only Liability policies)

\$250,000 / \$500,000 / \$100,000 or \$300,000 CSL

* Required Retained Limits are reduced to \$250,000/\$500,000/\$100,000 or \$300,000 CSL when the Underlying Automobile Surcharge is applied.

Detailed Schedule**Automobiles****Make****Model**

N/A

N/A

Motorcycles and Mopeds**Make****Model**

N/A

N/A

Watercraft**Make****Model****Length (ft)****MPH**

N/A

N/A

N/A

N/A

Golf Carts, Utility Vehicles or Recreational Vehicles**Make****Model**

N/A

N/A

Motorhomes**Make****Model**



N/A


N/A

KARNS-LARKIN RESIDENCE

2030 NE 125TH TERRACE RD,
SILVER SPRINGS, FL 34488


10.000 kW DC STC - 7.600 kW AC PV SYSTEM

PROJECT DESCRIPTION: 25x400 HANWHA-Q PEAK DUO ML-G10+ (400W) ROOF MOUNTED SOLAR PHOTOVOLTAIC MODULES SYSTEM SIZE: 10.000 kW DC STC - 7.600 kW AC ARRAY AREA #1: 190.09 SQ. FT. ARRAY AREA #2: 63.36 SQ. FT. ARRAY AREA #3: 126.73 SQ. FT. ARRAY AREA #4: 147.85 SQ. FT. EQUIPMENT SUMMARY 25 HANWHA-Q PEAK DUO ML-G10+ (400W) MODULES 01 SOLAREGE TECHNOLOGY SE7600H-US INVERTER 25 SOLAREGE POWER P340 OPTIMIZERS RACKING: K2 CROSSRAIL 44-X - RAIL ATTACHMENT: SPLICE FOOT X DESIGN CRITERIA: WIND SPEED (ULT): 130 MPH WIND SPEED (ASD): 101 MPH RISK CATEGORY: II EXPOSURE: B		CODES AND STANDARDS GOVERNING CODES: FLORIDA RESIDENTIAL CODE, 7TH EDITION 2020 (FRC) FLORIDA PLUMBING CODE, 7TH EDITION 2020 (FPC) FLORIDA BUILDING CODE, 7TH EDITION 2020 (FBC) FLORIDA MECHANICAL CODE, 7TH EDITION 2020 (FMC) NATIONAL ELECTRICAL CODE 2017 (NEC) ASCE 7-16 FLORIDA FIRE PREVENTION CODE, 7TH EDITION 2020 (FFPC)		OWNER KARNS-LARKIN, MARGARET INSTALLER TITAN SOLAR 525 W BASELINE RD, MESA, AZ 85210 (855) 729-7652 ENGINEER Castillo Engineering Services LLC 620 N. Wynore Road, Suite 250, Maitland, FL 32751 TEL: (407) 289-2575 Ermocrates E. Castillo License# FL PE 52590		HOUSE PHOTO 		PROJECT SITES 																							
STRUCTURAL CERTIFICATION: I ERMOCRATES CASTILLO PE# 52590 AN ENGINEER LICENSED PURSUANT TO CHAPTER 471, CERTIFY THAT THE PV ELECTRICAL SYSTEM AND ELECTRICAL COMPONENTS ARE DESIGNED AND APPROVED USING THE STANDARDS CONTAINED IN THE MOST RECENT VERSION OF THE FLORIDA BUILDING CODE, FBC 107, THE NEC 2017, AND THOSE SET FORTH BY THE FLORIDA SOLAR ENERGY CENTER CERTIFICATION.		ELECTRICAL CERTIFICATION: I ERMOCRATES CASTILLO PE# 52590 AN ENGINEER LICENSED PURSUANT TO CHAPTER 471, CERTIFY THAT THE PV ELECTRICAL SYSTEM AND ELECTRICAL COMPONENTS ARE DESIGNED AND APPROVED USING THE STANDARDS CONTAINED IN THE MOST RECENT VERSION OF THE FLORIDA BUILDING CODE, FBC 107, THE NEC 2017, AND THOSE SET FORTH BY THE FLORIDA SOLAR ENERGY CENTER CERTIFICATION.		SHEET INDEX <table><tr><th>SHEET #</th><th>SHEET DESCRIPTION</th></tr><tr><td>G-01</td><td>COVER SHEET</td></tr><tr><td>A-00</td><td>NOTES AND DESCRIPTION</td></tr><tr><td>A-01</td><td>ROOF PLAN</td></tr><tr><td>S-01</td><td>MODULE LAYOUT</td></tr><tr><td>S-01.1</td><td>PARTIAL PRESSURE AND MODULES EXPOSURE</td></tr><tr><td>S-02</td><td>ATTACHMENT DETAIL</td></tr><tr><td>S-02.1</td><td>STRUCTURE CALCULATION</td></tr><tr><td>E-01</td><td>ELECTRICAL LINE DIAGRAM</td></tr><tr><td>E-02</td><td>WIRING CALCULATIONS</td></tr><tr><td>E-03</td><td>SYSTEM LABELING</td></tr><tr><td>DS-01-06</td><td>DATA SHEETS</td></tr></table>		SHEET #	SHEET DESCRIPTION	G-01	COVER SHEET	A-00	NOTES AND DESCRIPTION	A-01	ROOF PLAN	S-01	MODULE LAYOUT	S-01.1	PARTIAL PRESSURE AND MODULES EXPOSURE	S-02	ATTACHMENT DETAIL	S-02.1	STRUCTURE CALCULATION	E-01	ELECTRICAL LINE DIAGRAM	E-02	WIRING CALCULATIONS	E-03	SYSTEM LABELING	DS-01-06	DATA SHEETS	VICINITY MAP 	
SHEET #	SHEET DESCRIPTION																														
G-01	COVER SHEET																														
A-00	NOTES AND DESCRIPTION																														
A-01	ROOF PLAN																														
S-01	MODULE LAYOUT																														
S-01.1	PARTIAL PRESSURE AND MODULES EXPOSURE																														
S-02	ATTACHMENT DETAIL																														
S-02.1	STRUCTURE CALCULATION																														
E-01	ELECTRICAL LINE DIAGRAM																														
E-02	WIRING CALCULATIONS																														
E-03	SYSTEM LABELING																														
DS-01-06	DATA SHEETS																														
		PROJECT NAME KARNS-LARKIN RESIDENCE 2030 NE 125TH TERRACE RD, SILVER SPRINGS, FL 34488		SHEET NAME COVER SHEET		SHEET SIZE ANSI B 11" X 17"		SHEET NUMBER G-01																							



[illegible]

POWER CLASS	318	330	335	400	405
Power at 5000 Hz	360	360	360	400	400
Power at 4000 Hz	360	360	360	400	400
Power at 3000 Hz	360	360	360	400	400
Power at 2000 Hz	360	360	360	400	400
Power at 1000 Hz	360	360	360	400	400
Power at 500 Hz	360	360	360	400	400
Power at 250 Hz	360	360	360	400	400
Power at 125 Hz	360	360	360	400	400
Power at 62.5 Hz	360	360	360	400	400
Power at 31.25 Hz	360	360	360	400	400
Power at 15.625 Hz	360	360	360	400	400
Power at 7.8125 Hz	360	360	360	400	400
Power at 3.90625 Hz	360	360	360	400	400
Power at 1.953125 Hz	360	360	360	400	400
Power at 0.9765625 Hz	360	360	360	400	400
Power at 0.48828125 Hz	360	360	360	400	400
Power at 0.244140625 Hz	360	360	360	400	400
Power at 0.1220703125 Hz	360	360	360	400	400
Power at 0.06103515625 Hz	360	360	360	400	400
Power at 0.030517578125 Hz	360	360	360	400	400
Power at 0.0152587890625 Hz	360	360	360	400	400
Power at 0.00762939453125 Hz	360	360	360	400	400
Power at 0.003814697265625 Hz	360	360	360	400	400
Power at 0.0019073486328125 Hz	360	360	360	400	400
Power at 0.00095367431640625 Hz	360	360	360	400	400
Power at 0.000476837158203125 Hz	360	360	360	400	400
Power at 0.0002384185791015625 Hz	360	360	360	400	400
Power at 0.00011920928955078125 Hz	360	360	360	400	400
Power at 5.96e-05 Hz	360	360	360	400	400
Power at 2.98e-05 Hz	360	360	360	400	400
Power at 1.49e-05 Hz	360	360	360	400	400
Power at 7.45e-06 Hz	360	360	360	400	400
Power at 3.72e-06 Hz	360	360	360	400	400
Power at 1.86e-06 Hz	360	360	360	400	400
Power at 9.3e-07 Hz	360	360	360	400	400
Power at 4.65e-07 Hz	360	360	360	400	400
Power at 2.32e-07 Hz	360	360	360	400	400
Power at 1.16e-07 Hz	360	360	360	400	400
Power at 5.8e-08 Hz	360	360	360	400	400
Power at 2.9e-08 Hz	360	360	360	400	400
Power at 1.45e-08 Hz	360	360	360	400	400
Power at 7.25e-09 Hz	360	360	360	400	400
Power at 3.62e-09 Hz	360	360	360	400	400
Power at 1.81e-09 Hz	360	360	360	400	400
Power at 9.05e-10 Hz	360	360	360	400	400
Power at 4.52e-10 Hz	360	360	360	400	400
Power at 2.26e-10 Hz	360	360	360	400	400
Power at 1.13e-10 Hz	360	360	360	400	400
Power at 5.65e-11 Hz	360	360	360	400	400
Power at 2.82e-11 Hz	360	360	360	400	400
Power at 1.41e-11 Hz	360	360	360	400	400
Power at 7.05e-12 Hz	360	360	360	400	400
Power at 3.52e-12 Hz	360	360	360	400	400
Power at 1.76e-12 Hz	360	360	360	400	400
Power at 8.8e-13 Hz	360	360	360	400	400
Power at 4.4e-13 Hz	360	360	360	400	400
Power at 2.2e-13 Hz	360	360	360	400	400
Power at 1.1e-13 Hz	360	360	360	400	400
Power at 5.5e-14 Hz	360	360	360	400	400
Power at 2.75e-14 Hz	360	360	360	400	400
Power at 1.37e-14 Hz	360	360	360	400	400
Power at 6.85e-15 Hz	360	360	360	400	400
Power at 3.42e-15 Hz	360	360	360	400	400
Power at					




typical of most of the published data, we can estimate that the α and β relaxation times of the polymer are $\tau_{\alpha} = 10^{-10}$ s and $\tau_{\beta} = 10^{-12}$ s, respectively.



© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 101–108

[illegible]

QUALIFICATIONS AND CERTIFICATES



Join us in the exciting world of **Microsoft**! We are looking for people who are passionate about technology and want to make a difference. For more information, visit microsoft.com/careers.

Manisha Q CELLS America Inc.
10000 E. 15th Ave., Suite 100, Denver, CO 80231, USA
TEL: +1 303 754 5936 | EW@10000cells.com | www.10000cells.com

THE IDEAL SOLUTION FOR:



Engineered in Germany

Q.PEAK DUO BLK ML-G10+

385-405

ENDURING HIGH
PERFORMANCE



BREAKING THE 20% EFFICIENCY BARRIER
ANTUM DUO Z Technology with zero gap cell layout
 boasts maximum efficiency up to 20.9%.

THE MOST THOROUGH TESTING PROGRAMME IN THE INDUSTRY
Q CELLS is the first solar module manufacturer to pass the most comprehensive quality programme in the industry. The new "Quality Controlled PV" of the independent certification institute TÜV Rheinland

Optimal yields, whatever the weather with excellent light and temperature behavior

ENDURING HIGH PERFORMANCE
Long term yield security with Anti UFO Technology, Anti PID Technology, Moist-Safe Protect and Temperature Control for QM

EXTREME WEATHER RATING
light-tech aluminum alloy frame, certified for

A RELIABLE INVESTMENT
exclusive 25-year product warranty and 25-year

© 2015 Wiley Periodicals, Inc. *J Polym Sci Part A: Polym Chem* 53: 509–519, 2015
DOI: 10.1002/pola.23871



/ Single Phase Inverter with HD-Wave Technology
for North America

for North America

SE3000H-US / SE3800H-US / SE5000H-US / SE6000H-US/
SE7600H-US / SE10000H-US / SE11400H-US

[illegible]

/ Single Phase Inverter with HD-Wave Technology
for North America


for North America

SE3000H-US / SE3800H-US / SE5000H-US / SE6000H-US/
SE7600H-US / SF10000H-US / SE11400H-US

MODEL NUMBER	SE800H-US	SE800H-US	SE500H-US	SE600H-US	SE7600H-US	SE1000H-US	SE1400H-US
ADDITIONAL FEATURES	455A, 455B, 455C, 455D, 455E, 455F, 455G, 455H, 455I, 455J, 455K, 455L, 455M, 455N, 455O, 455P, 455Q, 455R, 455S, 455T, 455U, 455V, 455W, 455X, 455Y, 455Z, 455AA, 455AB, 455AC, 455AD, 455AE, 455AF, 455AG, 455AH, 455AI, 455AJ, 455AK, 455AL, 455AM, 455AN, 455AO, 455AP, 455AQ, 455AR, 455AS, 455AT, 455AU, 455AV, 455AW, 455AX, 455AY, 455AZ, 455BA, 455BB, 455BC, 455BD, 455BE, 455BF, 455BG, 455BH, 455BI, 455BJ, 455BK, 455BL, 455BM, 455BN, 455BO, 455BP, 455BQ, 455BR, 455BS, 455BT, 455BU, 455BV, 455BW, 455BX, 455BY, 455BZ, 455CA, 455CB, 455CC, 455CD, 455CE, 455CF, 455CG, 455CH, 455CI, 455CJ, 455CK, 455CL, 455CM, 455CN, 455CO, 455CP, 455CQ, 455CR, 455CS, 455CT, 455CU, 455CV, 455CW, 455CX, 455CY, 455CZ, 455DA, 455DB, 455DC, 455DD, 455DE, 455DF, 455DG, 455DH, 455DI, 455DJ, 455DK, 455DL, 455DM, 455DN, 455DO, 455DP, 455DQ, 455DR, 455DS, 455DT, 455DU, 455DV, 455DW, 455DX, 455DY, 455DZ, 455EA, 455EB, 455EC, 455ED, 455EE, 455EF, 455EG, 455EH, 455EI, 455EJ, 455EK, 455EL, 455EM, 455EN, 455EO, 455EP, 455EQ, 455ER, 455ES, 455ET, 455EU, 455EV, 455EW, 455EX, 455EY, 455EZ, 455FA, 455FB, 455FC, 455FD, 455FE, 455FF, 455FG, 455FH, 455FI, 455FJ, 455FK, 455FL, 455FM, 455FN, 455FO, 455FP, 455FQ, 455FR, 455FS, 455FT, 455FU, 455FV, 455FW, 455FX, 455FY, 455FZ, 455GA, 455GB, 455GC, 455GD, 455GE, 455GF, 455GG, 455GH, 455GI, 455GJ, 455GK, 455GL, 455GM, 455GN, 455GO, 455GP, 455GQ, 455GR, 455GS, 455GT, 455GU, 455GV, 455GW, 455GX, 455GY, 455GZ, 455HA, 455HB, 455HC, 455HD, 455HE, 455HF, 455HG, 455HH, 455HI, 455HJ, 455HK, 455HL, 455HM, 455HN, 455HO, 455HP, 455HQ, 455HR, 455HS, 455HT, 455HU, 455HV, 455HW, 455HX, 455HY, 455HZ, 455IA, 455IB, 455IC, 455ID, 455IE, 455IF, 455IG, 455IH, 455II, 455IJ, 455IK, 455IL, 455IM, 455IN, 455IO, 455IP, 455IQ, 455IR, 455IS, 455IT, 455IU, 455IV, 455IW, 455IX, 455IY, 455IZ, 455JA, 455JB, 455JC, 455JD, 455JE, 455JF, 455JG, 455JH, 455JI, 455JJ, 455JK, 455JL, 455JM, 455JN, 455JO, 455JP, 455JQ, 455JR, 455JS, 455JT, 455JU, 455JV, 455JW, 455JX, 455JY, 455JZ, 455KA, 455KB, 455KC, 455KD, 455KE, 455KF, 455KG, 455KH, 455KI, 455KJ, 455KL, 455KM, 455KN, 455KO, 455KP, 455KQ, 455KR, 455KS, 455KT, 455KU, 455KV, 455KW, 455KX, 455KY, 455KZ, 455LA, 455LB, 455LC, 455LD, 455LE, 455LF, 455LG, 455LH, 455LI, 455LJ, 455LK, 455LL, 455LM, 455LN, 455LO, 455LP, 455LQ, 455LR, 455LS, 455LT, 455LU, 455LV, 455LW, 455LX, 455LY, 455LZ, 455MA, 455MB, 455MC, 455MD, 455ME, 455MF, 455MG, 455MH, 455MI, 455MJ, 455MK, 455ML, 455MM, 455MN, 455MO, 455MP, 455MQ, 455MR, 455MS, 455MT, 455MU, 455MV, 455MW, 455MX, 455MY, 455MZ, 455NA, 455NB, 455NC, 455ND, 455NE, 455NF, 455NG, 455NH, 455NI, 455NJ, 455NK, 455NL, 455NM, 455NN, 455NO, 455NP, 455NQ, 455NR, 455NS, 455NT, 455NU, 455NV, 455NW, 455NX, 455NY, 455NZ, 455OA, 455OB, 455OC, 455OD, 455OE, 455OF, 455OG, 455OH, 455OI, 455OJ, 455OK, 455OL, 455OM, 455ON, 455OO, 455OP, 455OQ, 455OR, 455OS, 455OT, 455OU, 455OV, 455OW, 455OX, 455OY, 455OZ, 455PA, 455PB, 455PC, 455PD, 455PE, 455PF, 455PG, 455PH, 455PI, 455PJ, 455PK, 455PL, 455PM, 455PN, 455PO, 455PP, 455PQ, 455PR, 455PS, 455PT, 455PU, 455PV, 455PW, 455PX, 455PY, 455PZ, 455QA, 455QB, 455QC, 455QD, 455QE, 455QF, 455QG, 455QH, 455QI, 455QJ, 455QK, 455QL, 455QM, 455QN, 455QO, 455QP, 455QQ, 455QR, 455QS, 455QT, 455QU, 455QV, 455QW, 455QX, 455QY, 455QZ, 455RA, 455RB, 455RC, 455RD, 455RE, 455RF, 455RG, 455RH, 455RI, 455RJ, 455RK, 455RL, 455RM, 455RN, 455RO, 455RP, 455RQ, 455RR, 455RS, 455RT, 455RU, 455RV, 455RW, 455RX, 455RY, 455RZ, 455SA, 455SB, 455SC, 455SD, 455SE, 455SF, 455SG, 455SH, 455SI, 455SJ, 455SK, 455SL, 455SM, 455SN, 455SO, 455SP, 455SQ, 455SR, 455SS, 455ST, 455SU, 455SV, 455SW, 455SX, 455SY, 455SZ, 455TA, 455TB, 455TC, 455TD, 455TE, 455TF, 455TG, 455TH, 455TI, 455TJ, 455TK, 455TL, 455TM, 455TN, 455TO, 455TP, 455TQ, 455TR, 455TS, 455TT, 455TU, 455TV, 455TW, 455TX, 455TY, 455TZ, 455UA, 455UB, 455UC, 455UD, 455UE, 455UF, 455UG, 455UH, 455UI, 455UJ, 455UK, 455UL, 455UM, 455UN, 455UO, 455UP, 455UQ, 455UR, 455US, 455UT, 455UU, 455UV, 455UW, 455UX, 455UY, 455UZ, 455VA, 455VB, 455VC, 455VD, 455VE, 455VF, 455VG, 455VH, 455VI, 455VJ, 455VK, 455VL, 455VM, 455VN, 455VO, 455VP, 455VQ, 455VR, 455VS, 455VT, 455VU, 455VV, 455VW, 455VX, 455VY, 455VZ, 455WA, 455WB, 455WC, 455WD, 455WE, 455WF, 455WG, 455WH, 455WI, 455WJ, 455WK, 455WL, 455WM, 455WN, 455WO, 455WP, 455WQ, 455WR, 455WS, 455WT, 455WU, 455WV, 455WW, 455WX, 455WY, 455WZ, 455XA, 455XB, 455XC, 455XD, 455XE, 455XF, 455XG, 455XH, 455XI, 455XJ, 455XK, 455XL, 455XM, 455XN, 455XO, 455XP, 455XQ, 455XR, 455XS, 455XT, 455XU, 455XV, 455XW, 455X						
	455A, 455B, 455C, 455D, 455E, 455F, 455G, 455H, 455I, 455J, 455K, 455L, 455M, 455N, 455O, 455P, 455Q, 455R, 455S, 455T, 455U, 455V, 455W, 455X, 455Y, 455Z, 455AA, 455AB, 455AC, 455AD, 455AE, 455AF, 455AG, 455AH, 455AI, 455AJ, 455AK, 455AL, 455AM, 455AN, 455AO, 455AP, 455AQ, 455AR, 455AS, 455AT, 455AU, 455AV, 455AW, 455AX, 455AY, 455AZ, 455BA, 455BB, 455BC, 455BD, 455BE, 455BF, 455BG, 455BH, 455BI, 455BJ, 455BK, 455BL, 455BM, 455BN, 455BO, 455BP, 455BQ, 455BR, 455BS, 455BT, 455BU, 455BV, 455BW, 455BX, 455BY, 455BZ, 455CA, 455CB, 455CC, 455CD, 455CE, 455CF, 455CG, 455CH, 455CI, 455CJ, 455CK, 455CL, 455CM, 455CN, 455CO, 455CP, 455CQ, 455CR, 455CS, 455CT, 455CU, 455CV, 455CW, 455CX, 455CY, 455CZ, 455DA, 455DB, 455DC, 455DD, 455DE, 455DF, 455DG, 455DH, 455DI, 455DJ, 455DK, 455DL, 455DM, 455DN, 455DO, 455DP, 455DQ, 455DR, 455DS, 455DT, 455DU, 455DV, 455DW, 455DX, 455DY, 455DZ, 455EA, 455EB, 455EC, 455ED, 455EE, 455EF, 455EG, 455EH, 455EI, 455EJ, 455EK, 455EL, 455EM, 455EN, 455EO, 455EP, 455EQ, 455ER, 455ES, 455ET, 455EU, 455EV, 455EW, 455EX, 455EY, 455EZ, 455FA, 455FB, 455FC, 455FD, 455FE, 455FF, 455FG, 455FH, 455FI, 455FJ, 455FK, 455FL, 455FM, 455FN, 455FO, 455FP, 455FQ, 455FR, 455FS, 455FT, 455FU, 455FV, 455FW, 455FX, 455FY, 455FZ, 455GA, 455GB, 455GC, 455GD, 455GE, 455GF, 455GG, 455GH, 455GI, 455GJ, 455GK, 455GL, 455GM, 455GN, 455GO, 455GP, 455GQ, 455GR, 455GS, 455GT, 455GU, 455GV, 455GW, 455GX, 455GY, 455GZ, 455HA, 455HB, 455HC, 455HD, 455HE, 455HF, 455HG, 455HH, 455HI, 455HJ, 455HK, 455HL, 455HM, 455HN, 455HO, 455HP, 455HQ, 455HR, 455HS, 455HT, 455HU, 455HV, 455HW, 455HX, 455HY, 455HZ, 455IA, 455IB, 455IC, 455ID, 455IE, 455IF, 455IG, 455IH, 455II, 455IJ, 455IK, 455IL, 455IM, 455IN, 455IO, 455IP, 455IQ, 455IR, 455IS, 455IT, 455IU, 455IV, 455IW, 455IX, 455IY, 455IZ, 455JA, 455JB, 455JC, 455JD, 455JE, 455JF, 455JG, 455JH, 455JI, 455JJ, 455JK, 455JL, 455JM, 455JN, 455JO, 455JP, 455JQ, 455JR, 455JS, 455JT, 455JU, 455JV, 455JW, 455JX, 455JY, 455JZ, 455KA, 455KB, 455KC, 455KD, 455KE, 455KF, 455KG, 455KH, 455KI, 455KJ, 455KL, 455KM, 455KN, 455KO, 455KP, 455KQ, 455KR, 455KS, 455KT, 455KU, 455KV, 455KW, 455KX, 455KY, 455KZ, 455LA, 455LB, 455LC, 455LD, 455LE, 455LF, 455LG, 455LH, 455LI, 455LJ, 455LK, 455LL, 455LM, 455LN, 455LO, 455LP, 455LQ, 455LR, 455LS, 455LT, 455LU, 455LV, 455LW, 455LX, 455LY, 455LZ, 455MA, 455MB, 455MC, 455MD, 455ME, 455MF, 455MG, 455MH, 455MI, 455MJ, 455MK, 455ML, 455MM, 455MN, 455MO, 455MP, 455MQ, 455MR, 455MS, 455MT, 455MU, 455MV, 455MW, 455MX, 455MY, 455MZ, 455NA, 455NB, 455NC, 455ND, 455NE, 455NF, 455NG, 455NH, 455NI, 455NJ, 455NK, 455NL, 455NM, 455NN, 455NO, 455NP, 455NQ, 455NR, 455NS, 455NT, 455NU, 455NV, 455NW, 455NX, 455NY, 455NZ, 455OA, 455OB, 455OC, 455OD, 455OE, 455OF, 455OG, 455OH, 455OI, 455OJ, 455OK, 455OL, 455OM, 455ON, 455OO, 455OP, 455OQ, 455OR, 455OS, 455OT, 455OU, 455OV, 455OW, 455OX, 455OY, 455OZ, 455PA, 455PB, 455PC, 455PD, 455PE, 455PF, 455PG, 455PH, 455PI, 455PJ, 455PK, 455PL, 455PM, 455PN, 455PO, 455PP, 455PQ, 455PR, 455PS, 455PT, 455PU, 455PV, 455PW, 455PX, 455PY, 455PZ, 455QA, 455QB, 455QC, 455QD, 455QE, 455QF, 455QG, 455QH, 455QI, 455QJ, 455QK, 455QL, 455QM, 455QN, 455QO, 455QP, 455QQ, 455QR, 455QS, 455QT, 455QU, 455QV, 455QW, 455QX, 455QY, 455QZ, 455RA, 455RB, 455RC, 455RD, 455RE, 455RF, 455RG, 455RH, 455RI, 455RJ, 455RK, 455RL, 455RM, 455RN, 455RO, 455RP, 455RQ, 455RR, 455RS, 455RT, 455RU, 455RV, 455RW, 455RX, 455RY, 455RZ, 455SA, 455SB, 455SC, 455SD, 455SE, 455SF, 455SG, 455SH, 455SI, 455SJ, 455SK, 455SL, 455SM, 455SN, 455SO, 455SP, 455SQ, 455SR, 455SS, 455ST, 455SU, 455SV, 455SW, 455SX, 455SY, 455SZ, 455TA, 455TB, 455TC, 455TD, 455TE, 455TF, 455TG, 455TH, 455TI, 455TJ, 455TK, 455TL, 455TM, 455TN, 455TO, 455TP, 455TQ, 455TR, 455TS, 455TT, 455TU, 455TV, 455TW, 455TX, 455TY, 455TZ, 455UA, 455UB, 455UC, 455UD, 455UE, 455UF, 455UG, 455UH, 455UI, 455UJ, 455UK, 455UL, 455UM, 455UN, 455UO, 455UP, 455UQ, 455UR, 455US, 455UT, 455UU, 455UV, 455UW, 455UX, 455UY, 455UZ, 455VA, 455VB, 455VC, 455VD, 455VE, 455VF, 455VG, 455VH, 455VI, 455VJ, 455VK, 455VL, 455VM, 455VN, 455VO, 455VP, 455VQ, 455VR, 455VS, 455VT, 455VU, 455VV, 455VW, 455VX, 455VY, 455VZ, 455WA, 455WB, 455WC, 455WD, 455WE, 455WF, 455WG, 455WH, 455WI, 455WJ, 455WK, 455WL, 455WM, 455WN, 455WO, 455WP, 455WQ, 455WR, 455WS, 455WT, 455WU, 455WV, 455WW, 455WX, 455WY, 455WZ, 455XA, 455XB, 455XC, 455XD, 455XE, 455XF, 455XG, 455XH, 455XI, 455XJ, 455XK, 455XL, 455XM, 455XN, 455XO, 455XP, 455XQ, 455XR, 455XS, 455XT, 455XU, 455XV, 455XW, 455X						
	455A, 455B, 455C, 455D, 455E, 455F, 455G, 455H, 455I, 455J, 455K, 455L, 455M, 455N, 455O, 455P, 455Q, 455R, 455S, 455T, 455U, 455V, 455W, 455X, 455Y, 455Z, 455AA, 455AB, 455AC, 455AD, 455AE, 455AF, 455AG, 455AH, 455AI, 455AJ, 455AK, 455AL, 455AM, 455AN, 455AO, 455AP, 455AQ, 455AR, 455AS, 455AT, 455AU, 455AV, 455AW, 455AX, 455AY, 455AZ, 455BA, 455BB, 455BC, 455BD, 455BE, 455BF, 455BG, 455BH, 455BI, 455BJ, 455BK, 455BL, 455BM, 455BN, 455BO, 455BP, 455BQ, 455BR, 455BS, 455BT, 455BU, 455BV, 455BW, 455BX, 455BY, 455BZ, 455CA, 455CB, 455CC, 455CD, 455CE, 455CF, 455CG, 455CH, 455CI, 455CJ, 455CK, 455CL, 455CM, 455CN, 455CO, 455CP, 455CQ, 455CR, 455CS, 455CT, 455CU, 455CV, 455CW, 455CX, 455CY, 455CZ, 455DA, 455DB, 455DC, 455DD, 455DE, 455DF, 455DG, 455DH, 455DI, 455DJ, 455DK, 455DL, 455DM, 455DN, 455DO, 455DP, 455DQ, 455DR, 455DS, 455DT, 455DU, 455DV, 455DW, 455DX, 455DY, 455DZ, 455EA, 455EB, 455EC, 455ED, 455EE, 455EF, 455EG, 455EH, 455EI, 455EJ, 455EK, 455EL, 455EM, 455EN, 455EO, 455EP, 455EQ, 455ER, 455ES, 455ET, 455EU, 455EV, 455EW, 455EX, 455EY, 455EZ, 455FA, 455FB, 455FC, 455FD, 455FE, 455FF, 455FG, 455FH, 455FI, 455FJ, 455FK, 455FL, 455FM, 455FN, 455FO, 455FP, 455FQ, 455FR, 455FS, 455FT, 455FU, 455FV, 455FW, 455FX, 455FY, 455FZ, 455GA, 455GB, 455GC, 455GD, 455GE, 455GF, 455GG, 455GH, 455GI, 455GJ, 455GK, 455GL, 455GM, 455GN, 455GO, 455GP, 455GQ, 455GR, 455GS, 455GT, 455GU, 455GV, 455GW, 455GX, 455GY, 455GZ, 455HA, 455HB, 455HC, 455HD, 455HE, 455HF, 455HG, 455HH, 455HI, 455HJ, 455HK, 455HL, 455HM, 455HN, 455HO, 455HP, 455HQ, 455HR, 455HS, 455HT, 455HU, 455HV, 455HW, 455HX, 455HY, 455HZ, 455IA, 455IB, 455IC, 455ID, 455IE, 455IF, 455IG, 455IH, 455II, 455IJ, 455IK, 455IL, 455IM, 455IN, 455IO, 455IP, 455IQ, 455IR, 455IS, 455IT, 455IU, 455IV, 455IW, 455IX, 455IY, 455IZ, 455JA, 455JB, 455JC, 455JD, 455JE, 455JF, 455JG, 455JH, 455JI, 455JJ, 455JK, 455JL, 455JM, 455JN, 455JO, 455JP, 455JQ, 455JR, 455JS, 455JT, 455JU, 455JV, 455JW, 455JX, 455JY, 455JZ, 455KA, 455KB, 455KC, 455KD, 455KE, 455KF, 455KG, 455KH, 455KI, 455KJ, 455KL, 455KM, 455KN, 455KO, 455KP, 455KQ, 455KR, 455KS, 455KT, 455KU, 455KV, 455KW, 455KX, 455KY, 455KZ, 455LA, 455LB, 455LC, 455LD, 455LE, 455LF, 455LG, 455LH, 455LI, 455LJ, 455LK, 455LL, 455LM, 455LN, 455LO, 455LP, 455LQ, 455LR, 455LS, 455LT, 455LU, 455LV, 455LW, 455LX, 455LY, 455LZ, 455MA, 455MB, 455MC, 455MD, 455ME, 455MF, 455MG, 455MH, 455MI, 455MJ, 455MK, 455ML, 455MM, 455MN, 455MO, 455MP, 455MQ, 455MR, 455MS, 455MT, 455MU, 455MV, 455MW, 455MX, 455MY, 455MZ, 455NA, 455NB, 455NC, 455ND, 455NE, 455NF, 455NG, 455NH, 455NI, 455NJ, 455NK, 455NL, 455NM, 455NN, 455NO, 455NP, 455NQ, 455NR, 455NS, 455NT, 455NU, 455NV, 455NW, 455NX, 455NY, 455NZ, 455OA, 455OB, 455OC, 455OD, 455OE, 455OF, 455OG, 455OH, 455OI, 455OJ, 455OK, 455OL, 455OM, 455ON, 455OO, 455OP, 455OQ, 455OR, 455OS, 455OT, 455OU, 455OV, 455OW, 455OX, 455OY, 455OZ, 455PA, 455PB, 455PC, 455PD, 455PE, 455PF, 455PG, 455PH, 455PI, 455PJ, 455PK, 455PL, 455PM, 455PN, 455PO, 455PP, 455PQ, 455PR, 455PS, 455PT, 455PU, 455PV, 455PW, 455PX, 455PY, 455PZ, 455QA, 455QB, 455QC, 455QD, 455QE, 455QF, 455QG, 455QH, 455QI, 455QJ, 455QK, 455QL, 455QM, 455QN, 455QO, 455QP, 455QQ, 455QR, 455QS, 455QT, 455QU, 455QV, 455QW, 455QX, 455QY, 455QZ, 455RA, 455RB, 455RC, 455RD, 455RE, 455RF, 455RG, 455RH, 455RI, 455RJ, 455RK, 455RL, 455RM, 455RN, 455RO, 455RP, 455RQ, 455RR, 455RS, 455RT, 455RU, 455RV, 455RW, 455RX, 455RY, 455RZ, 455SA, 455SB, 455SC, 455SD, 455SE, 455SF, 455SG, 455SH, 455SI, 455SJ, 455SK, 455SL, 455SM, 455SN, 455SO, 455SP, 455SQ, 455SR, 455SS, 455ST, 455SU, 455SV, 455SW, 455SX, 455SY, 455SZ, 455TA, 455TB, 455TC, 455TD, 455TE, 455TF, 455TG, 455TH, 455TI, 455TJ, 455TK, 455TL, 455TM, 455TN, 455TO, 455TP, 455TQ, 455TR, 455TS, 455TT, 455TU, 455TV, 455TW, 455TX, 455TY, 455TZ, 455UA, 455UB, 455UC, 455UD, 455UE, 455UF, 455UG, 455UH, 455UI, 455UJ, 455UK, 455UL, 455UM, 455UN, 455UO, 455UP, 455UQ, 455UR, 455US, 455UT, 455UU, 455UV, 455UW, 455UX, 455UY, 455UZ, 455VA, 455VB, 455VC, 455VD, 455VE, 455VF, 455VG, 455VH, 455VI, 455VJ, 455VK, 455VL, 455VM, 455VN, 455VO, 455VP, 455VQ, 455VR, 455VS, 455VT, 455VU, 455VV, 455VW, 455VX, 455VY, 455VZ, 455WA, 455WB, 455WC, 455WD, 455WE, 455WF, 455WG, 455WH, 455WI, 455WJ, 455WK, 455WL, 455WM, 455WN, 455WO, 455WP, 455WQ, 455WR, 455WS, 455WT, 455WU, 455WV, 455WW, 455WX, 455WY, 455WZ, 455XA, 455XB, 455XC, 455XD, 455XE, 455XF, 455XG, 455XH, 455XI, 455XJ, 455XK, 455XL, 455XM, 455XN, 455XO, 455XP, 455XQ, 455XR, 455XS, 455XT, 455XU, 455XV, 455XW, 455X						
	455A, 455B, 455C, 455D, 455E, 455F, 455G, 455H, 455I, 455J, 455K, 455L, 455M, 455N, 455O, 455P, 455Q, 455R, 455S, 455T, 455U, 455V, 455W, 455X, 455Y, 455Z, 455AA, 455AB, 455AC, 455AD, 455AE, 455AF, 455AG, 455AH, 455AI, 455AJ, 455AK, 455AL, 455AM, 455AN, 455AO, 455AP, 455AQ, 455AR, 455AS, 455AT, 455AU, 455AV, 455AW, 455AX, 455AY, 455AZ, 455BA, 455BB, 45						

How to Enable Consumption Monitoring

By simply wiring current transformers through the inverter's existing AC conduits and connecting them to the service panel, homeowners will gain full insight into their household energy usage helping them to avoid high electricity bills



© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

ROHS

 Castillo Engineering CONSULTING ENGINEERS	CASTILLO ENGINEERING SERVICES, LLC 620 N. WYOMING ROAD, SUITE 250 MARIETTA, GA 30067 TEL: 404.479.2751 FAX: 404.479.2751 E-MAIL: CASTILLO@CE.SOUTHFLA.COM	 TITAN CONSTRUCTION	Digitally signed by: Emrocato s E Castillo Date: 2022.11.18 10:53:43
PROJECT NAME  KARNS-LARKIN RESIDENCE 2030 NE 125TH TERRACE RD. SILVER SPRINGS, FL 34488			
PROJECT INSTALLER			
SHEET NAME DATA SHEET			
SHEET SIZE ANSI B 11" X 17"			
SHEET NUMBER DS-02			

Power Optimizer

For North America

P320 / P340 / P370 / P400 / P401 / P405 / P485 / P505



PV power optimization at the module-level

- Specifically designed to work with SolarEdge inverters
- Up to 25% more energy
- Superior efficiency (99.5%)
- Mitigates all types of module mismatch losses, from manufacturing tolerance to partial shading
- Flexible system design for maximum space utilization
- Fast installation with a single bolt
- Next generation maintenance with module-level monitoring
- Meets NEC requirements for arc fault protection (AFCI) and Photovoltaic Rapid Shutdown System (PVRSS)
- Module-level voltage shutdown for installer and firefighter safety

solaredge.com



POWER OPTIMIZER

Power Optimizer

For North America

P320 / P340 / P370 / P400 / P401 / P405 / P485 / P505

Optimizer model (typical module compatibility)	P320 (for 60-cell modules)	P340 (for 60-cell modules)	P370 (for higher-power 60 and 72-cell modules)	P400 (for 72 & 96-cell modules)	P401 (for high power 60 and 72-cell modules)	P405 (for high-voltage modules)	P485 (for high-voltage modules)	P505 (for higher-voltage modules)
--	----------------------------	----------------------------	--	---------------------------------	--	---------------------------------	---------------------------------	-----------------------------------

INPUT	570	330	370	420	420	420	480	505
Maximum Module Voltage	40	40	40	40	40	40	40	40
Maximum Module Current	8.0A	8.0A	8.0A	8.0A	8.0A	8.0A	8.0A	8.0A
Maximum DC Input Current	11.5A	11.5A	11.5A	11.5A	11.5A	11.5A	11.5A	11.5A
Maximum PV Array String Current	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5
Maximum DC Input Voltage	1500V	1500V	1500V	1500V	1500V	1500V	1500V	1500V
Maximum Output Current	11.5A	11.5A	11.5A	11.5A	11.5A	11.5A	11.5A	11.5A

OUTPUT DURING OPERATION (POWER OPTIMIZER CONNECTED TO OPERATING SOLAREDGE INVERTER)

Maximum Output Voltage	1500V
Maximum Output Current	11.5A

OUTPUT DURING STANDBY (POWER OPTIMIZER DISCONNECTED FROM SOLAREDGE INVERTER OR SOLAREDGE INVERTER OFF)

Maximum Output Voltage	1500V
Maximum Output Current	11.5A

STANDARD COMPLIANCE

UL	UL 1741, UL 1741A, UL 1741B, UL 1741C, UL 1741D, UL 1741E, UL 1741F, UL 1741G, UL 1741H, UL 1741I, UL 1741J, UL 1741K, UL 1741L, UL 1741M, UL 1741N, UL 1741O, UL 1741P, UL 1741Q, UL 1741R, UL 1741S, UL 1741T, UL 1741U, UL 1741V, UL 1741W, UL 1741X, UL 1741Y, UL 1741Z
IEC	IEC 61683, IEC 61684, IEC 61685, IEC 61686, IEC 61687, IEC 61688, IEC 61689, IEC 61690, IEC 61691, IEC 61692, IEC 61693, IEC 61694, IEC 61695, IEC 61696, IEC 61697, IEC 61698, IEC 61699, IEC 61700, IEC 61701, IEC 61702, IEC 61703, IEC 61704, IEC 61705, IEC 61706, IEC 61707, IEC 61708, IEC 61709, IEC 61710, IEC 61711, IEC 61712, IEC 61713, IEC 61714, IEC 61715, IEC 61716, IEC 61717, IEC 61718, IEC 61719, IEC 61720, IEC 61721, IEC 61722, IEC 61723, IEC 61724, IEC 61725, IEC 61726, IEC 61727, IEC 61728, IEC 61729, IEC 61730, IEC 61731, IEC 61732, IEC 61733, IEC 61734, IEC 61735, IEC 61736, IEC 61737, IEC 61738, IEC 61739, IEC 61740, IEC 61741, IEC 61742, IEC 61743, IEC 61744, IEC 61745, IEC 61746, IEC 61747, IEC 61748, IEC 61749, IEC 61750, IEC 61751, IEC 61752, IEC 61753, IEC 61754, IEC 61755, IEC 61756, IEC 61757, IEC 61758, IEC 61759, IEC 61760, IEC 61761, IEC 61762, IEC 61763, IEC 61764, IEC 61765, IEC 61766, IEC 61767, IEC 61768, IEC 61769, IEC 61770, IEC 61771, IEC 61772, IEC 61773, IEC 61774, IEC 61775, IEC 61776, IEC 61777, IEC 61778, IEC 61779, IEC 61780, IEC 61781, IEC 61782, IEC 61783, IEC 61784, IEC 61785, IEC 61786, IEC 61787, IEC 61788, IEC 61789, IEC 61790, IEC 61791, IEC 61792, IEC 61793, IEC 61794, IEC 61795, IEC 61796, IEC 61797, IEC 61798, IEC 61799, IEC 61800, IEC 61801, IEC 61802, IEC 61803, IEC 61804, IEC 61805, IEC 61806, IEC 61807, IEC 61808, IEC 61809, IEC 61810, IEC 61811, IEC 61812, IEC 61813, IEC 61814, IEC 61815, IEC 61816, IEC 61817, IEC 61818, IEC 61819, IEC 61820, IEC 61821, IEC 61822, IEC 61823, IEC 61824, IEC 61825, IEC 61826, IEC 61827, IEC 61828, IEC 61829, IEC 61830, IEC 61831, IEC 61832, IEC 61833, IEC 61834, IEC 61835, IEC 61836, IEC 61837, IEC 61838, IEC 61839, IEC 61840, IEC 61841, IEC 61842, IEC 61843, IEC 61844, IEC 61845, IEC 61846, IEC 61847, IEC 61848, IEC 61849, IEC 61850, IEC 61851, IEC 61852, IEC 61853, IEC 61854, IEC 61855, IEC 61856, IEC 61857, IEC 61858, IEC 61859, IEC 61860, IEC 61861, IEC 61862, IEC 61863, IEC 61864, IEC 61865, IEC 61866, IEC 61867, IEC 61868, IEC 61869, IEC 61870, IEC 61871, IEC 61872, IEC 61873, IEC 61874, IEC 61875, IEC 61876, IEC 61877, IEC 61878, IEC 61879, IEC 61880, IEC 61881, IEC 61882, IEC 61883, IEC 61884, IEC 61885, IEC 61886, IEC 61887, IEC 61888, IEC 61889, IEC 61890, IEC 61891, IEC 61892, IEC 61893, IEC 61894, IEC 61895, IEC 61896, IEC 61897, IEC 61898, IEC 61899, IEC 61900, IEC 61901, IEC 61902, IEC 61903, IEC 61904, IEC 61905, IEC 61906, IEC 61907, IEC 61908, IEC 61909, IEC 61910, IEC 61911, IEC 61912, IEC 61913, IEC 61914, IEC 61915, IEC 61916, IEC 61917, IEC 61918, IEC 61919, IEC 61920, IEC 61921, IEC 61922, IEC 61923, IEC 61924, IEC 61925, IEC 61926, IEC 61927, IEC 61928, IEC 61929, IEC 61930, IEC 61931, IEC 61932, IEC 61933, IEC 61934, IEC 61935, IEC 61936, IEC 61937, IEC 61938, IEC 61939, IEC 61940, IEC 61941, IEC 61942, IEC 61943, IEC 61944, IEC 61945, IEC 61946, IEC 61947, IEC 61948, IEC 61949, IEC 61950, IEC 61951, IEC 61952, IEC 61953, IEC 61954, IEC 61955, IEC 61956, IEC 61957, IEC 61958, IEC 61959, IEC 61960, IEC 61961, IEC 61962, IEC 61963, IEC 61964, IEC 61965, IEC 61966, IEC 61967, IEC 61968, IEC 61969, IEC 61970, IEC 61971, IEC 61972, IEC 61973, IEC 61974, IEC 61975, IEC 61976, IEC 61977, IEC 61978, IEC 61979, IEC 61980, IEC 61981, IEC 61982, IEC 61983, IEC 61984, IEC 61985, IEC 61986, IEC 61987, IEC 61988, IEC 61989, IEC 61990, IEC 61991, IEC 61992, IEC 61993, IEC 61994, IEC 61995, IEC 61996, IEC 61997, IEC 61998, IEC 61999, IEC 62000, IEC 62001, IEC 62002, IEC 62003, IEC 62004, IEC 62005, IEC 62006, IEC 62007, IEC 62008, IEC 62009, IEC 62010, IEC 62011, IEC 62012, IEC 62013, IEC 62014, IEC 62015, IEC 62016, IEC 62017, IEC 62018, IEC 62019, IEC 62020, IEC 62021, IEC 62022, IEC 62023, IEC 62024, IEC 62025, IEC 62026, IEC 62027, IEC 62028, IEC 62029, IEC 62030, IEC 62031, IEC 62032, IEC 62033, IEC 62034, IEC 62035, IEC 62036, IEC 62037, IEC 62038, IEC 62039, IEC 62040, IEC 62041, IEC 62042, IEC 62043, IEC 62044, IEC 62045, IEC 62046, IEC 62047, IEC 62048, IEC 62049, IEC 62050, IEC 62051, IEC 62052, IEC 62053, IEC 62054, IEC 62055, IEC 62056, IEC 62057, IEC 62058, IEC 62059, IEC 62060, IEC 62061, IEC 62062, IEC 62063, IEC 62064, IEC 62065, IEC 62066, IEC 62067, IEC 62068, IEC 62069, IEC 62070, IEC 62071, IEC 62072, IEC 62073, IEC 62074, IEC 62075, IEC 62076, IEC 62077, IEC 62078, IEC 62079, IEC 62080, IEC 62081, IEC 62082, IEC 62083, IEC 62084, IEC 62085, IEC 62086, IEC 62087, IEC 62088, IEC 62089, IEC 62090, IEC 62091, IEC 62092, IEC 62093, IEC 62094, IEC 62095, IEC 62096, IEC 62097, IEC 62098, IEC 62099, IEC 62100, IEC 62101, IEC 62102, IEC 62103, IEC 62104, IEC 62105, IEC 62106, IEC 62107, IEC 62108, IEC 62109, IEC 62110, IEC 62111, IEC 62112, IEC 62113, IEC 62114, IEC 62115, IEC 62116, IEC 62117, IEC 62118, IEC 62119, IEC 62120, IEC 62121, IEC 62122, IEC 62123, IEC 62124, IEC 62125, IEC 62126, IEC 62127, IEC 62128, IEC 62129, IEC 62130, IEC 62131, IEC 62132, IEC 62133, IEC 62134, IEC 62135, IEC 62136, IEC 62137, IEC 62138, IEC 62139, IEC 62140, IEC 62141, IEC 62142, IEC 62143, IEC 62144, IEC 62145, IEC 62146, IEC 62147, IEC 62148, IEC 62149, IEC 62150, IEC 62151, IEC 62152, IEC 62153, IEC 62154, IEC 62155, IEC 62156, IEC 62157, IEC 62158, IEC 62159, IEC 62160, IEC 62161, IEC 62162, IEC 62163, IEC 62164, IEC 62165, IEC 62166, IEC 62167, IEC 62168, IEC 62169, IEC 62170, IEC 62171, IEC 62172, IEC 62173, IEC 62174, IEC 62175, IEC 62176, IEC 62177, IEC 62178, IEC 62179, IEC 62180, IEC 62181, IEC 62182, IEC 62183, IEC 62184, IEC 62185, IEC 62186, IEC 62187, IEC 62188, IEC 62189, IEC 62190, IEC 62191, IEC 62192, IEC 62193, IEC 62194, IEC 62195, IEC 62196, IEC 62197, IEC 62198, IEC 62199, IEC 62200, IEC 62201, IEC 62202, IEC 62203, IEC 62204, IEC 62205, IEC 62206, IEC 62207, IEC 62208, IEC 62209, IEC 62210, IEC 62211, IEC 62212, IEC 62213, IEC 62214, IEC 62215, IEC 62216, IEC 62217, IEC 62218, IEC 62219, IEC 62220, IEC 62221, IEC 62222, IEC 62223, IEC 62224, IEC 62225, IEC 62226, IEC 62227, IEC 62228, IEC 62229, IEC 62230, IEC 62231, IEC 62232, IEC 62233, IEC 62234, IEC 62235, IEC 62236, IEC 62237, IEC 62238, IEC 62239, IEC 62240, IEC 62241, IEC 62242, IEC 62243, IEC 62244, IEC 62245, IEC 62246, IEC 62247, IEC 62248, IEC 62249, IEC 62250, IEC 62251, IEC 62252, IEC 62253, IEC 62254, IEC 62255, IEC 62256, IEC 62257, IEC 62258, IEC 62259, IEC 62260, IEC 62261, IEC 62262, IEC 62263, IEC 62264, IEC 62265, IEC 62266, IEC 62267, IEC 62268, IEC 62269, IEC 62270, IEC 62271, IEC 62272, IEC 62273, IEC 62274, IEC 62275, IEC 62276, IEC 62277, IEC 62278, IEC 62279, IEC 62280, IEC 62281, IEC 62282, IEC 62283, IEC 62284, IEC 62285, IEC 62286, IEC 62287, IEC 62288, IEC 62289, IEC 62290, IEC 62291, IEC 62292, IEC 62293, IEC 62294, IEC 62295, IEC 62296, IEC 62297, IEC 62298, IEC 62299, IEC 62300, IEC 62301, IEC 62302, IEC 62303, IEC 62304, IEC 62305, IEC 62306, IEC 62307, IEC 62308, IEC 62309, IEC 62310, IEC 62311, IEC 62312, IEC 62313, IEC 62314, IEC 62315, IEC 62316, IEC 62317, IEC 62318, IEC 62319, IEC 62320, IEC 62321, IEC 62322, IEC 62323, IEC 62324, IEC 62325, IEC 62326, IEC 62327, IEC 62328, IEC 62329, IEC 62330, IEC 62331, IEC 62332, IEC 62333, IEC 62334, IEC 62335, IEC 62336, IEC 62337, IEC 62338, IEC 62339, IEC 62340, IEC 62341, IEC 62342, IEC 62343, IEC 62344, IEC 62345, IEC 62346, IEC 62347, IEC 62348, IEC 62349, IEC 62350, IEC 62351, IEC 62352, IEC 62353, IEC 62354, IEC 62355, IEC 62356, IEC 62357, IEC 62358, IEC 62359, IEC 62360, IEC 62361, IEC 62362, IEC 62363, IEC 62364, IEC 62365, IEC 62366, IEC 62367, IEC 62368, IEC 62369, IEC 62370, IEC 62371, IEC 62372, IEC 62373, IEC 62374, IEC 62375, IEC 62376, IEC 62377, IEC 62378, IEC 62379, IEC 62380, IEC 62381, IEC 62382, IEC 62383, IEC 62384, IEC 62385, IEC 62386, IEC 62387, IEC 62388, IEC 62389, IEC 62390, IEC 62391, IEC 62392, IEC 62393, IEC 62394, IEC 62395, IEC 62396, IEC 62397, IEC 62398, IEC 62399, IEC 62400, IEC 62401, IEC 62402, IEC 62403, IEC 62404, IEC 62405, IEC 62406, IEC 62407, IEC 62408, IEC 62409, IEC 62410, IEC 62411, IEC 62412, IEC 62413, IEC 62414, IEC 62415, IEC 62416, IEC 62417, IEC 62418, IEC 62419, IEC 62420, IEC 62421, IEC 62422, IEC 62423, IEC 62424, IEC 62425, IEC 62426, IEC 62427, IEC 62428, IEC 62429, IEC 62430, IEC 62431, IEC 62432, IEC 62433, IEC 62434, IEC 62435, IEC 62436, IEC 62437, IEC 62438, IEC 62439, IEC 62440, IEC 62441, IEC 62442, IEC 62443, IEC 62444, IEC 62445, IEC 62446, IEC 62447, IEC 62448, IEC 62449, IEC 62450, IEC 62451, IEC 62452, IEC 62453, IEC 62454, IEC 62455, IEC 62456, IEC 62457, IEC 62458, IEC 62459, IEC 62460, IEC 62461, IEC 62462, IEC 62463, IEC 62464, IEC 62465, IEC 62466, IEC 62467, IEC 62468, IEC 62469, IEC 62470, IEC 62471, IEC 62472, IEC 62473, IEC 62474, IEC 62475, IEC 62476, IEC 62477, IEC 62478, IEC 62479, IEC 62480, IEC 62481, IEC 62482, IEC 62483, IEC 62484, IEC 62485, IEC 62486, IEC 62487, IEC 62488, IEC 62489, IEC 62490, IEC 62491, IEC 62492, IEC 62493, IEC 62494, IEC 62495, IEC 62496, IEC 62497, IEC 62498, IEC 62499, IEC 62500, IEC 62501, IEC 62502, IEC 62503, IEC 62504, IEC 62505, IEC 62506, IEC 62507, IEC 62508, IEC 62509, IEC 62510, IEC 62511, IEC 62512, IEC 62513, IEC 62514, IEC 62515, IEC 62516, IEC 62517, IEC 62518, IEC 62519, IEC 62520, IEC 62521, IEC 62522, IEC 62523, IEC 62524, IEC 62525, IEC 62526, IEC 62527, IEC 62528, IEC 62529, IEC 62530, IEC 62531, IEC 62532, IEC 62533, IEC 62534, IEC 62535, IEC 62536, IEC 62537, IEC 62538, IEC 62539, IEC 62540, IEC 62541, IEC 62542, IEC 62543, IEC 62544, IEC 62545, IEC 62546, IEC 62547, IEC 62548, IEC 62549, IEC 62550, IEC 62551, IEC 62552, IEC 62553, IEC 62554, IEC 62555, IEC 62556, IEC 62557, IEC 62558, IEC 62559, IEC 62560, IEC 62561, IEC 62562, IEC 62563, IEC 62564, IEC 62565, IEC 62566, IEC 62567, IEC 62568, IEC 62569, IEC 62570, IEC 62571, IEC 62572, IEC 62573, IEC 62574, IEC 62575, IEC 62576, IEC 62577, IEC 62578, IEC 62579, IEC 62580, IEC 62581, IEC 62582, IEC 62583, IEC 62584, IEC 62585, IEC 62586, IEC 62587, IEC 62588, IEC 62589, IEC 62590, IEC 62591, IEC 62592, IEC 62593, IEC 62594, IEC 62595, IEC 62596, IEC 62597, IEC 62598, IEC 62599, IEC 62600, IEC 62601, IEC 62602, IEC 62603, IEC 62604, IEC 62605, IEC 62606, IEC 62607, IEC 62608, IEC 62609, IEC 62610, IEC 62611, IEC 62612, IEC 62613, IEC 62614, IEC 62615, IEC 62616, IEC 62617, IEC 62618, IEC 62619, IEC 62620, IEC 62621, IEC 62622, IEC 62623, IEC 62624, IEC 62625, IEC 62626, IEC 62627, IEC 62628, IEC 62629, IEC 62630, IEC 62631, IEC 62632, IEC 62633, IEC 62634, IEC 62635, IEC 62636, IEC 62637, IEC 62638, IEC 62639, IEC 62640, IEC 62641, IEC 62642, IEC 62643, IEC 62644, IEC 62645, IEC 62646, IEC 62647, IEC 62648, IEC 62649, IEC 62650, IEC 62651, IEC 62652, IEC 62653, IEC 62654, IEC 62655, IEC 62656, IEC 62657, IEC 62658, IEC 62659, IEC 62660, IEC 62661, IEC 62662, IEC 62663, IEC 62664, IEC 62665, IEC 62666, IEC 62667, IEC 62668, IEC 62669, IEC 62670, IEC 62671, IEC 62672, IEC 62673, IEC 62674, IEC 62675, IEC 62676, IEC 62677, IEC 62678, IEC 62679, IEC 62680, IEC 62681, IEC 62682, IEC 62683, IEC 62684, IEC 62685, IEC 62686, IEC 62687, IEC 62688, IEC 62689, IEC 62690, IEC 62691, IEC 62692, IEC 62693, IEC 62694, IEC 62695, IEC 62696, IEC 62697, IEC 62698, IEC 62699, IEC 62700, IEC 62701, IEC 62702, IEC 62703, IEC 62704, IEC 62705, IEC 62706, IEC 62707, IEC 62708, IEC 62709, IEC 62710, IEC 62711, IEC 62712, IEC 62713, IEC 62714, IEC 62715, IEC 62716, IEC 62717, IEC 62718, IEC 62719, IEC 62720, IEC 62721, IEC 62722, IEC 62723, IEC 62724, IEC 62725, IEC 62726, IEC 62727, IEC 62728, IEC 62729, IEC 62730, IEC 62731, IEC 62732, IEC 62733, IEC 62734, IEC 62735, IEC 62736, IEC 62737, IEC 62738, IEC 62739, IEC 62740, IEC 62741, IEC 62742, IEC 62743, IEC 62744, IEC 62745, IEC 62746, IEC 62747, IEC 62748, IEC 62749, IEC 62750, IEC 62751, IEC 62752, IEC 62753, IEC 62754, IEC 62755, IEC 62756, IEC 62757, IEC 62758, IEC 62759, IEC 62760, IEC 62761, IEC 62762, IEC 62763, IEC 62764, IEC 62765, IEC 62766, IEC 62767, IEC 62768, IEC 62769, IEC 62770, IEC 62771, IEC 62772, IEC 62773, IEC 62774, IEC 62775, IEC 62776, IEC 62777, IEC 62778, IEC 62779, IEC 62780, IEC 62781, IEC 62782, IEC 62783, IEC 62784, IEC 62785, IEC 62786, IEC 62787, IEC 62788, IEC 62789, IEC 62790, IEC 62791, IEC 62792, IEC 62793, IEC 62794, IEC 62795, IEC 62796, IEC 62797, IEC 62798, IEC 62799, IEC 62800, IEC 62801, IEC 62802, IEC 62803, IEC 62804, IEC 62805, IEC 62806, IEC 62807, IEC 62808, IEC 62809, IEC 62810, IEC 62811, IEC 62812, IEC 62813, IEC 62814, IEC 62815, IEC 62816, IEC 62817, IEC 62818, IEC 62819, IEC

OCALA ELECTRIC UTILITY
OCALA, FLORIDA

FIRST REVISED SHEET NO. 21.0
CANCELS ORIGINAL SHEET NO. 21.0

Tier 1 – Standard Interconnection Agreement Customer-Owned Renewable Generation System

This **Agreement** is made and entered into this ____ day of _____, 20____, by and between ROBERT W. LARKIN, (hereinafter called "**Customer**"), located at 2030 NE 125TH TERRACE RD in SILVER SPRINGS, Florida, and the City of Ocala doing business as Ocala Electric Utility (hereinafter called OEU), a body politic. Customer and OEU shall collectively be called the "**Parties**". The physical location/premise where the interconnection is taking place: 2030 NE 125TH TERRACE RD, SILVER SPRINGS, FL 34488.

WITNESSETH

Whereas, a Tier 1 Renewable Generation System (RGS) is an electric generating system that uses one or more of the following fuels or energy sources: hydrogen, biomass, solar energy, geothermal energy, wind energy, ocean energy, waste heat, or hydroelectric power as defined in Section 377.803, Florida Statutes, rated at no more than ten (10) kilowatts (10 kW) alternating current (AC) power output and is primarily intended to offset part or all of the Customer's current electric requirements; and

Whereas, OEU operates an electric system serving the City of Ocala; and

Whereas, Customer has made a written Application to OEU, a copy being attached hereto, to interconnect its RGS with OEU's electrical supply grid at the location identified above; and

Whereas, the City of Ocala and the Florida Municipal Power Agency (hereinafter called "FMPA") have entered into the All-Requirements Power Supply Contract pursuant to which the City of Ocala has agreed to purchase and receive, and FMPA has agreed to sell and supply OEU with all energy and capacity necessary to operate the OEU electric system, which limits OEU's ability to directly purchase excess energy from customer-owned renewable generation; and

Whereas, in order to promote the development of small customer-owned renewable generation by permitting OEU to allow its customers to interconnect with OEU's electric system and to allow OEU customers to offset their electric consumption with customer-owned renewable generation, FMPA, in accordance with the terms and conditions of this agreement, has agreed to purchase excess customer-owned generation from OEU customers interconnected to OEU's electric system; and

Whereas, the OEU desires to provide interconnection of a RGS under conditions which will insure the safety of OEU customers and employees, reliability and integrity of its distribution system;

NOW, THEREFORE, for and in consideration of the mutual covenants and agreements herein set forth, the parties hereto covenant and agree as follows:

(Continued on Sheet No. 21.1)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continued from Sheet No. 21.0)

FIRST REVISED SHEET NO. 21.1
CANCELS ORIGINAL SHEET NO. 21.1

1. The Customer shall be required to enter into a Tri-Party Net-Metering Purchase Power Agreement with FMPA and the City of Ocala Electric Utility (OEU).
2. "Gross power rating" (GPR) means the total manufacturer's AC nameplate generating capacity of an on-site customer-owned renewable generation system that will be interconnected to and operate in parallel with OEU's distribution facilities. For inverter-based systems, the GPR shall be calculated by multiplying the total installed DC nameplate generating capacity by 0.85 in order to account for losses during the conversion from DC to AC.
3. This agreement is strictly limited to cover a Tier 1 RGS as defined above. It is the Customer's responsibility to notify OEU of any change to the GPR of the RGS by submitting a new application for interconnection specifying the modifications at least 30 days prior to making the modifications. Increase in GPR above the ten kilowatt (10 kW) limit would necessitate entering into a new agreement at either Tier 2 or Tier 3 which may impose additional requirements on the Customer. In no case does the Tier 1, Tier 2 or Tier 3 agreement cover increases in GPR above two megawatts (2MW).
4. The RGS GPR must not exceed 90 percent (90%) of the Customer's OEU calculated distribution service rating at the Customer's location (including shared electric facilities). If the GPR does exceed the 90 percent (90%) limit, the Customer shall be responsible to pay the cost of upgrades to the distribution facilities required to accommodate the GPR capacity and ensure the 90 percent (90%) threshold is not breached. OEU will not allow a RGS GPR greater than required to offset the customer's annual kWh energy consumption (based on customer's historical consumption data or by means of estimated usage of similar type of service as determined by OEU).
5. The Customer shall not be required to pay any special fees due solely to the installation of the RGS.
6. The Customer shall fully comply with OEU's Design Standards following NEC standards as those documents may be amended or revised by OUS from time to time.
7. The Customer certifies that its installation, its operation and its maintenance shall be in compliance with the following standards (or most current version at time of inspection approval):
 - a. IEEE-1547 (2018) Standard for Interconnecting Distributed Resources with Electric Power System;
 - b. IEEE-1547.1 (2005) Standard Conformance Test Procedures for Equipment Interconnection Distributed Resources with Electric Power Systems;
 - c. UL-1741 (2010) Inverters, Converters, Controllers and Interconnection System Equipment for Use with Distributed *Energy Resources*.
 - d. The National Electric Code, state and/or local building codes, mechanical codes and/or electrical codes;
 - e. The manufacturer's installation, operation and maintenance instructions.

(Continued to Sheet No. 21.2)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continued from Sheet No. 21.1)

FIRST REVISED SHEET NO. 21.2
CANCELS ORIGINAL SHEET NO. 21.2

8. The Customer is not precluded from contracting for the lease, operation or maintenance of the RGS with a third party. Such lease may not provide terms or conditions that provide for any payments under the agreement to any way indicate or reflect the purchase of energy produced by the RGS. Customer shall not enter into any lease agreement that results in the retail purchase of electricity; or the retail sale of electricity from the customer-owned renewable generation. Notwithstanding this restriction, in the event that Customer is determined to have engaged in the retail purchase of electricity from a party other than OEU, then Customer shall be in breach of this Agreement and may be subject to the jurisdiction of the Florida Public Service Commission and to fines/penalties.

9. The Customer shall provide a copy of the manufacturer's installation, operation and maintenance instructions to OEU. If the RGS is leased to the Customer by a third party, or if the operation or maintenance of the RGS is to be performed by a third party, the lease and/or maintenance agreements and any pertinent documents related to these agreements shall be provided to OEU.

10. Prior to commencing parallel operation with OEU's electric system, Customer shall have the RGS inspected and approved by the appropriate code authorities having jurisdiction. Customer shall provide a copy of this inspection and approval to OEU.

11. The Customer agrees to permit OEU, if it should so choose, to inspect the RGS and its component equipment and the documents necessary to ensure compliance with this Agreement both before and after the RGS goes into service and to witness the initial testing of the RGS equipment and protective apparatus. OEU will provide Customer with as much notice as reasonably possible, either in writing, email, facsimile or by phone as to when OEU may conduct inspections and or document review. Upon reasonable notice, or at any time without notice in the event of an emergency or hazardous condition, Customer agrees to provide OEU access to the Customer's premises for any purpose in connection with the performance of the obligations required by this Agreement or, if necessary, to meet OEU's legal obligation to provide service to its customers. At least ten (10) business days prior to initially placing the customer-owned renewable generation system in service, Customer shall provide written notification to OEU advising of the date and time at which Customer intends to place the system in service, and OEU shall have the right to have personnel present on the in-service date in order to ensure compliance with the requirements of this Agreement.

(Continued on Sheet No. 21.3)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continued from Sheet No. 21.2)

FIRST REVISED SHEET NO. 21.3
CANCELS ORIGINAL SHEET NO. 21.3

12. The Customer's RGS must have an appropriately sized grid-tie inverter system that includes applicable protective systems. Customer certifies that the RGS equipment includes an OEU interactive inverter or interconnection system equipment that ceases to interconnect with the OEU system upon a loss of OEU's electric power. The inverter shall be considered certified for interconnected operation if it has been submitted by a manufacturer to a nationally recognized testing laboratory (NRTL) to comply with UL 1741. The NRTL shall be approved by the Occupational Safety & Health Administration (OSHA).

13. If Customer adds another RGS that (i) utilizes the same OEU interactive inverter for both systems, or (ii) utilizes a separate OEU interactive inverter for each system, Customer shall provide OEU with sixty (60) days advance written notice of the addition.

14. The Customer shall not energize the OEU system when OEU's system is deenergized. The Customer shall cease to energize the OEU system during a faulted condition on the OEU system and/or upon any notice from OEU that the deenergizing of Customer's RGS equipment is necessary. The Customer shall cease to energize the OEU system prior to automatic or non-automatic reclosing of OEU's protective devices. There shall be no intentional islanding, as described in IEEE 1547, between the Customer's and OEU's systems.

15. The Customer is responsible for the protection of its generation equipment, inverters, protection devices, and other system components from damage from the normal and abnormal operations that occur on OEU system in delivering and restoring system power. Customer agrees that any damage to any of its property, including, without limitation, all components and related accessories of its RGS system, due to the normal or abnormal operation of OEU system, is at Customer's sole risk and expense. Customer is also responsible for ensuring that the customer-owned renewable generation equipment is inspected, maintained, and tested regularly in accordance with the manufacturer's instructions to ensure that it is operating correctly and safely.

16. The Customer must install, at their expense, a manual disconnect switch of the visible load break type to provide a separation point between the AC power output of the customer-owned renewable generation system and any Customer wiring connected to OEU's system, such that back feed from the customer-owned renewable generation system to OEU's system cannot occur when the switch is in the open position. The manual disconnect switch shall be mounted separate from the meter socket on an exterior surface adjacent to the meter. The switch shall be readily accessible to OEU and capable of being locked in the open position with an OEU padlock. When locked and tagged in the open position by OEU, this switch will be under the control of OEU.

(Continued on Sheet No. 21.4)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continued from Sheet No. 21.3)

FIRST REVISED SHEET NO. 21.4
CANCELS ORIGINAL SHEET NO. 21.4

17. Subject to an approved inspection, including installation of acceptable disconnect switch, this Agreement shall be executed by OEU within thirty (30) calendar days of receipt of a completed application. Customer must execute this Agreement and return it to OEU at least thirty (30) calendar days prior to beginning parallel operations with OEU's electric system, subject to the requirements of Section 18, below, and within one (1) year after OEU executes this Agreement.

18. Once OEU has received Customer's written documentation that the requirements of this Agreement have been met, all agreements and documentation have been received and the correct operation of the manual switch has been demonstrated to an OEU representative, OEU will, within fifteen (15) business days, send written notice that parallel operation of the RGS may commence.

19. OEU requires the Customer to maintain general liability insurance for personal injury and property damage in the amount of not less than one hundred thousand dollars (\$100,000.00).

20. OEU will furnish, install, own and maintain metering equipment capable of measuring the flow of kilowatt-hours (kWh) of energy. The Customer's service associated with the RGS will be metered to measure the energy delivered by OEU to Customer, and measure the energy delivered by Customer to OEU. Customer agrees to provide safe and reasonable access to the premises for installation, maintenance and reading of the metering and related equipment. The Customer shall not be responsible for the cost of the installation and maintenance of the metering equipment necessary to measure the energy delivered by the Customer to OEU.

21. The Customer shall be solely responsible for all legal and financial obligations arising from the design, construction, installation, operation, maintenance and ownership of the RGS.

22. The Customer must obtain all permits, inspections and approvals required by applicable jurisdictions with respect to the generating system and must use a licensed, bonded and insured contractor to design and install the generating system. The Customer agrees to provide OEU with a copy of the local building code official inspection and certification of installation. The certification shall reflect that the local code official has inspected and certified that the installation was permitted, has been approved, and has met all electrical and mechanical qualifications.

(Continued on Sheet No. 21.5)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continued from Sheet No. 21.4)

FIRST REVISED SHEET NO. 21.5
CANCELS ORIGINAL SHEET NO. 21.5

23. In no event shall any statement, representation, or lack thereof, either express or implied, by OEU, relieve the Customer of exclusive responsibility for the Customer's system. Specifically, any OEU inspection of the RGS shall not be construed as confirming or endorsing the system design or its operating or maintenance procedures or as a warranty or guarantee as to the safety, reliability, or durability of the RGS. OEU's inspection, acceptance, or its failure to inspect shall not be deemed an endorsement of any RGS equipment or procedure. Further, as set forth in Sections 15 and 26 of this Agreement, Customer shall remain solely responsible for any and all losses, claims, damages and/or expenses related in any way to the operation or misoperation of its RGS equipment.

24. Notwithstanding any other provision of this Interconnection Agreement, OEU, at its sole and absolute discretion, may isolate the Customer's system from the distribution grid by whatever means necessary, without prior notice to the Customer. To the extent practical, however, prior notice shall be given. The system will be reconnected as soon as practical once the conditions causing the disconnection cease to exist. OEU shall have no obligation to compensate the Customer for any loss of energy during any and all periods when Customer's RGS is operating at reduced capacity or is disconnected from OEU's electrical distribution system pursuant to this Interconnection Agreement. Typical conditions which may require the disconnection of the Customer's system include, but are not limited to, the following:

- a. OEU system emergencies, forced outages, uncontrollable forces or compliance with prudent electric OEU practice.
- b. When necessary to investigate, inspect, construct, install, maintain, repair, replace or remove any OEU equipment, any part of OEU's electrical distribution system or Customer's generating system.
- c. Hazardous conditions existing on OEU's system due to the operation of the Customer's generation or protective equipment as determined by OEU.
- d. Adverse electrical affects (such as power quality problems) on the electrical equipment of OEU's other electric consumers caused by the Customer's generation as determined by OEU.
- e. When Customer is in breach of any of its obligations under this Interconnection Agreement or any other applicable policies and procedures of OEU.
- f. When the Customer fails to make any payments due to OEU by the due date thereof.

25. Upon termination of services pursuant to this Agreement, OEU shall open and padlock the manual disconnect switch and remove any additional metering equipment related to this Agreement. At the Customer's expense, within thirty (30) working days following the termination, the Customer shall permanently isolate the RGS and any associated equipment from OEU's electric supply system, notify OEU that the isolation is complete, and coordinate with OEU for return of OEU's lock.

(Continued to Sheet No. 21.6)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continued from Sheet No. 21.5)

FIRST REVISED SHEET NO. 21.6
CANCELS ORIGINAL SHEET NO. 21.6

26. To the fullest extent permitted by law, and in return for adequate, separate consideration, Customer shall indemnify, defend and hold harmless OEU, any and all of their members of its governing bodies, and its officers, agents, and employees for, from and against any and all claims, demands, suits, costs of defense, attorneys fees, witness fees of any type, losses, damages, expenses, and liabilities, whether direct, indirect or consequential, related to, arising from, or in any way connected with:

- a. Customer's design, construction, installation, inspection, maintenance, testing or operation of Customer's generating system or equipment used in connection with this Interconnection Agreement, irrespective of any fault on the part of OEU.
- b. The interconnection of Customer's generating system with, and delivery of energy from the generating system to, OEU's electrical distribution system, irrespective of any fault on the part of OEU.
- c. The performance or nonperformance of Customer's obligations under this Interconnection Agreement or the obligations of any and all of the members of Customer's governing bodies and its officers, agents, contractors (and any subcontractor or material supplier thereof) and employees.

Customer's obligations under this Section shall survive the termination of this Interconnection Agreement.

27. Customer shall not have the right to assign its benefits or obligations under this Agreement without OEU's prior written consent and such consent shall not be unreasonably withheld. If there is a change in ownership of the RGS, Customer shall provide written notice to OEU at least thirty (30) days prior to the change in ownership. The new owner will be required to assume, in writing, the Customer's rights and duties under this Agreement, or execute a new Standard Interconnection Agreement. The new owner shall not be permitted to net meter or begin parallel operations until the new owner assumes this Agreement or executes a new Agreement.

28. This Agreement supersedes all previous agreements and representations either written or verbal heretofore made between OEU and Customer with respect to matters herein contained. This Agreement, when duly executed, constitutes the only Agreement between parties hereto relative to the matters herein described. This Agreement shall continue in effect from year to year until either party gives sixty (60) days' notice of its intent to terminate this Agreement.

(Continued on Sheet No. 21.7)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continued from Sheet No. 21.6)

FIRST REVISED SHEET NO. 21.7
CANCELS ORIGINAL SHEET NO. 21.7

29. This Agreement shall be governed by and construed and enforced in accordance with the laws, rules and regulations of the State of Florida and OEU's tariff as it may be modified, changed, or amended from time to time, including any amendments modification or changes to OEU's Net-Metering Service Rate Schedule, the schedule applicable to this Agreement. The Customer and OEU agree that any action, suit, or proceeding arising out of or relating to this Interconnection Agreement shall be initiated and prosecuted in the state court of competent jurisdiction located in Marion County, Florida, and OEU and the Customer irrevocably submit to the jurisdiction and venue of such court. To the fullest extent permitted by law, each Party hereby irrevocably waives any and all rights to a trial by jury and covenants and agrees that it will not request a trial by jury with respect to any legal proceeding arising out of or relating to this Interconnection Agreement.

None of the provisions of this Interconnection Agreement shall be considered waived by either Party except when such waiver is given in writing. No waiver by either Party of any one or more defaults in the performance of the provisions of this Interconnection Agreement shall operate or be construed as a waiver of any other existing or future default or defaults. If any one or more of the provisions of this Interconnection Agreement or the applicability of any provision to a specific situation is held invalid or unenforceable, the provision shall be modified to the minimum extent necessary to make it or its application valid and enforceable, and the validity and enforceability of all other provisions of this Interconnection Agreement and all other applications of such provisions shall not be affected by any such invalidity or unenforceability. This Interconnection Agreement does not govern the terms and conditions for the delivery of power and energy to non-generating retail customers of OEU's electrical distribution system.

30. This Agreement incorporates by reference the terms of the tariff filed with the Florida Public Service Commission by OEU, including OEU's Net-Metering Service Rate Schedule, and associated technical terms and abbreviations, general rules and regulations and standard electric service requirements (as may be applicable) are incorporated by reference, as amended from time to time. To the extent of any conflict between this Agreement and such tariff, the tariff shall control.

31. OEU and Customer recognize that the Florida Statutes and/or the Florida Public Service Commission Rules, including those directly addressing the subject of this Agreement, may be amended from time to time. In the event that such statutes and/or rules are amended that affect the terms and conditions of this Agreement, OEU and Customer agree to supersede and replace this Agreement with a new Interconnection Agreement, which complies with the amended statutes/rules.

(Continued on Sheet No. 21.8)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continued from Sheet No. 21.7)

FIRST REVISED SHEET NO. 21.8
CANCELS ORIGINAL SHEET NO. 21.8

32. Customer acknowledges that its provision of electricity to OEU hereunder is on a first-offered, first-accepted basis and subject to diminution and/or rejection in the event the total amount of electricity delivered to OEU pursuant to the OEU's Net-Metering Service Rate Schedule, (as filed with the Florida Public Service Commission), from all participating OEU customers, exceeds two and one-half percent (2.5%) of the aggregate customer peak demand on the OEU system.

33. This Agreement is solely for the benefit of OEU and Customer and no right nor any cause of action shall accrue upon or by reason, to or for the benefit of any third party not a formal party to this Agreement. Nothing in this Agreement, expressed or implied, is intended or shall be construed to confer upon any person or corporation other than OEU or Customer, any right, remedy, or claim under or by reason of this Agreement or any of the provisions or conditions of this Agreement; and, all provisions, representations, covenants, and conditions contained in this Agreement shall inure to the sole benefit of and be binding upon OEU and Customer and their respective representatives, successors, and assigns. Further, no term or condition contained in this Agreement shall be construed in any way as a waiver by OEU of the sovereign immunity applicable to OEU as established by Florida Statutes, 768.28.

(Continued on Sheet No. 21.9)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

Ocala Electric Utility
Ocala, Florida
(Continued from Sheet No. 21.8)

FIRST REVISED SHEET NO. 21.9
CANCELS ORIGINAL SHEET NO. 21.9

IN WITNESS WHEREOF, Customer and OEU have executed this Agreement the day and year first above written.

City of Ocala Electric Utility:

Customer:

By: DocuSigned by:
Janice Mitchell
55186843858A4E1...

By: ROBERT W. LARKIN
(Print Name)

Title: CFO

Robert W. Larkin
(Signature)

Date: 5/4/2023

Date: 03/29/2023

City of Ocala Electric Utility Account Number:

551868-159397

Approved as to form and legality:

DocuSigned by:
William E. Sexton
William E. Sexton
City Attorney

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA

FIRST REVISED SHEET NO. 20.0
CANCELS ORIGINAL SHEET NO. 20.0

Tri-Party Net-Metering Power Purchase Agreement

This Tri-Party Net-Metering Power Purchase Agreement (this "Agreement") is entered into this _____ day of _____, 20____, by and between the Florida Municipal Power Agency, a governmental joint action agency created and existing under the laws of the State of Florida (hereinafter "FMPA"), the City of Ocala doing business as Ocala Electric Utility, a body politic (hereinafter "OEU"), and _____ ROBERT W. LARKIN _____, a retail electric customer of OEU (hereinafter "Customer").

Section 1. Recitals

1.01. OEU and Customer have executed OEU's Standard Interconnection Agreement for a Customer-Owned Renewable Generation System (RGS) pursuant to which OEU has agreed to permit interconnection of Customer's renewable generation to OEU's electric system at Customer's presently-metered location, and Customer has agreed to deliver excess electric energy generated by Customer's Renewable Generation System to OEU's electric distribution system;

1.02. The City of Ocala and FMPA have entered into the All-Requirements Power Supply Contract, dated as of May 1, 1986, (hereinafter the "ARP Contract") pursuant to which the City of Ocala has agreed to purchase and receive, and FMPA has agreed to sell and supply OEU with all energy and capacity necessary to operate the OEU electric system, which limits OEU's ability to directly purchase excess energy from customer-owned renewable generation.

1.03. In order to promote the development of small customer-owned renewable generation by permitting OEU to allow its customers to interconnect with OEU's electric system and to allow OEU's electric customers to offset their electric consumption with customer-owned renewable generation, FMPA, in accordance with the terms and conditions of this agreement, has agreed to purchase excess customer-owned generation from OEU's electric customers interconnected to OEU's electric system.

NOW THEREFORE, for and in consideration of the mutual covenants and agreements set forth herein, the Parties covenant and agree as follows:

Section 2. Interconnection

2.01. Customer shall not begin parallel operations with the OEU electric distribution system until Customer has executed OEU's electric Standard Interconnection Agreement for Small Customer-Owned Renewable Generation and is in compliance with all terms and conditions

OEU requires that the customer install and operate the RGS in accordance with all applicable safety codes and standards. OEU shall establish and enforce terms and conditions of operation and disconnection of all interconnected customer-owned renewable generation as it relates to the effect of the RGS on OEU's electric distribution system.

(Continued on Sheet No. 20.1)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continued from Sheet No. 20.0)

FIRST REVISED SHEET NO. 20.1
CANCELS ORIGINAL SHEET NO. 20.1

Section 3. Metering

3.01 In accordance with the OEU's Standard Interconnection Agreement for Customer-Owned Renewable Generation, OEU shall install metering equipment at the point of delivery capable of recording two separate kWh meter readings: (1) the flow of electricity from OEU to the Customer (Delivered), and (2) the flow of excess electricity from the Customer to OEU. OEU shall take meter readings on the same cycle as the otherwise applicable rate schedule.

Section 4. Purchase of Excess Customer-Owned Renewable Generation

4.01. Customer-owned renewable generation shall be first used for Customer's own load and shall offset Customer's demand for OEU's electricity. All electric power and energy delivered by OEU to Customer shall be received and paid for by Customer to OEU (Received) pursuant to the terms, conditions and rates of the OEU otherwise applicable rate schedule.

4.02. Excess customer-owned renewable generation shall be delivered to the OEU Electric distribution system. For purposes of this Agreement, the term "excess customer-owned renewable generation" means any kWh of electrical energy produced by the customer-owned renewable generation system that is not consumed by Customer and is delivered to the OEU electric distribution system. FMPA agrees to purchase and receive, and Customer agrees to sell and deliver, all excess customer-owned renewable generation at the energy rate established by FMPA, which shall be calculated in accordance with Schedule A. Excess customer-owned renewable generation shall be purchased in the form of a credit on Customer's monthly energy consumption bill from OEU.

4.03. In the event that a given monthly credit for excess customer-owned renewable generation exceeds the total billed amount for Customer's consumption in any corresponding month, then the excess credit shall be applied to the subsequent month's bill. Excess energy credits produced pursuant to the preceding sentence shall accumulate and be used to offset Customer's energy consumption bill for a period of not more than twelve (12) months. At the end of each calendar year, any unused excess energy credits shall be paid by OEU to the Customer in accordance with the OEU Electric Net-Metering Service Rate Schedule.

(Continued on Sheet No. 20.2)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continued from Sheet No. 20.1)

FIRST REVISED SHEET NO. 20.2
CANCELS ORIGINAL SHEET NO. 20.2

4.04. FMPA and OEU shall not be required to purchase or receive excess customer-owned renewable generation, and may require Customer to interrupt or reduce production of customer-owned renewable generation, (a) when necessary in order to construct, install, maintain, repair, replace, remove, investigate, or inspect any OEU equipment or part of OEU's system; or (b) if either FMPA or OEU determine, in their sole judgment, that curtailment, interruption, or reduction is necessary because of emergencies, forced outages, force majeure, or compliance with any applicable electric code or standard.

4.05. Customer acknowledges that its provision of electricity to OEU hereunder is on a first-offered, first-accepted basis and subject to diminution and/or rejection in the event the total amount of electricity delivered to OEU pursuant to the Net-Metering Service Rate Schedule (as filed with the Florida Public Service Commission), from all participating OEU customers, exceeds two and one-half percent (2.5%) of the aggregate customer peak demand on the OEU electric system.

Section 5. Renewable Energy Credits

5.01. Customer shall offer FMPA a first right of refusal before selling or granting to any third party the right to the Green Attributes associated with its customer-owned renewable generation that is interconnected to OEU electric distribution system. The term "Green Attributes" shall include any and all credits, certificates, benefits, environmental attributes, emissions reductions, offsets, and allowances, however entitled, attributable to the generation of electricity from the customer-owned-renewable generation and its displacement of conventional energy generation.

5.02. Any additional meter(s) installed to measure total renewable electricity generated by the Customer for the purposes of measuring Green Attributes, including and renewable energy certificates (or similarly titled credits for renewable energy generated), shall be installed at the expense of the Customer, unless determined otherwise during negotiations for the sale of the Customer's credits to FMPA.

Section 6. Term and Termination

6.01. This Agreement shall become effective upon execution by all Parties, and shall remain in effect thereafter on a month-to-month basis until terminated by any Party upon thirty (30) days written notice to all other Parties.

6.02. This Agreement shall terminate immediately and without notice upon: (a) termination of the electric distribution service by OEU or (b) failure by Customer to comply with any of the terms and conditions of this Agreement or OEU's Standard Interconnection Agreement for Customer-Owned Renewable Generation.

(Continued on Sheet No. 20.3)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

Ocala Electric Utility
Ocala, Florida
(Continued from Sheet No. 20.2)

FIRST REVISED SHEET NO. 20.3
CANCELS ORIGINAL SHEET NO. 20.3

Section 7. Miscellaneous Provisions

7.01. Assignment. It is understood and agreed that no party may transfer, sell, mortgage, pledge, hypothecate, convey, designate, or otherwise assign this Agreement, or any interest herein or any rights or obligations hereunder, in whole or in part, either voluntarily or by operation of law, (including, without limitation, by merger, consolidation, or otherwise), without the express written consent of the other parties (and any such attempt shall be void), which consent shall not be unreasonably withheld. Subject to the foregoing, this Agreement shall inure to the benefit of and be binding upon the parties and their respective successors and permitted assigns.

7.02. Amendment. It is understood and agreed that FMPA and OEU reserve the right, on no less than an annual basis, to change any of the terms and conditions, including pricing, in this Agreement on sixty (60) days advance written notice. FMPA and OEU may make such changes on an immediate basis in the event any applicable law, rule, regulation or court order requires them. In such event, FMPA and OEU will give Customer as much notice as reasonably possible under the circumstances.

7.03. Indemnification. To the fullest extent permitted by laws and regulations, and in return for adequate, separate consideration, Customer shall defend, indemnify, and hold harmless FMPA and OEU, their officers, directors, agents, guests, invitees, and employees from and against all claims, damages, losses to persons or property, whether direct, indirect, or consequential (including but not limited to fees and charges of attorneys, and other professionals and court and arbitration costs) arising out of, resulting from, occasioned by, or otherwise caused by the operation or misoperation of the customer-owned renewable generation, or the acts or omissions of any other person or organization directly or indirectly employed by the Customer to install, furnish, repair, replace or maintain the customer-owned renewable generation system, or anyone for whose acts any of them may be liable.

7.04. Governing Law. The validity and interpretation of this Agreement and the rights and obligations of the parties shall be governed and construed in accordance with the laws of the State of Florida without regard for any conflicts of law provisions that might cause the law of other jurisdictions to apply. All controversies, claims, or disputes arising out of or related to this Agreement or any agreement, instrument, or document contemplated hereby, shall be brought exclusively in the County or Circuit Court for Marion County, Florida, or the United States District Court sitting in Marion County, Florida, as appropriate.

(Continued on Sheet No. 20.4)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continued from Sheet No. 20.3)

FIRST REVISED SHEET NO. 20.4
CANCELS ORIGINAL SHEET NO. 20.4

7.05. Enforcement of Agreement. In the event that either party is required to enforce this Agreement by court proceedings or otherwise, the prevailing party shall be entitled to recover all fees and costs incurred, including reasonable attorney's fees and costs for trial, alternative dispute resolution, and/or appellate proceedings.

7.06. Severability. To the extent any provision of this Agreement is prohibited by or invalid under applicable law, such provision shall be ineffective to the extent of such prohibition or invalidity, without invalidating the remainder of such provision or the remaining provisions of this Agreement.

7.07. Third Party Beneficiaries and Sovereign Immunity. This Agreement is solely for the benefit of FMPA, OEU, and Customer and no right nor shall any cause of action accrue upon or by reason, to or for the benefit of any third party not a formal party to this Agreement. Nothing in this Agreement, expressed or implied, is intended or shall be construed to confer upon any person or corporation other than FMPA, OEU, or Customer, any right, remedy, or claim under or by reason of this Agreement or any of the provisions or conditions of this Agreement; and, all provisions, representations, covenants, and conditions contained in this Agreement shall inure to the sole benefit of and be binding upon FMPA, OEU, and Customer and their respective representatives, successors, and assigns. Further, no term or condition contained in this Agreement shall be construed in any way as a waiver by either FMPA or OEU of the sovereign immunity applicable to either or both of them as established by Florida Statutes, 768.28.

(Continued on Sheet No. 20.5)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY
OCALA, FLORIDA
(Continued from Sheet No. 20.4)

FIRST REVISED SHEET NO. 20.5
CANCELS ORIGINAL SHEET NO. 20.5

IN WITNESS WHEREOF, Customer and OEU have executed this Agreement the day and year first above written.

City of Ocala Electric Utility

By: DocuSigned by:
Janice Mitchell
55198843058A4E1...
Title: CFO
Date: 5/4/2023

Florida Municipal Power Agency

By: DocuSigned by:
Chad
067758E8B34B474...
Title: VP of IT/OT and System Ops
Date: 5/4/2023

Customer

By: ROBERT W. LARKIN
(Print Name)
Robert W. Larkin
(Signature)

Date: 03-29-2023

Customer's City of Ocala Electric Utility Account Number: 551868-159397

Approved as to form and legality:

DocuSigned by:
William E. Sexton
B07D6FC4E86E428...
William E. Sexton
City Attorney

(Continued on Sheet No. 20.6)

Issued by: Michael Poucher, P.E.
Electric Utility Director

Effective: October 1, 2019

Ocala Electric Utility
Ocala, Florida
(Continued from Sheet No. 20.5)

FIRST REVISED SHEET NO. 20.6
CANCELS ORIGINAL SHEET NO. 20.6

**Tri-Party Net-Metering Power Purchase Agreement
Schedule A**

I. All-Requirements Project Calculation of Excess Customer-Owned Renewable Generation Credit

- a) FMPA shall pay OEU for the excess kWh energy delivered by customer-owned renewable generation to OEU's electric system. Every month, OEU shall determine the total kWh of customer-owned renewable generation that is delivered to OEU's electric system, and shall send the information to FMPA as soon as it becomes available, but no later than the second working day of every month. FMPA will then provide a monthly payment to OEU in the form of a credit on the ARP power bill for the excess energy delivered to the distribution grid. The ARP Renewable Generation Credit will be calculated as follows:

ARP Renewable Generation Credit = Quarterly Energy Rate * Monthly kWh of excess customer-owned renewable generation

Quarterly Energy Rate = 3 month average of ARP energy rate. FMPA will update the Quarterly Energy Rate every April 1, July 1, October 1 and January 1.

- b) As part of the monthly bill adjustment, FMPA will also increase OEU's kWh billing amount by the same kWh amount as the customer-owned renewable generation purchased by FMPA. This adjustment is necessary because excess customer generation that flows onto OEU's electric system has been purchased by FMPA, but will remain on OEU's electric system and be used by OEU to meet its other customers' electric needs. As a result, OEU's monthly ARP bill will be adjusted accordingly to reflect FMPA's subsequent sale of this energy to OEU.

II. Payment for Unused Excess Energy Credits

- a) Monthly excess energy credits shall accumulate and be used to offset the Customer's following month energy consumption bill for a period of not more than twelve (12) months.
- b) At the end of each calendar year, OEU shall pay the Customer for any unused excess energy credits in accordance with the OEU Electric Net-Metering Service Rate Schedule.

Certificate Of Completion

Envelope Id: A404395C3F9B427AAAE7201815FDF212

Status: Completed

Subject: Tri-Party Net Metering Agreement (Robert Larkin) [ELE/230483]

Source Envelope:

Document Pages: 28

Signatures: 5

Certificate Pages: 5

Initials: 0

AutoNav: Enabled

Envelope Stamping: Enabled

Time Zone: (UTC-05:00) Eastern Time (US & Canada)

Envelope Originator:

Jamil Ramirez

110 SE Watula Avenue

City Hall, Third Floor

Ocala, FL 34471

jramirez@ocalafl.org

IP Address: 216.255.240.104

Record Tracking

Status: Original

5/4/2023 11:53:52 AM

Holder: Jamil Ramirez

jramirez@ocalafl.org

Location: DocuSign

Security Appliance Status: Connected

Pool: StateLocal

Storage Appliance Status: Connected

Pool: City of Ocala - Procurement & Contracting

Location: DocuSign

Signer Events

William E. Sexton

wsexton@ocalafl.org

City Attorney

City of Ocala

Security Level: Email, Account Authentication
(None)**Signature**

DocuSigned by:



B07DCFC4E86E429...

Signature Adoption: Pre-selected Style

Using IP Address: 216.255.240.104

Timestamp

Sent: 5/4/2023 11:55:51 AM

Viewed: 5/4/2023 4:03:47 PM

Signed: 5/4/2023 4:04:28 PM

Electronic Record and Signature Disclosure:

Not Offered via DocuSign

Janice Mitchell

jmittell@ocalafl.org

CFO

Security Level: Email, Account Authentication
(None)

DocuSigned by:



55198B43858A4E1...

Signature Adoption: Pre-selected Style

Using IP Address: 216.255.240.104

Sent: 5/4/2023 4:04:29 PM

Viewed: 5/4/2023 4:13:20 PM

Signed: 5/4/2023 4:14:21 PM

Electronic Record and Signature Disclosure:

Accepted: 5/4/2023 4:13:20 PM

ID: b1930215-505c-48f2-a65d-34b74a04196f


Chris Gowder

chris.gowder@fmpa.com

VP of IT/OT and System Ops

Security Level: Email, Account Authentication
(None)

DocuSigned by:



087F58EBB34B474...

Signature Adoption: Uploaded Signature Image

Using IP Address: 38.77.131.2

Sent: 5/4/2023 4:14:23 PM

Viewed: 5/4/2023 4:16:01 PM

Signed: 5/4/2023 4:16:12 PM

Electronic Record and Signature Disclosure:

Accepted: 5/4/2023 4:16:01 PM

ID: e9b7c645-ac58-457d-83cd-42ecebb44f69

In Person Signer Events**Signature****Timestamp****Editor Delivery Events****Status****Timestamp****Agent Delivery Events****Status****Timestamp****Intermediary Delivery Events****Status****Timestamp**

Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp
Notary Events	Signature	Timestamp
Envelope Summary Events	Status	Timestamps
Envelope Sent	Hashed/Encrypted	5/4/2023 11:55:51 AM
Certified Delivered	Security Checked	5/4/2023 4:16:01 PM
Signing Complete	Security Checked	5/4/2023 4:16:12 PM
Completed	Security Checked	5/4/2023 4:16:12 PM
Payment Events	Status	Timestamps
Electronic Record and Signature Disclosure		

ELECTRONIC RECORD AND SIGNATURE DISCLOSURE

From time to time, City of Ocala - Procurement & Contracting (we, us or Company) may be required by law to provide to you certain written notices or disclosures. Described below are the terms and conditions for providing to you such notices and disclosures electronically through the DocuSign system. Please read the information below carefully and thoroughly, and if you can access this information electronically to your satisfaction and agree to this Electronic Record and Signature Disclosure (ERSD), please confirm your agreement by selecting the check-box next to 'I agree to use electronic records and signatures' before clicking 'CONTINUE' within the DocuSign system.

Getting paper copies

At any time, you may request from us a paper copy of any record provided or made available electronically to you by us. You will have the ability to download and print documents we send to you through the DocuSign system during and immediately after the signing session and, if you elect to create a DocuSign account, you may access the documents for a limited period of time (usually 30 days) after such documents are first sent to you. After such time, if you wish for us to send you paper copies of any such documents from our office to you, you will be charged a \$0.00 per-page fee. You may request delivery of such paper copies from us by following the procedure described below.

Withdrawing your consent

If you decide to receive notices and disclosures from us electronically, you may at any time change your mind and tell us that thereafter you want to receive required notices and disclosures only in paper format. How you must inform us of your decision to receive future notices and disclosure in paper format and withdraw your consent to receive notices and disclosures electronically is described below.

Consequences of changing your mind

If you elect to receive required notices and disclosures only in paper format, it will slow the speed at which we can complete certain steps in transactions with you and delivering services to you because we will need first to send the required notices or disclosures to you in paper format, and then wait until we receive back from you your acknowledgment of your receipt of such paper notices or disclosures. Further, you will no longer be able to use the DocuSign system to receive required notices and consents electronically from us or to sign electronically documents from us.

All notices and disclosures will be sent to you electronically

Unless you tell us otherwise in accordance with the procedures described herein, we will provide electronically to you through the DocuSign system all required notices, disclosures, authorizations, acknowledgements, and other documents that are required to be provided or made available to you during the course of our relationship with you. To reduce the chance of you inadvertently not receiving any notice or disclosure, we prefer to provide all of the required notices and disclosures to you by the same method and to the same address that you have given us. Thus, you can receive all the disclosures and notices electronically or in paper format through the paper mail delivery system. If you do not agree with this process, please let us know as described below. Please also see the paragraph immediately above that describes the consequences of your electing not to receive delivery of the notices and disclosures electronically from us.

How to contact City of Ocala - Procurement & Contracting:

You may contact us to let us know of your changes as to how we may contact you electronically, to request paper copies of certain information from us, and to withdraw your prior consent to receive notices and disclosures electronically as follows:

To contact us by email send messages to: contracts@ocalafl.org

To advise City of Ocala - Procurement & Contracting of your new email address

To let us know of a change in your email address where we should send notices and disclosures electronically to you, you must send an email message to us at contracts@ocalafl.org and in the body of such request you must state: your previous email address, your new email address. We do not require any other information from you to change your email address.

If you created a DocuSign account, you may update it with your new email address through your account preferences.

To request paper copies from City of Ocala - Procurement & Contracting

To request delivery from us of paper copies of the notices and disclosures previously provided by us to you electronically, you must send us an email to contracts@ocalafl.org and in the body of such request you must state your email address, full name, mailing address, and telephone number. We will bill you for any fees at that time, if any.

To withdraw your consent with City of Ocala - Procurement & Contracting

To inform us that you no longer wish to receive future notices and disclosures in electronic format you may:

- i. decline to sign a document from within your signing session, and on the subsequent page, select the check-box indicating you wish to withdraw your consent, or you may;
- ii. send us an email to contracts@ocalafl.org and in the body of such request you must state your email, full name, mailing address, and telephone number. We do not need any other information from you to withdraw consent.. The consequences of your withdrawing consent for online documents will be that transactions may take a longer time to process..

Required hardware and software

The minimum system requirements for using the DocuSign system may change over time. The current system requirements are found here: <https://support.docusign.com/guides/signer-guide-signing-system-requirements>.

Acknowledging your access and consent to receive and sign documents electronically

To confirm to us that you can access this information electronically, which will be similar to other electronic notices and disclosures that we will provide to you, please confirm that you have read this ERSD, and (i) that you are able to print on paper or electronically save this ERSD for your future reference and access; or (ii) that you are able to email this ERSD to an email address where you will be able to print on paper or save it for your future reference and access. Further, if you consent to receiving notices and disclosures exclusively in electronic format as described herein, then select the check-box next to ‘I agree to use electronic records and signatures’ before clicking ‘CONTINUE’ within the DocuSign system.

By selecting the check-box next to ‘I agree to use electronic records and signatures’, you confirm that:

- You can access and read this Electronic Record and Signature Disclosure; and
- You can print on paper this Electronic Record and Signature Disclosure, or save or send this Electronic Record and Disclosure to a location where you can print it, for future reference and access; and
- Until or unless you notify City of Ocala - Procurement & Contracting as described above, you consent to receive exclusively through electronic means all notices, disclosures, authorizations, acknowledgements, and other documents that are required to be provided or made available to you by City of Ocala - Procurement & Contracting during the course of your relationship with City of Ocala - Procurement & Contracting.