



Call Us first, for all of your Fleet Automotive, & Light Truck needs.

Quote

\$49,167.00

PHONE (800) ALANJAY (252-6529)		DIRECT	863-402-4234	WWW.ALA	NJAY.COM 62056-7
=	2003 U.S. 27 South	MOBILE	863-273-1105		P.O. BOX 9200
Office	Sebring, FL 33870	FAX	863-402-4221	Address	Sebring, FL 33871-9200

ORIGINAL QUOTE DATE 3/4/2025

# **QUICK QUOTE SHEET**

REVISED QUOTE DATE 3/5/2025

REQUESTING AGENCY	OCALA, CITY OF					
CONTACT PERSON	LIZA WARMUTH		EMAIL		LWarmuth@ocalafl.gov	
PHONE	352-351-6750	MOBILE		FAX		
SOURCEWELL CO	ONTRACT # 2025	091521-NAF & 0	32824-NAF		www.NationalAu	toFleetGroup.com
MODEL	E3D 620V				Menn	\$53 820 00

2025 FORD F-350 REGULAR CAB PICKUP 4WD DRW 142" WB XL 8' BED

CUSTOMER ID 2026 CIP Recreation & Parks

BED LENGTH

8' Bed

\*\* All vehicles will be ordered white w/ darkest interior unless clearly stated otherwise on purchase order.

CONTRACT PRICE

<b>FACTORY OPTIONS</b>	DESCRIPTION	
YZ	Oxford White	\$0.00
AS	Medium Dark Slate, HD Vinyl 40/20/40 Split Bench Seat	\$0.00
99A	Engine: 6.8L 2V DEVCT NA PFI V8 Gas	\$0.00
44F	Transmission: TorqShift-G 10-Speed Automatic	\$0.00
18B	OPTIONS Platform Running Boards	\$315.00
52B	Trailer Brake Controller	\$295.00
620A	Order Code 620A	\$0.00
64K	Wheels: 17" Argent Painted Steel	\$0.00
TD8	Tires: LT245/75Rx17E BSW A/S (6)	\$0.00
X4L	Limited Slip w/4.30 Axle Ratio	\$0.00
BUDGET QUOTE	THIS QUOTE IS CURRENT PRICING ONLY, FOR BUDGET PURPOSES PLEASE ADD 10% INCREASE (2026 Pricing not available at time of quote)	\$0.00
	FACTORY OPTIONS	\$610.00

	available at time of quote)	
	FACTORY OPTIONS	\$610.00
<b>CONTRACT OPTIONS</b>	DESCRIPTION	
NO-TEMP	TEMP TAG NOT REQUESTED, CUSTOMER WILL HANDLE THEIR OWN TAG WORK.	\$0.00
3KR	Additional key and remote, cut and programmed.	\$310.00
813-3000UL-UB	XANTREX 3000W modified sine inverter mounted inside curbside front compartment of utility body with ignition sourced remote / user control mounted on dash mounted on dash. (Alternate mounting location may be required due to clearance.) Includes freight and installation with 4/0 powr and ground, ignition controlled solenoid, 300A breaker, heat shrink connectors, and wire loom. (Dealer strongly recommends upgrading alternator and addition of auxillary battery)	\$1,925.00
W TLI2-4-AW	(4) Whelen ION T-Series DUAL color ultra thin light heads with (2) mounted in grille and (2) mounted to rear of vehicle (AMBER/WHITE).	\$900.00
AJ COMP 6-LED-AB	LED compartment lights installed in all compartments of 8' or 9' service body with one side long horizontal compartment.	\$785.00
ECCO-TA-UTIL	ECCO MODEL 3410A TRAFFIC ADVISOR INSTALLED TO BACK OF UTILITY BODY UNDER SHROUD PROVIDED BY BODY COMPANY TO PROTECT LIGHT.	\$1,051.00
SHROUD	BODY COMPANY TO PROVIDE SHROUD ON BACK OF BODY TO PROTECT TRAFFIC ADVISOR (48"W X 1.9"T X 2.5"D). SHROUD TO BE PAINTED ALONG WITH BODY AND LOCATED BETWEEN SLAM GATE AND REAR BUMPER.	\$165.00
D-BOX	REMOVE FACTORY PICKUP BOX & HAVEST CAMERA FOR RE-INSTALLATION IN AFTERMARKET EQUIPMENT.	\$155.00
AF 98-DW	8' Reading Classic II utility body reading classic II factory powder coated white with SST Paddle Latches (Includes 2nd stage MSO, weight slip, & final-stage manufacturers completed vehicle certification.)	\$13,265.00
AF FFK	FUEL FILL KIT FOR BOX REMOVAL	\$570.00
AF CAMERA	FACTORY CAMERA INSTALL IN UTILITY BODY	\$255.00
AF 7/4WIRE	7/4 WAY TRAILER RECEPTACLE	\$255.00
AF CLV-SB	HITCH PLATE WITH RECEIVER HITCH	\$975.00
AJ DB2	Draw bar with 2" Ball, pin, and clip.	\$55.00





SOURCEWELL	_ CONTRACT # 2025 091521-NAF & 032824-NAF	www.NationalAutoFlee	tGroup.com
AF USOB9	HD SPRAY ON BED LINER APPLIED TO FLOOR, BULKHEAD, AND SIDE WALLS O	F 9' UTILITY BODY.	\$1,865.00
AF USOB8-TB	HD SPRAY ON BED LINER APPLIED TO FLOOR, BULKHEAD, CARGO AREA, AND	TOPS OF BOXES ON 6.5' - 8' UTILITY BODY.	\$1,980.00
BUA	Federal Signal 90 dB back-up alarm.		\$185.00
		CONTRACT OPTIONS	\$24,696.00

TRADE IN

TOTAL COST \$74,473.00

YES WE TAKE TRADE INS ~~~ ASK ABOUT MUNICIPAL FINANCING ~~~

TOTAL COST LESS TRADE IN(S) QTY 1 \$74,473.00

Estimated Annual payments for 60 months paid in advance: \$17,122.88

Municipal finance for any essential use vehicle, requires lender approval, WAC.

Comments QUOTE SUBJECT TO FACTORY ORDER ACCEPTANCE or 30 DAYS

VEHICLE QUOTED BY ASHLEE WILSON GOVERNMENT ACCOUNT MANAGER Ashlee.Wilson@AlanJay.com

"I Want to be Your Fleet Provider"

I appreciate the opportunity to submit this quotation. Please review it carefully. If there are any errors or changes, please feel free to contact me at any time.

I am always happy to be of assistance.



Note:Photo may not represent exact vehicle or selected equipment.

### **Window Sticker**

#### **SUMMARY**

[Fleet] 2025 Ford Super Duty F-350 DRW (F3D) XL 4WD Reg Cab 8' Box

MSRP:\$50,885.00

Interior: Medium Dark Slate, HD Vinyl 40/20/40 Split Bench Seat

Exterior 1:Agate Black Metallic

Exterior 2:No color has been selected.

Engine: 6.8L 2V DEVCT NA PFI V8 Gas

Transmission: TorqShift-G 10-Speed Automatic

## **OPTIONS**

_			
	CODE	MODEL	MSRP
	F3D	[Fleet] 2025 Ford Super Duty F-350 DRW (F3D) XL 4WD Reg Cab 8' Box	\$50,885.00
		OPTIONS	
	18B	Platform Running Boards	\$320.00
	44F	Transmission: TorqShift-G 10-Speed Automatic	\$0.00
	52B	Trailer Brake Controller	\$300.00
	620A	Order Code 620A	\$0.00
	64K	Wheels: 17" Argent Painted Steel	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24863. Data Updated: Mar 3, 2025 6:45:00 PM PST.

76C	Exterior Backup Alarm (Pre-Installed)	\$220.0
99A	Engine: 6.8L 2V DEVCT NA PFI V8 Gas	\$0.0
AS	Medium Dark Slate, HD Vinyl 40/20/40 Split Bench Seat	\$0.0
TD8	Tires: LT245/75Rx17E BSW A/S (6)	\$0.0
UM	Agate Black Metallic	\$0.0
K4L	Limited Slip w/4.30 Axle Ratio	\$0.0
	SUBTOTAL	\$51,725.0
	Adjustments Total	\$0.0
	Destination Charge	\$2,095.0
	TOTAL PRICE	\$53,820.0

#### **FUEL ECONOMY**

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range: N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24863. Data Updated: Mar 3, 2025 6:45:00 PM PST.

# **Standard Equipment**

lechanical	
	Engine: 6.8L 2V DEVCT NA PFI V8 Gas (STD)
	Transmission: TorqShift-G 10-Speed Automatic -inc: SelectShift and selectable drive modes: normal, eco, slippery roads, tow/haul and off-road (STD)
	Limited Slip w/4.30 Axle Ratio (STD)
	50-State Emissions System
	Transmission w/Oil Cooler
	Electronic Transfer Case
	Part-Time Four-Wheel Drive
	68-Amp/Hr 750CCA Maintenance-Free Battery w/Run Down Protection
	160 Amp Alternator
	Class V Towing Equipment -inc: Hitch and Trailer Sway Control
	Trailer Wiring Harness
	7313# Maximum Payload
	GVWR: 14,000 lb Payload Package
	HD Shock Absorbers
	Front And Rear Anti-Roll Bars
	Firm Suspension
	Hydraulic Power-Assist Steering
	34 Gal. Fuel Tank
	Single Stainless Steel Exhaust
	Dual Rear Wheels
	Auto Locking Hubs
	Front Suspension w/Coil Springs
	Solid Axle Rear Suspension w/Leaf Springs
	4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
Exterior	
	Wheels: 17" Argent Painted Steel -inc: Hub covers/center ornaments not included (STD)
	Tires: LT245/75Rx17E BSW A/S (6) -inc: Spare may not be the same as road tire (STD)
	Regular Box Style

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24863. Data Updated: Mar 3, 2025 6:45:00 PM PST.

Exterior	
	Steel Spare Wheel
	Full-Size Spare Tire Stored Underbody w/Crankdown
	Clearcoat Paint
	Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
	Black Rear Step Bumper
	Black Side Windows Trim and Black Front Windshield Trim
	Black Door Handles
	Black Power Heated Side Mirrors w/Convex Spotter, Manual Folding and Turn Signal Indicator
	Manual Extendable Trailer Style Mirrors
	Fixed Rear Window
	Light Tinted Glass
	Variable Intermittent Wipers
	Aluminum Panels
	Black Grille
	Tailgate Rear Cargo Access
	Tailgate/Rear Door Lock Included w/Power Door Locks
	Boxside Steps
	Autolamp Auto On/Off Reflector Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
	Cargo Lamp w/High Mount Stop Light
	Cab Clearance Lights
	Perimeter/Approach Lights
Entertainment	
	Radio w/Seek-Scan, Clock and Speed Compensated Volume Control
	Radio: AM/FM Stereo w/MP3 Player -inc: 4 speakers
	Fixed Antenna
	SYNC 4 -inc: 8" LCD capacitive touchscreen w/swipe capability, wireless phone connection, cloud connected, AppLink w/app catalog, 911 Assist, Apple CarPlay and Android Auto compatibility and digital owner's manual
	2 LCD Monitors In The Front
Interior	
	4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24863. Data Updated: Mar 3, 2025 6:45:00 PM PST.

nterior	
	4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
	Manual Tilt/Telescoping Steering Column
	Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
	FordPass Connect 5G Mobile Hotspot Internet Access
	Compass
	Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
	Cruise Control w/Steering Wheel Controls
	Manual Air Conditioning
	Illuminated Locking Glove Box
	Interior Trim -inc: Chrome Interior Accents
	Full Cloth Headliner
	Urethane Gear Shifter Material
	HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
	Day-Night Rearview Mirror
	Passenger Visor Vanity Mirror
	Full Overhead Console w/Storage and 2 12V DC Power Outlets
	Front Map Lights
	Fade-To-Off Interior Lighting
	Full Vinyl/Rubber Floor Covering
	Pickup Cargo Box Lights
	Smart Device Remote Engine Start
	Instrument Panel Covered Bin and Dashboard Storage
	Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
	Delayed Accessory Power
	Power Door Locks w/Autolock Feature
	Driver Information Center
	Trip Computer
	Outside Temp Gauge
	Digital/Analog Appearance

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24863. Data Updated: Mar 3, 2025 6:45:00 PM PST.

Interior	
	Seats w/Vinyl Back Material
	Manual Adjustable Front Head Restraints
	Perimeter Alarm
	Securilock Anti-Theft Ignition (pats) Immobilizer
	2 12V DC Power Outlets
	Air Filtration
Safety-Mechanical	
	AdvanceTrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
	ABS And Driveline Traction Control
Safety-Exterior	
	Side Impact Beams
Safety-Interior	
	Dual Stage Driver And Passenger Seat-Mounted Side Airbags
	Tire Specific Low Tire Pressure Warning
	Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
	Safety Canopy System Curtain 1st Row Airbags
	Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters
	Back-Up Camera
WARRANTY	
	Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Corrosion Years: 5 Corrosion Miles/km: Unlimited Roadside Assistance Years: 5

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Roadside Assistance Miles/km: 60,000

Data Version: 24863. Data Updated: Mar 3, 2025 6:45:00 PM PST.

## **Technical Specifications**

recillical opecifications					
Powertrain					
Transmission					
Drivetrain	Four Wheel Drive	Trans Order Code	44F		
Trans Type	10	Trans Description Cont.	Automatic w/OD		
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.70		
Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15		
Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52		
Sixth Gear Ratio (:1)	1.27	Reverse Ratio (:1)	4.87		
Clutch Size	N/A	Trans Power Take Off	N/A		
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Electronic		
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A		
Transfer Case Power Take Off	No	Seventh Gear Ratio (:1)	1.00		
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	N/A		
Tenth Gear Ratio (:1)	N/A				
Mileage					
EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A		
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A		
Cruising Range - Hwy	N/A	Estimated Battery Range	N/A		
Engine					
Engine Order Code	99A	Engine Type	Regular Unleaded V-8		
Displacement	6.8 L/415	Fuel System	Sequential MPI		
SAE Net Horsepower @ RPM	405 @ 5000	SAE Net Torque @ RPM	445 @ 4000		
Engine Oil Cooler	None				
Electrical					
Cold Cranking Amps @ 0° F (Primary) 750		Cold Cranking Amps @ 0° F (2nd)	750		
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	160		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24863. Data Updated: Mar 3, 2025 6:45:00 PM PST.

Powertrain			
Cooling System			
Total Cooling System Capacity	N/A		
Vehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
Chassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	6647 lbs	Gross Axle Wt Rating - Front	4800 lbs
Gross Axle Wt Rating - Rear	9900 lbs	Curb Weight - Front	3687 lbs
Curb Weight - Rear	2960 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	1113.00 lbs
Reserve Axle Capacity - Rear	6940.00 lbs	As Spec'd Curb Weight	6647.00 lbs
As Spec'd Payload 7353.00 lbs		Maximum Payload Capacity	7353.00 lbs
Gross Combined Wt Rating	25400 lbs	Gross Axle Weight Rating	14700.00 lbs
Curb Weight	6647.00 lbs	Reserve Axle Capacity	8053.00 lbs
Total Option Weight	Total Option Weight 0.00 lbs		0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	14000.00 lbs
Trailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	18300 lbs	Wt Distributing Hitch - Max Tongue Wt.	1830 lbs
Fifth Wheel Hitch - Max Trailer Wt.	18000 lbs	Fifth Wheel Hitch - Max Tongue Wt.	4500 lbs
Maximum Trailering Capacity	18300 lbs		
Frame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24863. Data Updated: Mar 3, 2025 6:45:00 PM PST.

CI	nassis			
S	Suspension			
	Suspension Type - Front	Suspension Type - Front Other		Leaf
	Spring Capacity - Front 4800 lbs  Axle Type - Front Non-Independent		Spring Capacity - Rear	9900 lbs
			Axle Type - Rear	Rigid Axle
	Axle Capacity - Front	6000 lbs	Axle Capacity - Rear	10400 lbs
	Axle Ratio (:1) - Front	4.30	Axle Ratio (:1) - Rear	4.30
	Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
	Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
T	ïres			
	Front Tire Order Code	Tire Order Code TD8		TD8
Spare Tire Order Code  N/A  Rear Tire Size  LT245/75SR  Front Tire Capacity  Spare Tire Capacity  N/A		N/A	Front Tire Size	LT245/75SR17
		LT245/75SR17	Spare Tire Size	Full-Size
		6390 lbs	Rear Tire Capacity	11640 lbs
		N/A	Revolutions/Mile @ 45 mph - Front	649
	Revolutions/Mile @ 45 mph - Rear 649		Revolutions/Mile @ 45 mph - Spare	N/A
٧	Vheels			
	Front Wheel Size	17 X 6.5 in	Rear Wheel Size	17 X 6.5 in
Spare Wheel Size Fu	Full-Size in	Front Wheel Material	Steel	
	Rear Wheel Material Steel		Spare Wheel Material	Steel
S	Steering			
	Steering Type	Re-Circulating Ball	Steering Ratio (:1), Overall	N/A
	Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
	Turning Diameter - Curb to Curb 47.6 ft		Turning Diameter - Wall to Wall	N/A
E	Brakes			
	Brake Type	4-Wheel Disc	Brake ABS System	4-Wheel
	Brake ABS System (Second Line)	4-Wheel	Disc - Front (Yes or )	Yes
	Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	14.3 in

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24863. Data Updated: Mar 3, 2025 6:45:00 PM PST.

nassis			
rakes			
Rear Brake Rotor Diam x Thickness	14.3 in	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
uel Tank			
Fuel Tank Capacity, Approx	34 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
mensions			
nterior Dimensions			
Passenger Capacity	3	Front Head Room	40.8 in
Front Leg Room	43.9 in	Front Shoulder Room	66.7 in
Front Hip Room	62.5 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		
xterior Dimensions			
Wheelbase	142 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	231.8 in
Width, Max w/o mirrors	96 in	Height, Overall	80.6 in
Overhang, Front	38.2 in	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	56.1 in
Cab to End of Frame	N/A	Ground to Top of Load Floor	37.6 in
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	7.7 in	Ground Clearance, Rear	7.7 in
Body Length	0.00 ft	Cab to Body	N/A
argo Area Dimensions			
Cargo Box Length @ Floor	98.1 in	Cargo Box Width @ Top, Rear	66.9 in
Cargo Box Width @ Floor	66.9 in	Cargo Box Width @ Wheelhousings	50.5 in
Cargo Box (Area) Height	21.1 in	Tailgate Width	60.5 in

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24863. Data Updated: Mar 3, 2025 6:45:00 PM PST.

Dimensions			
Cargo Area Dimensions			
Cargo Volume	78.5 ft <sup>3</sup>	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24863. Data Updated: Mar 3, 2025 6:45:00 PM PST.