

Contract Number: 2025 091521-NAF & 032824-NAF

Quote ID: 57029

Agency: OCALA, CITY OF

Date: 8/14/2025

Thank you from the Alan Jay Fleet Team for the opportunity to provide this quotation for (2) 2025 CHEVY TAHOE 2WD 9C1 POLICE, please review carefully and contact us with any errors or changes.

MSRP:		\$56,544.00
Base Price:		\$50,562.00
Factory Options:		\$2,009.00
Aftermarket Options:		\$10,070.00
Vehicle Price:		\$62,641.00
Purchase Total:	Qty (2)	\$125,282.00

## Per attached vehicle specifications.

This quotation is valid as long as the manufacturer is accepting orders for the model year specified. Purchase orders received after factory order cutoff may not be honorable. The vehicle(s) offered on this quotation will be ordered in the color(s) listed. Please contact your Alan Jay sales representative with any questions you have on this quote.

Quoted By: SCOTT WILSON / 863-991-4693 / scott.wilson@alanjay.com





#### Call Us first, for all of your Fleet Automotive, & Light Truck needs.

Awarded Contract
Quote

\$56,544.00

PHONE (800) ALANJAY (252-6529)		DIRECT	863-402-4234	WWW.ALAN	NJAY.COM 5	7029-1
	2003 U.S. 27 South	MOBILE	863-991-4693		P.O. BOX 9200	
Office	Sebring, FL 33870	FAX	863-402-4221	Address	Sebring, FL 33871-920	0

ORIGINAL QUOTE DATE 8/28/2024

# **QUICK QUOTE SHEET**

REVISED QUOTE DATE 8/14/2025

REQUESTING AGENCY OCALA, CITY OF

CONTACT PERSON LIZA WARMUTH EMAIL LWarmuth@ocalafl.gov

PHONE 352-351-6750 MOBILE FAX

SOURCEWELL CONTRACT # 2025 091521-NAF & 032824-NAF

MSRP

www.NationalAutoFleetGroup.com

2025 CHEVY TAHOE 2WD 9C1 POLICE

CC10706 1FL

**CUSTOMER ID OPD 2025 CIP - TOTAL LOSS**  04-044 04-055

**CONTRACT PRICE** \$50,562.00

**BED LENGTH** 

MODEL

<sup>\*\*</sup> All vehicles will be ordered white w/ darkest interior unless clearly stated otherwise on purchase order.

FACTORY OPTIONS	DESCRIPTION	
1FL	OPTIONS Commercial Preferred Equipment Group	\$0.00
5Y1	Front center seat (20% seat) delete	\$0.00
6C7	Lighting, red and white front auxiliary dome	\$165.00
6E2	Fleet Calibration	\$20.00
6N5	Switches, rear window inoperative	\$52.00
6N6	Door locks and handles, inside rear doors inoperative	\$57.00
7X3	Spotlamp, left-hand	\$795.00
9G8	Headlamps, Daytime Running Lamps and automatic headlamp control delete	\$45.00
AU7	Key common, fleet	\$0.00
AZ3	Seats, front 40/20/40 split-bench	\$0.00
C6C	GVWR, 7400 lbs. (3357 kg)	\$0.00
СТВ	Intersection Automatic Emergency Braking	\$0.00
DRZ	Rear Camera Mirror, inside rearview auto-dimming	\$0.00
FE9	Emissions, Federal requirements	\$0.00
GBA	Black	\$0.00
GU5	Rear axle, 3.23 ratio	\$0.00
H1T	Jet Black, Cloth seat trim	\$0.00
L84	Engine, 5.3L EcoTec3 V8	\$0.00
MHU	Transmission, 10-speed automatic	\$0.00
PQA	1FL Safety Package	\$820.00
PXT	Wheels, 20" x 9" (50.8 cm x 22.9 cm) steel	\$0.00
TQ5	IntelliBeam, automatic high beam on/off	\$0.00
UEU	Forward Collision Alert	\$0.00
UFB	Rear Cross Traffic Braking	\$0.00
UHY	Automatic Emergency Braking	\$0.00
UKI	Blind Zone Steering Assist	\$0.00
UKM	Lane Keep Assist	\$0.00
UKT	Front Pedestrian and Bicyclist Braking	\$0.00
UOW	Side Bicyclist Alert	\$0.00
URW	Audio system, 17.7" diagonal advanced color LCD display	\$0.00
VK3	License plate front mounting package	\$0.00
VPV	Ship Thru, Produced in Arlington Assembly and shipped to Kerr Industries and onto Arlington Assembly	\$0.00
WX7	Wiring, auxiliary speaker.	\$55.00
XCS	Tires, 275/55R20SL all-season, blackwall, Firestone Firehawk Pursuit	\$0.00
Z56	Suspension Package, heavy-duty, police-rated.	\$0.00





SOURCEWELL CO	NTRACT # 2025 091521-NAF & 032824-NAF	www.NationalAutoFlee	tGroup.com
		FACTORY OPTIONS	\$2,009.00
CONTRACT OPTIONS	DESCRIPTION		
NO-TEMP	TEMP TAG NOT REQUESTED, CUSTOMER WILL HANDLE THEIR OWN TAG WO	RK.	\$0.00
OPD TROY PATROL	PARTS ONLY - DIRECT SHIP TO OCALA - TROY PRODUCTS CONSOLE, PRINTER A STAND (LAPTOP CRADLE NOT INCLUDED), FRONT PARTITION, VERTICAL WIND SEAT WITH OFFICER SAFE BELTS, REAR PARTITION WITH POLY WINDOW, REA CUBBY ON DRIVER SIDE, CORRIDOR GAP PANELS, AND REAR WINDOW GUARI	DOW BARS, DOOR PANELS, PRISONER R QUARTER GLASS GUARDS WITH FIRE	\$5,175.00
OPD TROY VAULT	PARTS ONLY - DIRECT SHIP TO OCALA - TROY PRODUCTS TILT-UP CARGO MOU X 12" STORAGE VAULT WITH 2 LOCKING HANDLES.	JNT WITH ELECTRONICS TRAY & 44" x 32"	\$2,195.00
ECL	LABOR TO INSTALL ALL EQUIPMENT		\$2,700.00
EWD	EXTENDED WARRANTY DECLINED		\$0.00
		CONTRACT OPTIONS	\$10,070.00

TRADE IN TOTAL COST \$62,641.00

YES WE TAKE TRADE INS ~~~ ASK ABOUT MUNICIPAL FINANCING ~~~

TOTAL COST LESS TRADE IN(S) QTY 2 \$125,282.00

Estimated Annual payments for 60 months paid in advance: \$14,402.46 Extended: \$28,804.92

Municipal finance for any essential use vehicle, requires lender approval, WAC.

Comments QUOTE SUBJECT TO FACTORY ORDER ACCEPTANCE or 30 DAYS

VEHICLE QUOTED BY SCOTT WILSON FLEET SALES MANAGER scott.wilson@alanjay.com

"I Want to be Your Fleet Provider"

I appreciate the opportunity to submit this quotation. Please review it carefully. If there are any errors or changes, please feel free to contact me at any time.

I am always happy to be of assistance.



Note:Photo may not represent exact vehicle or selected equipment.

### Window Sticker

### **SUMMARY**

[Fleet] 2025 Chevrolet Tahoe (CC10706) 2WD 4dr Police

MSRP:\$52,500.00

Interior: Jet Black, Cloth seat trim

Exterior 1:Black

Exterior 2:No color has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic

#### **OPTIONS**

OF I	IONS			
	CODE	MODEL		MSRP
	CC10706	[Fleet] 2025 Chevrolet Tahoe (CC10706) 2WD 4dr Police		\$52,500.00
		OPTIONS		
	1FL	Commercial Preferred Equipment Group		\$0.00
	5Y1	Front center seat (20% seat) delete		\$0.00
	6C7	Lighting, red and white front auxiliary dome		\$170.00
	6E2	Fleet Calibration		\$25.00
	6N5	Switches, rear window inoperative		\$57.00
	6N6	Door locks and handles, inside rear doors inoperative		\$62.00
	7X3	Spotlamp, left-hand		\$800.00
	9G8	Headlamps, Daytime Running Lamps and automatic headlamp control delete		\$50.00
	AU7	Key common, fleet	Inc.	
	AZ3	Seats, front 40/20/40 split-bench		\$0.00
	C6C	GVWR, 7400 lbs. (3357 kg)		\$0.00
	СТВ	Intersection Automatic Emergency Braking	Inc.	
	DRZ	Rear Camera Mirror, inside rearview auto-dimming	Inc.	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23454. Data Updated: Sep 16, 2024 6:43:00 PM PDT.



FE9	Emissions, Federal requirements		\$0.00
GBA	Black		\$0.00
GU5	Rear axle, 3.23 ratio		\$0.00
H1T	Jet Black, Cloth seat trim		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$0.00
MHU	Transmission, 10-speed automatic		\$0.00
PQA	1FL Safety Package		\$825.00
PXT	Wheels, 20" x 9" (50.8 cm x 22.9 cm) steel		\$0.00
TQ5	IntelliBeam, automatic high beam on/off	Inc.	
UEU	Forward Collision Alert	Inc.	
UFB	Rear Cross Traffic Braking	Inc.	
UHY	Automatic Emergency Braking	Inc.	
UKI	Blind Zone Steering Assist	Inc.	
UKM	Lane Keep Assist	Inc.	
UKT	Front Pedestrian and Bicyclist Braking	Inc.	
UOW	Side Bicyclist Alert	Inc.	
URW	Audio system, 17.7" diagonal advanced color LCD display		\$0.00
VK3	License plate front mounting package		\$0.00
VPV	Ship Thru, Produced in Arlington Assembly and shipped to Kerr Industries and onto Arlington Assembly		\$0.00
WX7	Wiring, auxiliary speaker.		\$60.00
XCS	Tires, 275/55R20SL all-season, blackwall, Firestone Firehawk Pursuit		\$0.00
Z56	Suspension Package, heavy-duty, police-rated.		\$0.00
	SUBTOTAL		\$54,549.00
	Adjustments Total		\$0.00
	Destination Charge		\$1,995.00
	TOTAL PRICE		\$56,544.00

#### **FUEL ECONOMY**

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23454. Data Updated: Sep 16, 2024 6:43:00 PM PDT.

### **Standard Equipment**

Package	
	Identifier for Police Package Vehicle includes, (K47) heavy-duty air filter, (KX4) 250 amp high output alternator, (K6K) 760 cold-cranking amps auxiliary battery, electrical power & vehicle signals for customer connection located at the center front floor. Auxiliary battery circuit for customer connection located in the rear cargo area, (Z56) heavy-duty, police-rated suspension, (XCS) 275/55R20SL all-season tires, (RAV) 275/55R20 all-season spare tire, Police brakes, (RC1) front skid plate, (PXT) 20" steel wheels, Certified speedometer, SEO (5J3) Surveillance Mode interior lighting calibration, SEO (UT7) blunt cut cargo area and blunt cut console area ground wires, (V53) delete luggage rack side rails and (ATD) third row seat delete)
	Remote Keyless Entry Package includes 4 additional transmitters, NOTE: programming of remotes is at customer's expense. Programming remotes is not a warranty expense
Mechanical	
	Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD)
	Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul
	Rear axle, 3.23 ratio
	Suspension Package, heavy-duty, police-rated. Full independent suspension with monotube dampers, linear coil springs, 35mm solid front stabilizer bar and 32mm hollow rear stabilizer bar
	GVWR, 7400 lbs. (3357 kg) (2WD models only.) (STD)
	Keyless start, push button
	Automatic Stop/Start
	Engine control, stop/start system disable button, non-latching
	Engine air filtration monitor
	Fuel, gasoline, E15
	Differential, mechanical limited-slip
	Rear wheel drive
	Air filter, heavy-duty
	Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator
	Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
	Battery, 850 cold-cranking amps with 95 amp hour rating
	Battery, auxiliary, 760 cold-cranking amps with 70 amp hour rating (packaged behind left rear cargo area panel)
	Alternator, 250 amps
	Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23454. Data Updated: Sep 16, 2024 6:43:00 PM PDT.

Machanical	
Mechanical	— ·· · · · · · · · · · · · · · · · · ·
	Trailer sway control
	Hitch Guidance
	Recovery hooks, 2 front, frame-mounted, Black Required on all models going to Alaska, Guam, Hawaii, Puerto Rico and Virgin Islands. All Tahoe (9C1) and (5W4) vehicles include front fascia with recovery hook openings.)
	Skid plate, front
	Suspension, front coil-over-shock with stabilizer bar
	Suspension, rear multi-link with coil springs
	Steering, power
	Brake system, heavy duty with front Brembo calipers and 16" front rotors
	Capless Fuel Fill
	Exhaust, single system, single-outlet
	Mechanical Jack with tools
	Ground wires, blunt cut cargo area and blunt cut console area
	Wiring provision, for outside mirrors and cargo side mirrors
	Flasher system, headlamp and taillamp, DRL compatible with control wire
	Calibration, taillamp flasher, Red/White
	Calibration, taillamp flasher, Red/Red
Exterior	
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) steel (STD)
	Tires, 275/55R20SL all-season, blackwall, Firestone Firehawk Pursuit (STD)
	Wheel, full-size spare, matching 20" (50.8 cm) steel wheel without center cap
	Wheel, full-size spare, 17" (43.2 cm) steel
	Tire, spare P265/70R17 all-season, blackwall
	Tire, spare 275/55R20 all-season, blackwall, Firestone Firehawk Pursuit
	Tire carrier, lockable outside spare, winch-type mounted under frame at rear
	Active aero shutters, upper
	Fascia, front
	Fascia, front high-approach angle
	Luggage rack side rails, delete
	Assist steps, Black with chrome accent strip

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23454. Data Updated: Sep 16, 2024 6:43:00 PM PDT.

Exterior	
	Headlamps, LED
	Tail lamps, LED
	Mirrors, outside heated power-adjustable, manual-folding, body-color
	Mirror caps, body-color
	Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)
	Glass, acoustic, laminated
	Glass, windshield shade band
	Windshield, solar absorbing
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Exterior ornamentation delete (front & rear Chevrolet bowties will remain)
	Door handles, body-color
	Liftgate, rear manual
Entertainment	
	Audio system, 17.7" diagonal advanced color LCD display with Google built-in compatibility (select service plan required, terms and limitations apply), including navigation capability, connected apps, personalized profiles for each driver's settings, Natural Voice Recognition and Phone Integration (STD)
	Audio system feature, 6-speaker system
	Bluetooth for phone personal cell phone connectivity to vehicle audio system
	5G Wi-Fi Hotspot capable (Requires (UE1) OnStar. Terms and limitations apply. See onstar.com or dealer for details.)
	Wi-Fi Hotspot capable (Requires (UE1) OnStar. Terms and limitations apply. See onstar.com or dealer for details.)
	SiriusXM, delete
	Wireless Apple CarPlay/Wireless Android Auto
Interior	
	Seats, front 40/20/40 split-bench
	Seat adjuster, driver 8-way power
	Seat adjuster, front passenger 6-way power
	Seat adjuster, front passenger 8-way power
	Seat adjuster, driver 2-way power lumbar

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23454. Data Updated: Sep 16, 2024 6:43:00 PM PDT.

Interior	
	Seat adjuster, front passenger 2-way power lumbar
	Seats, heated driver and front passenger
	Seats, second row 60/40 split-folding bench, manual
	Seat delete, third row (Deletes rear storage compartment.)
	Floor covering, Black rubberized vinyl (Deleted when (B30) floor covering is ordered.)
	Electronic Precision Shift
	Steering column lock, electrical
	Steering column, manual tilt and telescopic
	Steering wheel, vinyl
	Steering wheel controls, mounted audio, Driver Information Center, Adaptive Cruise Control, Forward Collision Alert following gap button and heated steering wheel (when equipped)
	Speedometer calibration
	Driver Information Center, 11" diagonal multi-color digital display
	Instrumentation, analog with certified 140 mph speedometer, odometer with trip odometer, engine hour meter, fuel level, voltmeter, engine temperature, oil pressure and tachometer
	Door locks, power programmable with lockout protection and delayed locking
	Keyless Open includes extended range Remote Keyless Entry
	Key, unique (Deleted when (AU7) fleet common key is ordered.
	Remote start
	Window, power with driver Express-Up/Down
	Window, power with front passenger Express-Up/Down
	Windows, power with rear Express-Down
	Cruise control, electronic with set and resume speed
	Theft-deterrent system, electrical, unauthorized entry
	Theft-deterrent system, vehicle, PASS-Key III
	Display, automatic occupant sensing
	Wireless Phone Charging, for portable devices
	USB ports, 2 type-A and C, charge and data, located on front console
	USB ports, 2 type-C, charge-only, located in third row
	Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23454. Data Updated: Sep 16, 2024 6:43:00 PM PDT.

Interior	
	Air conditioning, rear
	Defogger, rear-window electric
	Power outlets, 2, 120-volt, located on the rear of the center console and rear cargo area
	Power supply, 50-amp, power supply, auxiliary battery, passenger compartment wiring harness
	Power supply, 100-amp, auxiliary battery, passenger compartment wiring harness
	Power supply, 120-amp, (4) 30-amp circuit, Primary battery, relay controlled, passenger compartment harness wiring
	Sill plates, bright, front and rear door
	Mirror, inside rearview manual day/night
	Visors, driver and front passenger illuminated vanity mirrors, sliding
	Assist handles, overhead, driver and front passenger, located in headliner
	Assist handles, front passenger A-pillar and second row outboard B-pillar
	Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
	Cargo management system
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
	Calibration, Surveillance Mode interior lighting
	Lock control, driver side auto door lock disable
Safety-Mechanical	
	Enhanced Automatic Emergency Braking
	StabiliTrak, stability control system with brake assist, includes traction control
Safety-Interior	
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for all rows in outboard seating positions
	Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Seat belts, 3-point, all seating positions
	Hill Start Assist
	Active Hill Hold Assist
	OnStar Services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23454. Data Updated: Sep 16, 2024 6:43:00 PM PDT.

0.64.14.1	
Safety-Interior	
	HD Surround Vision
	Rear Camera Mirror Washer
	Rear Pedestrian Alert
	Rear Parking Assist
	Safety Alert Seat
	Rear Seat Reminder
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings or Teen Driver menu (Defaulted off. Feature can be turned on in the infotainment menu.)
	Door locks, rear child security, manual
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats lower anchors and top tethers located in all second-row seating positions, top tethers located in third row seating positions
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire)
	Warning tones headlamp on, driver and right-front passenger seat belt unfasten and turn signal on
	OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including select remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes select remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)
Processing-Other	

**Processing-Other** 

Protected idle allows vehicle engine to remain idling and vehicle immobilized while FOB is outside vehicle

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23454. Data Updated: Sep 16, 2024 6:43:00 PM PDT.

#### **WARRANTY**

Warranty Note: <<< Preliminary 2025 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and

qualified fleet vehicles: 5 years/100,000 miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government,

and qualified fleet vehicles: 5 years/100,000 miles Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23454. Data Updated: Sep 16, 2024 6:43:00 PM PDT.

#### **Technical Specifications** Chassis **Weight Information** Standard Weight - Front 0.00 lbs Standard Weight - Rear 0.00 lbs Base Curb Weight N/A Gross Axle Wt Rating - Front 3700 lbs Curb Weight - Front Gross Axle Wt Rating - Rear 4300 lbs N/A 0.00 lbs Curb Weight - Rear N/A Option Weight - Front Option Weight - Rear 0.00 lbs Reserve Axle Capacity - Front N/A Reserve Axle Capacity - Rear N/A As Spec'd Curb Weight N/A As Spec'd Payload Maximum Payload Capacity N/A N/A **Gross Combined Wt Rating** 14000 lbs 8000.00 lbs Gross Axle Weight Rating **Curb Weight** N/A Reserve Axle Capacity N/A **Total Option Weight** 0.00 lbs Payload Weight Front 0 lbs 7400.00 lbs Payload Weight Rear 0 lbs Gross Vehicle Weight Rating **Trailering** Dead Weight Hitch - Max Trailer Wt. 5000 lbs Dead Weight Hitch - Max Tongue Wt. 500 lbs Wt Distributing Hitch - Max Trailer Wt. 7900 lbs Wt Distributing Hitch - Max Tongue Wt. 790 lbs Fifth Wheel Hitch - Max Trailer Wt. N/A Fifth Wheel Hitch - Max Tongue Wt. N/A Maximum Trailering Capacity 8400 lbs **Frame** Frame Type N/A Sect Modulus Rails Only N/A Frame RBM N/A N/A Frame Strength Frame Thickness N/A Suspension Suspension Type - Front Independent Suspension Type - Rear Multi-Link N/A Spring Capacity - Front N/A Spring Capacity - Rear Axle Type - Front N/A N/A Axle Type - Rear Axle Capacity - Front N/A Axle Capacity - Rear N/A Axle Ratio (:1) - Front N/A Axle Ratio (:1) - Rear 3.23

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23454. Data Updated: Sep 16, 2024 6:43:00 PM PDT.

hassis			
Suspension			
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ïres			
Front Tire Order Code	XCS	Rear Tire Order Code	XCS
Spare Tire Order Code	RAV	Front Tire Size	275/55R20SL
Rear Tire Size	275/55R20SL	Spare Tire Size	P275/55R20
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels	00.0:	D W 10:	00 0:
Front Wheel Size	20 x 9 in	Rear Wheel Size	20 x 9 in
Spare Wheel Size	17 x -TBD- in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	39.5 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or )	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
TURL LAUK			
Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23454. Data Updated: Sep 16, 2024 6:43:00 PM PDT.

nensions		
terior Dimensions		
Passenger Capacity	6	
Front Leg Room	44.5 in	
Front Hip Room	61.5 in	
Second Leg Room	42.0 in	
Second Hip Room	61.3 in	
Third Leg Room	34.9 in	
Third Hip Room	49.4 in	
exterior Dimensions		
Wheelbase	121 in	Lengt
Length, Overall	211.3 in	Width, Ma
Height, Overall	75.8 in	Overhang, Fro
Overhang, Rear w/o bumper	N/A	Front Bumper to
Cab to Axle	N/A	Cab to End of Fra
Ground to Top of Load Floor	N/A	Ground to Top of F
Frame Width, Rear	N/A	Ground Clearance,
Ground Clearance, Rear	N/A	Body Length
Rear Door Opening Height	N/A	Rear Door Opening Wi
Side Door Opening Height	N/A	Side Door Opening Widt
Step Up Height - Front	N/A	Step Up Height - Side
Cab to Body	N/A	
-		
Cargo Area Dimensions		
Cargo Area Length @ Floor to Console	N/A	Cargo Area Length @ Floor
Cargo Area Length @ Floor to Seat 2	N/A	Cargo Area Length @ Floor t
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhous
Cargo Box (Area) Height	N/A	Tailgate Width
Cargo Volume	N/A	Cargo Volume to Seat 1

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23454. Data Updated: Sep 16, 2024 6:43:00 PM PDT.

Dimensions			
Cargo Area Dimensions			
Cargo Volume to Seat 2	72.5 ft <sup>3</sup>	Cargo Volume to Seat 3	25.5 ft³
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A
Exterior			
Doors			
Side Door Type	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23454. Data Updated: Sep 16, 2024 6:43:00 PM PDT.