



CITY OF OCALA  
 CITY ENGINEER'S OFFICE  
 STORMWATER ENGINEERING DIVISION  
 1805 NE 30th AVE, BLDG 600  
 OCALA, FLORIDA 34470  
 CITY MANAGER - PETER LEE  
 CITY ENGINEER - SEAN LANIER

100% PLANS


# CONSTRUCTION PLANS FOR NE 16th AVE DRAINAGE IMPROVEMENTS

ITB NO. CIP 240158

LOCAL UTILITIES		
UTILITY COMPANY	PHONE NUMBER	EMERGENCY
AT&T	(352) 284-8110	
CENTURY LINK	(352) 368-8817	
CDX COMMUNICATIONS	(888) 269-9693	
TECO GAS	(352) 622-0112	(352) 622-0111
CITY OF OCALA ELECTRIC	(352) 351-6650	(352) 351-6666
CITY OF OCALA TRAFFIC	(352) 351-6733	
CITY OF OCALA WATER/SEWER	(352) 351-6772	(352) 351-6775

### INDEX OF SHEETS

SHEET NO.	DESCRIPTION
1.	TITLE SHEET
2-3.	GENERAL & CONSTRUCTION NOTES
4.	PLAN & PROFILE (STA. 0+00 TO 2+75)
5.	PLAN & PROFILE (STA. 3+00 TO 4+75)
6.	DRAINAGE RETENTION AREA NOTES
7-7.1	FORCE MAIN ROUTE
8.	CROSS SECTIONS (0+25 TO 1+00)
9.	CROSS SECTIONS (1+50 TO 2+25)
10.	CROSS SECTIONS (2+75 TO 3+25)
11.	CROSS SECTIONS (3+50 TO 4+00)
12.	CROSS SECTIONS (4+25 TO 4+75)
13.	SAW CUT AND MATCH DETAIL AND ROAD TYPICAL
14.	STORMWATER POLLUTION PROTECTION PLAN (SWPPP)
15.	STRIPING PLANS
16-17.	DETAILS SHEETS



SECTION 09, TOWNSHIP 15 SOUTH, RANGE 02 EAST

PROJECT DESIGN SPEED = 40 MPH  
 PROJECT POSTED SPEED = 30 MPH

### STATEMENT OF OWNERSHIP

PROPERTY SHOWN AND DESCRIBE HEREON IS OWNED BY THE CITY OF OCALA AND THAT I, MY SUCCESSORS OR ASSIGNED WILL PERPETUALLY MAINTAIN THE IMPROVEMENTS AS SHOWN ON THIS PLAN.

DATE SIGNED: \_\_\_\_\_

SEAN LANIER, P.E., CFM  
 CITY ENGINEER / DIRECTOR OF ENGINEERING & WATER RESOURCES  
 1805 NE 30TH AVE, BLDG 600  
 OCALA, FL 34470

U.S. Department of Transportation, Manual on Uniform Traffic Control Devices (2009 Version with Revisions)

Florida Department of Transportation, Standard Plans for Road and Bridge Construction (FY 2020-2021 Version)


Florida Department of Transportation, Standard Specifications for Road and Bridge Construction (July 2020 Version)

Florida Department of Transportation, Manual of Uniform Minimum Standards for Design, Construction, & Maintenance of Streets & Highways "Florida Green Book" (2016 Version, Effective June 2017)

City of Ocala, Land Development Code (FY 2020-2021 Version)

City of Ocala, Standard Specifications For Construction of Streets, Stormwater, Traffic, Water & Sewer Infrastructure (October 2018 Version)

R. KELLY ROBERTS, P.S.M.  
 Professional Surveyor and Mapper No. 5558  
 State of Florida, DATE: \_\_\_\_\_  
 Valid only with embossed seal.



PAYAL S. PANDYA, PE, CFM  
 Registered Engineer No. 73210  
 State of Florida, DATE: \_\_\_\_\_  
 Valid only with embossed seal.

DRAWN BY:	MDM/DF
DESIGNED BY:	PSP
PROJ.#:	13201
F.B.#:	569/31
DATE DRAWN:	06/28/19

PREPARED BY CITY OF OCALA  
 CITY ENGINEER'S OFFICE  
 STORMWATER ENGINEERING DIVISION  
 1805 NE 30th AVE, BLDG 600  
 OCALA, FLORIDA 34470



**Know what's below.  
 Call before you dig.**

































NE 15TH TERR

NE 16TH AVENUE



**CURE:**

1. MILL EXISTING - DEPTH 1.5"
2. MAINTAIN CURRENT DRAINAGE
3. ADJUST UTILITIES
4. TRACKLESS TACK
5. LEVEL AS NECESSARY
6. OVERLAY 1.5" SP 12.5
7. TEMPORARY STRIPING AND RPM'S
8. CLEAN UP
9. PERMANENT STRIPING TO BE INSTALLED MINIMUM 14 DAYS AFTER PAVING

SHEET DESCRIPTION: STRIPING PLAN

PROJECT DESCRIPTION: NE 16th AVE DRAINAGE IMPROVEMENTS

DATE	REV. BY

PAYAL S. PANDYA, PE, CFM  
 Registered Engineer No. 73210  
 State of Florida, DATE: \_\_\_\_\_  
 Valid only with embossed seal.

**OCALA**  
 City Engineer's Office

PREPARED BY: THE CITY OF OCALA  
 CITY ENGINEER'S OFFICE  
 STORMWATER ENGINEERING DIVISION

DRAWN BY:	MDM/DF
DESIGNED BY:	PSP
HORIZ.:	1" = 40'
VERT.:	1" = 40'
PROJ.#:	13201
F.B.#:	589/31
DATE DRAWN:	06/28/19



