



Call Us first, for all of your Fleet Automotive, & Light Truck needs.

Quote

PHONE (800) ALANJAY (252-6529)		DIRECT	863-402-4234	WWW.ALAI	NJAY.COM 62340-1
=	2003 U.S. 27 South	MOBILE	863-273-1105	Mailing	P.O. BOX 9200
Office	Sebring, FL 33870	FAX	863-402-4221	Address	Sebring, FL 33871-9200

ORIGINAL QUOTE DATE 3/14/2025

QUICK QUOTE SHEET

REVISED QUOTE DATE 3/14/2025

REQUESTING AGENCY OCALA, CITY OF

CONTACT PERSON LIZA WARMUTH EMAIL LWarmuth@ocalafl.gov

PHONE 352-351-6750 MOBILE FAX

SOURCEWELL CONTRACT # 2025 091521-NAF & 032824-NAF

www. National AutoFleet Group.com

_____U8X 101A MSRP \$59,975.00

2025D FORD TRANSIT T-350 EXTENDED LENGTH CARGO VAN HIGH ROOF RWD DRW 148" WB 11,000 GVWR

CUSTOMER ID CONTRACT PRICE \$56,657.00

BED LENGTH

MODEL

^{**} All vehicles will be ordered white w/ darkest interior unless clearly stated otherwise on purchase order.

FACTORY OPTIONS	DESCRIPTION	
YZ	Oxford White	\$0.00
CK	Dark Palazzo Gray, Cloth Front Bucket Seats	\$0.00
99G	Engine: 3.5L EcoBoost V6	\$0.00
44U	Transmission: 10-Spd Automatic w/OD & SelectShift	\$0.00
101A	OPTIONS Order Code 101A	\$0.00
153	Front License Plate Bracket	\$0.00
16E	Front & Rear Vinyl Floor Covering	\$0.00
21L	Dark Palazzo Gray Cloth Bucket Seats w/Armrests	\$0.00
41B	Passenger-Side B-Pillar Assist Handle	\$20.00
43B	Back Up Alarm	\$180.00
43R	Reverse Sensing System	\$0.00
55D	Front Fog Lamps	\$0.00
58B	Radio: AM/FM Stereo w/SYNC 4	\$925.00
61D	360-Degree Camera w/Split View	\$995.00
65A	Lane Keeping System	\$790.00
66C	D-Pillar Assist Handles	\$55.00
68H	Passenger Running Boards	\$305.00
85C	Illuminated Sun Visors	\$0.00
86F	2 Additional Keys (4 Total)	\$70.00
90C	Digital Rearview Mirror	\$590.00
942	Daytime Running Lamps	\$40.00
96C	Interior Upgrade Package	\$1,430.00
<u></u>	FACTORY OPTIONS	\$5,400.00
CONTRACT OPTIONS	DESCRIPTION	
NO-TAG		\$0.00
EWD	EXTENDED WARRANTY DECLINED	\$0.00
RS FIBER VAN	Rolling star fiber optic splicing work station installed in Transit 148"EL to include covered and insulated walls, PVC flooring with plywood underlayment, Front partition, Stainless steel countertop road side with 16x16 overhead cabinets, 1 base cabinet under front end of countertop with door & drawer, curbside fusion welder cabinet and 1 double door wall cabinet sized to fit, 18x18 fiber door installed roadside rear door, 12v deep cycle with isolator for charging house battery wired to engine 12v fuse panel, 30amp converter/charger, roof mounted solar battery maintainer, 2 hi-output ceiling lights, 4 under cabinet lights, 12v maxx fan roof vent remote controlled, rear and side led area lights (one rear and one per side), 50 amp service panel with shoreline, 5.5k onan generator plumbed to vehicle fuel tank monuted roadside with insulated compartment under interior, 3 outlets over countertop with USB ports and 2 outlets curbside interior, 13,500 btu ac unit mounted with heatstrip, and curbside exterior outlets. All cabinets to be painted white, includes freight and install.	\$48,321.00
WTF VAN 1	Weather Tech floor liner system (1st row only).	\$185.00





SOURCEWEL	L CONTRACT # 2025 091521-NAF & 032824-NAF	www.NationalAutoFle	eetGroup.com
WSTP	Windshield strip		\$60.00
DTF G VAN	Deep tint film on cargo van with side and rear door glass.		\$470.00
-		CONTRACT OPTIONS	\$49,036.00

TRADE IN TOTAL COST \$111,093.00

YES WE TAKE TRADE INS ~~~ ASK ABOUT MUNICIPAL FINANCING ~~~

TOTAL COST LESS TRADE IN(S) QTY 2 \$222,186.00

Estimated Annual payments for 60 months paid in advance: \$25,542.58 Extended: \$51,085.15

Municipal finance for any essential use vehicle, requires lender approval, WAC.

Comments QUOTE SUBJECT TO FACTORY ORDER ACCEPTANCE or 30 DAYS

VEHICLE QUOTED BY ASHLEE WILSON GOVERNMENT ACCOUNT MANAGER Ashlee.Wilson@AlanJay.com

"I Want to be Your Fleet Provider"

I appreciate the opportunity to submit this quotation. Please review it carefully. If there are any errors or changes, please feel free to contact me at any time.

I am always happy to be of assistance.



Note:Photo may not represent exact vehicle or selected equipment.

Window Sticker

SUMMARY

[Fleet] 2025 Ford Transit Cargo Van (U8X) T-350 HD 148" EL Hi Rf 11000 GVWR DRW RWD

MSRP:\$57,100.00

Interior: Dark Palazzo Gray, Cloth Front Bucket Seats

Exterior 1:Oxford White

Exterior 2:No color has been selected.

Engine: 3.5L EcoBoost V6

Transmission: 10-Spd Automatic w/OD & SelectShift

OPTIONS

ONS			
CODE	MODEL		MSRP
U8X	[Fleet] 2025 Ford Transit Cargo Van (U8X) T-350 HD 148" EL Hi Rf 11000 GVWR DRW RWD		\$57,100.00
	OPTIONS		
101A	Order Code 101A		\$0.00
153	Front License Plate Bracket		\$0.00
16E	Front & Rear Vinyl Floor Covering	Inc.	
21L	Dark Palazzo Gray Cloth Bucket Seats w/Armrests		\$0.00
41B	Passenger-Side B-Pillar Assist Handle		\$25.00
43B	Back Up Alarm		\$185.00
43R	Reverse Sensing System	Inc.	
	U8X 101A 153 16E 21L 41B 43B	CODE MODEL U8X [Fleet] 2025 Ford Transit Cargo Van (U8X) T-350 HD 148" EL Hi Rf 11000 GVWR DRW RWD OPTIONS 101A Order Code 101A 153 Front License Plate Bracket 16E Front & Rear Vinyl Floor Covering 21L Dark Palazzo Gray Cloth Bucket Seats w/Armrests 41B Passenger-Side B-Pillar Assist Handle 43B Back Up Alarm	CODE MODEL U8X [Fleet] 2025 Ford Transit Cargo Van (U8X) T-350 HD 148" EL Hi Rf 11000 GVWR DRW RWD OPTIONS 101A Order Code 101A 153 Front License Plate Bracket 16E Front & Rear Vinyl Floor Covering Inc. 21L Dark Palazzo Gray Cloth Bucket Seats w/Armrests 41B Passenger-Side B-Pillar Assist Handle 43B Back Up Alarm

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23892. Data Updated: Nov 7, 2024 6:45:00 PM PST.



Ashlee Wilson | 863-402-4234 | ashlee.wilson@alanjay.com

Vehicle: [Fleet] 2025 Ford Transit Cargo Van (U8X) T-350 HD 148" EL Hi Rf 11000 GVWR DRW RWD (✓ Complete)

44U	Transmission: 10-Spd Automatic w/OD & SelectShift		\$0.00
55D	Front Fog Lamps	Inc.	
58B	Radio: AM/FM Stereo w/SYNC 4		\$930.00
61D	360-Degree Camera w/Split View		\$1,000.00
65A	Lane Keeping System		\$795.00
66C	D-Pillar Assist Handles		\$60.00
68H	Passenger Running Boards		\$310.00
85C	Illuminated Sun Visors	Inc.	
86F	2 Additional Keys (4 Total)		\$75.00
90C	Digital Rearview Mirror		\$595.00
942	Daytime Running Lamps		\$45.00
96C	Interior Upgrade Package		\$1,435.00
99G	Engine: 3.5L EcoBoost V6		\$0.00
CK	Dark Palazzo Gray, Cloth Front Bucket Seats		\$0.00
YZ	Oxford White		\$0.00
	SUBTOTAL		\$62,555.00
	Adjustments Total		\$0.00
	Destination Charge		\$2,095.00
	TOTAL PRICE		\$64,650.00

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23892. Data Updated: Nov 7, 2024 6:45:00 PM PST.

Standard Equipment

Mechanical	
	Engine: 3.5L EcoBoost V6 (STD)
	Transmission: 10-Spd Automatic w/OD & SelectShift -inc: auxiliary transmission oil cooler (STD)
	3.73 Limited-Slip Axle Ratio
	50-State Emissions System
	Rear-Wheel Drive
	70-Amp/Hr Maintenance-Free Battery w/Run Down Protection
	250 Amp Alternator
	5174# Maximum Payload
	GVWR: 11,000 lb
	Front Anti-Roll Bar
	Electric Power-Assist Steering
	25.1 Gal. Fuel Tank
	Single Stainless Steel Exhaust
	Strut Front Suspension w/Coil Springs
	Solid Axle Rear Suspension w/Leaf Springs
	4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
Exterior	
	Wheels: 16" Heavy Duty Silver Steel -inc: silver hubcaps and exposed lug nuts, The center ornament only comes on the front wheels, and not on the rear wheels
	Tires: 205/75R16C 113/111 AS BSW
	Steel Spare Wheel
	Full-Size Spare Tire Stored Underbody w/Crankdown
	Clearcoat Paint
	Black Front Bumper
	Black Rear Bumper w/1 Tow Hook
	Black Bodyside Cladding and Black Wheel Well Trim
	Black Side Windows Trim and Black Front Windshield Trim
	Black Door Handles
	Black Side Mirrors w/Convex Spotter

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23892. Data Updated: Nov 7, 2024 6:45:00 PM PST.

Exterior	
	Short-Arm Manual-Folding Power Adjust Mirrors
	Light Tinted Glass
	Variable Intermittent Wipers
	Fully Galvanized Steel Panels
	Black Grille
	Front License Plate Bracket
	Sliding Rear Passenger Side Door
	Split Swing-Out Rear Cargo Access
	Tailgate/Rear Door Lock Included w/Power Door Locks
	Ford Co-Pilot360 - Autolamp Auto On/Off Reflector Halogen Auto High-Beam Headlamps w/Delay-Off
	Headlights-Automatic Highbeams
	Cab Clearance Lights
	Laminated Glass
Entertainment	
	Radio w/Seek-Scan, Clock, Aux Audio Input Jack, Steering Wheel Controls and External Memory Control
	Radio: AM/FM Stereo -inc: 4.0" multi-function display, Bluetooth, dual USB ports and 4 speakers (front)
	Streaming Audio
	Fixed Antenna
	Bluetooth Wireless Phone Connectivity
	1 LCD Monitor In The Front
Interior	
	Dark Palazzo Gray Vinyl Bucket Seats -inc: 2-way manual driver seat, 2-way manual passenger seat and driver armrest only (STD)
	4-Way Driver Seat
	4-Way Passenger Seat
	Manual Tilt/Telescoping Steering Column
	Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer and Trip Odometer
	FordPass Connect 4G Mobile Hotspot Internet Access
	Front Cupholder
	Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23892. Data Updated: Nov 7, 2024 6:45:00 PM PST.

Interior	
	Cruise Control w/Steering Wheel Controls
	Manual Air Conditioning
	Locking Glove Box
	Driver Foot Rest
	Interior Trim -inc: Metal-Look Instrument Panel Insert
	Front Cloth Headliner
	Urethane Gear Shifter Material
	Vinyl Front Bucket Seats
	Partial Floor Console w/Storage and 3 12V DC Power Outlets
	Front Map Lights
	Fade-To-Off Interior Lighting
	Front Only Vinyl/Rubber Floor Covering
	Cargo Space Lights
	Driver Alert
	Pre-Collision Assist w/Automatic Emergency Braking
	Instrument Panel Bin, Driver And Passenger Door Bins
	Power 1st Row Windows w/Driver 1-Touch Down
	Power Door Locks w/Autolock Feature
	Driver Information Center
	Analog Appearance
	Manual Adjustable Front Head Restraints
	Securilock Anti-Theft Ignition (pats) Immobilizer
	3 12V DC Power Outlets
Safety-Mechanical	
	Ford Co-Pilot360 w/Side Wind Stabilization Electronic Stability Control (ESC) And Roll Stability Control (RSC)
	ABS And Driveline Traction Control
Safety-Exterior	
	Side Impact Beams

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23892. Data Updated: Nov 7, 2024 6:45:00 PM PST.

Safety-Interior	
	Dual Stage Driver And Passenger Seat-Mounted Side Airbags
	Lane-Keeping System Lane Departure Warning
	Low Tire Pressure Warning
	Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
	Safety Canopy System Curtain 1st Row Airbags
	Airbag Occupancy Sensor
	Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
	Back-Up Camera
WARRANTY	

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000

Corrosion Years: 5

Corrosion Miles/km: Unlimited Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23892. Data Updated: Nov 7, 2024 6:45:00 PM PST.

Technical Specifications Chassis Weight Information 0.00 lbs Standard Weight - Front 0.00 lbs Standard Weight - Rear 4630 lbs Base Curb Weight 5826 lbs Gross Axle Wt Rating - Front 7700 lbs Curb Weight - Front 3008 lbs Gross Axle Wt Rating - Rear Curb Weight - Rear 3203 lbs Option Weight - Front 0.00 lbs Option Weight - Rear 0.00 lbs Reserve Axle Capacity - Front 1622.00 lbs Reserve Axle Capacity - Rear 4497.00 lbs As Spec'd Curb Weight 6211.00 lbs As Spec'd Payload 4789.00 lbs Maximum Payload Capacity 4789.00 lbs **Gross Combined Wt Rating** 13000 lbs Gross Axle Weight Rating 12330.00 lbs **Curb Weight** 6211.00 lbs Reserve Axle Capacity 6119.00 lbs **Total Option Weight** 0.00 lbs Payload Weight Front 0 lbs Payload Weight Rear 0 lbs Gross Vehicle Weight Rating 11000.00 lbs **Trailering** 5000 lbs 500 lbs Dead Weight Hitch - Max Trailer Wt. Dead Weight Hitch - Max Tongue Wt. Wt Distributing Hitch - Max Trailer Wt. 6500 lbs Wt Distributing Hitch - Max Tongue Wt. 650 lbs Fifth Wheel Hitch - Max Trailer Wt. N/A Fifth Wheel Hitch - Max Tongue Wt. N/A 6500 lbs Maximum Trailering Capacity **Frame** Frame Type N/A Sect Modulus Rails Only N/A Frame RBM N/A Frame Strength N/A Frame Thickness N/A Suspension Suspension Type - Front Strut Suspension Type - Rear Leaf Spring Capacity - Front N/A Spring Capacity - Rear N/A Axle Type - Front Independent Axle Type - Rear Rigid Axle Axle Capacity - Front N/A Axle Capacity - Rear N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23892. Data Updated: Nov 7, 2024 6:45:00 PM PST.

assis			
uspension			
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	N/A	Rear Tire Order Code	N/A
Spare Tire Order Code	N/A	Front Tire Size	LT205/75SR
Rear Tire Size	LT205/75SR16	Spare Tire Size	Full-Size
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	718
Revolutions/Mile @ 45 mph - Rear	718	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	16 X 6 in	Rear Wheel Size	16 X 6 in
Spare Wheel Size	Full-Size in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
teering			
Steering Type	Rack-Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	47.8 ft	Turning Diameter - Wall to Wall	N/A
rakes			
Brake Type	4-Wheel Disc	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	4-Wheel	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	12.1 in
Rear Brake Rotor Diam x Thickness	12.1 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23892. Data Updated: Nov 7, 2024 6:45:00 PM PST.



Fuel Tank Capacity, Approx Fuel Tank Location N/A Aux Fuel Tank Location N/A Front Leg Room Front Leg Room Front Hip Room Second Leg Room N/A Second Shoulder Room Second Hip Room N/A Second Hip Room Second Hip Room N/A Second Shoulder Room Wheelbase 148 in Length, Overall w/rear bumper Length, Overall 110.2 in Overhang, Front Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab Cab to Axle N/A Ground to Top of Load Floor Frame Width, Rear N/A Ground Clearance, Front Ground Clearance, Rear N/A Rear Door Opening Height N/A Step Up Height - Front N/A Cab to Body N/A Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Area Width @ Beltline	
Fuel Tank Location N/A Aux Fuel Tank Location N/A Aux Fuel Tank Location N/A Aux Fuel Tank Location N/A Aux Fuel Tank Location N/A Second Shoulder Room Front Leg Room 41.3 in Front Shoulder Room Front Hip Room 60.7 in Second Head Room Second Leg Room N/A Second Shoulder Room N/A Front Bumper to Back of Cab Cab to Axle N/A Second Shoulder Room N/A Second Shoulder Room N/A Ground to Top of Frame Frame Width, Rear N/A Ground to Top of Frame Frame Width, Rear N/A Ground Clearance, Front Ground Clearance, Rear N/A Body Length Rear Door Opening Height N/A Side Door Opening Width Side Door Opening Height N/A Side Door Opening Width Step Up Height - Front N/A Step Up Height - Side Top Area Dimensions Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Area Width @ Beltline	
Fuel Tank Location N/A Aux Fuel Tank Location N/A Passenger Capacity 2 Front Head Room Front Leg Room 41.3 in Front Shoulder Room Front Hip Room 60.7 in Second Head Room Second Leg Room N/A Second Shoulder Room N/A Second Shoulder Room N/A Second Shoulder Room Videlip Room N/A Second Shoulder Room N/A Front Bumper to Back of Cab Cab to Axle N/A Sen Upre to Back of Cab Cab to End of Frame Ground to Top of Load Floor 28 in Ground to Top of Frame Frame Width, Rear N/A Ground Clearance, Front N/A Sear Door Opening Width Side Door Opening Height N/A Side Door Opening Width Step Up Height - Front N/A Step Up Height - Side Second Shoulder Room N/A Sear Door Opening Width N/A Step Up Height - Side Second Shoulder Room N/A Sear Door Opening Width Step Up Height - Side Second Shoulder Room Second Shoulder Room N/A Second Shoulder Room Second Shoulder Room N/A Select Second Shoulder Room Second Shoulder Room N/A Second Shoulder Room Second Head Room Second Shoulder Room Seco	
terior Dimensions Passenger Capacity 2 Front Head Room Front Leg Room 41.3 in Front Shoulder Room Front Hip Room 60.7 in Second Head Room Second Leg Room N/A Second Hip Room N/A Second Hip Room N/A Second Shoulder Room Second Hip Room N/A Second Shoulder Room Second Shoulder Second S	N/A
Passenger Capacity 2 Front Head Room Front Leg Room 41.3 in Front Shoulder Room Front Hip Room 60.7 in Second Head Room Second Leg Room N/A Second Hip Room N/A Second Shoulder Room Second Shoulder Room Second Shoulder Room Second Shoulder Room Second Hip Room N/A Second Shoulder Room Second Shoulder Second Shou	N/A
Passenger Capacity 2 Front Head Room Front Leg Room 41.3 in Front Shoulder Room Front Hip Room 60.7 in Second Head Room Second Leg Room N/A Second Shoulder Room Second Hip Room N/A Second Hip Room N/A Second Shoulder Room Second Hip Room N/A Second Shoulder Room Second Shoulder Second	
Front Leg Room 41.3 in Front Shoulder Room Front Hip Room 60.7 in Second Head Room Second Leg Room N/A Second Hip Room N/A Second Hip Room N/A Second Shoulder Room Second Shoulder Second Second Second Shoulder Second Second Shoulder Second Second S	
Front Hip Room 60.7 in Second Head Room Second Leg Room N/A Second Hip Room N/A Second Hip Room N/A Second Hip Room N/A Second Hip Room N/A Second Shoulder Room Second Hip Room Second Hip Room N/A Second Shoulder Room Second Head Room Second Hiead Room Second Head Room Second Shoulder Room Second Hiead Room Second Shoulder Room Width, Max W/o mirrors Overlang, Front Overlang, Front Overlang, Front Shoulder Room Width, Max W/o mirrors Overlang, Front	56.6 in
Second Leg Room Second Hip Room N/A Second Hip Room N/A Second Hip Room N/A Second Shoulder Room N/A Second Shoulder Room N/A Second Shoulder Room Second Hip Room N/A Second Shoulder Room Second Hip Room N/A Second Shoulder Room Second Shoulder Shoulder Second Shoulder Room Second Shoulder Shoulder Second Shoulder Room Second Shoulder Shoulder Second Shoulder Shoulder Second Shoulder Shoulder Second Shoulder Room Second Shoulder Shoulder Second Shoulder Room Second Shoulder Shoulder Second Shoulder Room Second Shoulder Second Shoulder Shoulder Second Shoulder Shoulder Second Shoulder Room Second Shoulder S	67.9 in
Second Hip Room N/A Kterior Dimensions Wheelbase 148 in Length, Overall w/rear bumper Length, Overall 263.9 in Width, Max w/o mirrors Height, Overall 110.2 in Overhang, Front Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab Cab to Axle N/A Cab to End of Frame Ground to Top of Load Floor 28 in Ground to Top of Frame Frame Width, Rear N/A Ground Clearance, Front Ground Clearance, Rear N/A Body Length Rear Door Opening Height N/A Rear Door Opening Width Side Door Opening Height N/A Side Door Opening Width Step Up Height - Front N/A Step Up Height - Side Cab to Body N/A Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline	N/A
Wheelbase 148 in Length, Overall w/rear bumper Length, Overall 263.9 in Width, Max w/o mirrors Height, Overall 110.2 in Overhang, Front Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab Cab to Axle N/A Cab to End of Frame Ground to Top of Load Floor 28 in Ground to Top of Frame Frame Width, Rear N/A Ground Clearance, Front Ground Clearance, Rear N/A Body Length Rear Door Opening Height N/A Rear Door Opening Width Side Door Opening Height N/A Side Door Opening Width Step Up Height - Front N/A Step Up Height - Side Cab to Body N/A Argo Area Dimensions Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline	N/A
Wheelbase 148 in Length, Overall w/rear bumper Length, Overall 263.9 in Width, Max w/o mirrors Height, Overall 110.2 in Overhang, Front Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab Cab to Axle N/A Cab to End of Frame Ground to Top of Load Floor 28 in Ground to Top of Frame Frame Width, Rear N/A Ground Clearance, Front Ground Clearance, Rear N/A Body Length Rear Door Opening Height N/A Rear Door Opening Width Side Door Opening Height N/A Side Door Opening Width Step Up Height - Front N/A Step Up Height - Side Cab to Body N/A Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline	
Wheelbase 148 in Length, Overall w/rear bumper Length, Overall 263.9 in Width, Max w/o mirrors Height, Overall 110.2 in Overhang, Front Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab Cab to Axle N/A Cab to End of Frame Ground to Top of Load Floor 28 in Ground to Top of Frame Frame Width, Rear N/A Ground Clearance, Front Ground Clearance, Rear N/A Body Length Rear Door Opening Height N/A Rear Door Opening Width Side Door Opening Height N/A Side Door Opening Width Step Up Height - Front N/A Step Up Height - Side Cab to Body N/A Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline	
Length, Overall Height, Overall 110.2 in Overhang, Front Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab Cab to Axle N/A Cab to End of Frame Ground to Top of Load Floor Frame Width, Rear N/A Ground Clearance, Front Ground Clearance, Rear N/A Rear Door Opening Height N/A Side Door Opening Height N/A Step Up Height - Front Cab to Body N/A Cargo Area Length @ Floor to Console N/A Cargo Area Width @ Top, Rear N/A Width, Max w/o mirrors Width, Max w/o mirrors Width, Max w/o mirrors Width, Max w/o mirrors Overhang, Front Overhang, Front Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground to Top of Frame Bround Clearance, Front N/A Side Door Opening Width Step Up Height - Side Cargo Area Length @ Floor to Seat 1 Cargo Area Width @ Beltline	N1/A
Height, Overall Overhang, Rear w/o bumper N/A Front Bumper to Back of Cab Cab to Axle N/A Cab to End of Frame Ground to Top of Load Floor Erame Width, Rear N/A Ground Clearance, Front Rear Door Opening Height N/A Side Door Opening Height N/A Step Up Height - Front Cab to Body N/A Cargo Area Length @ Floor to Console N/A N/A Cargo Area Width @ Top, Rear N/A Cab to Body N/A Cargo Area Width @ Beltline	N/A
Overhang, Rear w/o bumper N/A Cab to Axle N/A Cab to End of Frame Ground to Top of Load Floor 28 in Ground to Top of Frame Frame Width, Rear N/A Ground Clearance, Front Ground Clearance, Rear N/A Rear Door Opening Height N/A Side Door Opening Width Step Up Height - Front Cab to Body N/A Cargo Area Length @ Floor to Console N/A Cargo Area Width @ Top, Rear N/A Front Bumper to Back of Cab Cab to End of Frame Ground to Top of Frame Ground to Top of Frame Ground Clearance, Front Body Length Rear Door Opening Width Side Door Opening Width Step Up Height - Side Cargo Area Length @ Floor to Seat 1 Cargo Area Width @ Beltline	81.3 in
Cab to Axle N/A Cab to End of Frame Ground to Top of Load Floor 28 in Ground to Top of Frame Frame Width, Rear N/A Ground Clearance, Front Ground Clearance, Rear N/A Rear Door Opening Height N/A Side Door Opening Height N/A Side Door Opening Width Step Up Height - Front Cab to Body N/A Togo Area Dimensions Cargo Area Length @ Floor to Console N/A Cargo Area Width @ Beltline	40.3 in
Ground to Top of Load Floor Frame Width, Rear N/A Ground Clearance, Front Rear Door Opening Height N/A Side Door Opening Height N/A Step Up Height - Front Cab to Body Area Dimensions Cargo Area Length @ Floor to Console Cargo Box Width @ Top, Rear N/A Side Door Opening Ground Clearance, Front N/A Rear Door Opening Width Side Door Opening Width Side Door Opening Width Step Up Height - Side Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Area Width @ Beltline	N/A
Frame Width, Rear M/A Ground Clearance, Front Body Length Rear Door Opening Height N/A Side Door Opening Height N/A Step Up Height - Front Cab to Body N/A Cargo Area Length @ Floor to Console N/A Cargo Area Width @ Top, Rear N/A Ground Clearance, Front Body Length Rear Door Opening Width Step Up Height - Side Step Up Height - Side Cargo Area Length @ Floor to Seat 1 Cargo Area Width @ Beltline	N/A
Ground Clearance, Rear N/A Body Length Rear Door Opening Height N/A Rear Door Opening Width Side Door Opening Height N/A Side Door Opening Width Step Up Height - Front N/A Step Up Height - Side Cab to Body N/A Gargo Area Dimensions Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline	N/A
Rear Door Opening Height N/A Rear Door Opening Width Side Door Opening Height N/A Side Door Opening Width Step Up Height - Front N/A Step Up Height - Side Cab to Body N/A rgo Area Dimensions Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline	N/A
Side Door Opening Height N/A Side Door Opening Width Step Up Height - Front N/A Step Up Height - Side Cab to Body N/A Trgo Area Dimensions Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline	0.00 ft
Step Up Height - Front Cab to Body N/A Step Up Height - Side N/A rgo Area Dimensions Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline	N/A
Cab to Body N/A rgo Area Dimensions Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline	N/A
Cargo Area Dimensions Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline	N/A
Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline	
Cargo Area Length @ Floor to Console N/A Cargo Area Length @ Floor to Seat 1 Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline	
Cargo Box Width @ Top, Rear N/A Cargo Area Width @ Beltline	
	172.2 ii
Corgo Doy Width @ Floor N/A Corgo Doy Width @ Whoolhousings	70.2 in
Cargo Box Width @ Floor N/A Cargo Box Width @ Wheelhousings	45.4 in

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23892. Data Updated: Nov 7, 2024 6:45:00 PM PST.

Dimensions					
Cargo Area Dimensions					
Cargo Box (Area) Height	81.5 in	Tailgate Width	N/A		
Cargo Volume	N/A	Ext'd Cab Cargo Volume	N/A		
Exterior					
Doors					
Side Door Type	Sliding				

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 23892. Data Updated: Nov 7, 2024 6:45:00 PM PST.