



Wednesday, October 20, 2021

## Procurement/Contracting/P-Card Policy Exception Request Form

### Approval Status

Approved

### Select exception type:

Contract

### Reason for procurement exception:

### Reason for contract exception:

Immediate Need

### Reason for P-Card exception (temporary change)

### Enter a brief description of your exception request:

Good Morning all,

Upon reviewing similar Valve & Hydrant maintenance contracts ,Water resources would like to move froward with piggybacking of R&M solutions Seminole County contract . Currently Water Resources is under staffed by 40% and cannot keep up with its current workload. Please review and let me know if there are any issues.

Thank you,

Stacey Ferrante

Manager, Water Resources Infrastructure Maint.

Engineering and Water Resources

Office 352-351-6652

Fax 352-351-6718

[Sferrante@ocalafl.org](mailto:Sferrante@ocalafl.org)

**Attach all documents related to the exception that can assist the Contracting Officer's decision.**



Awarded Vendors Cost Comp... .pdf



Contract Bid packet - Semino... .pdf



IFB-603974-20 CAR - Cost C... .xlsx

Department

(WRS) WATER RESOURCES

Requestor Name

Stacey Ferrante

Requestor Email

sferrante@Ocalafl.org

Phone number

(352) 351-6652



Courtesy Copy Email 1

Courtesy Copy Email 2

Who authorized requesting this exception?

Rusella Bowes-Johnson

Approval Activity History

Actor	Actions	Date
<div>Tiffany Kimball tkimball@ocalafl.org</div>	<div>Approve</div> <div>Thank you for the analysis between the awarded vendors and our expected line item and quantity use of this contract, which I attached to this request. This contract and bid is approved to use R&amp;M. Please remember at this expenditure, you will need to calendar this for a council agenda.</div>	Monday, October 25, 2021
<div>Notification</div>	<div>Email sent. (Your policy exception has been approved.) sferrante@Ocalafl.org,tkimball@ocalafl.org,cmfitsemons@ocalafl.org</div>	Monday, October 25, 2021