



#### Call Us first, for all of your Fleet Automotive, & Light Truck needs.

Awarded Contract

Quote

PHONE (800) ALANJAY (252-6529)		DIRECT	863-402-4234	WWW.ALAN	NJAY.COM 61964-6
	2003 U.S. 27 South	MOBILE	863-273-1105		P.O. BOX 9200
Office	Sebring, FL 33870	FAX	863-402-4221		Sebring, FL 33871-9200

ORIGINAL QUOTE DATE 2/28/2025

# **QUICK QUOTE SHEET**

REVISED QUOTE DATE 3/5/2025

REQUESTING AGENCY OCALA, CITY OF

CONTACT PERSON LIZA WARMUTH EMAIL LWarmuth@ocalafl.gov

PHONE 352-351-6750 MOBILE FAX

SOURCEWELL CONTRACT # 2025 091521-NAF & 032824-NAF

www.NationalAutoFleetGroup.com

\$50,562.00

CONTRACT PRICE

MODEL CC10706 1FL MSRP \$56,300.00

2025 CHEVY TAHOE 2WD 9C1 POLICE

CUSTOMER ID BUDGET QUUOTE

**BED LENGTH** 

<sup>\*\*</sup> All vehicles will be ordered white w/ darkest interior unless clearly stated otherwise on purchase order.

FACTORY OPTIONS	DESCRIPTION	
BUDGET QUOTE	THIS QUOTE IS CURRENT PRICING ONLY, FOR BUDGET PURPOSES PLEASE ADD 10% INCREASE (2026 Pricing not available at time of quote)	\$0.00
5T4	Special paint, Victory Red WA 9260	\$245.00
H1T	Jet Black, Cloth seat trim	\$0.00
L84	Engine, 5.3L EcoTec3 V8	\$0.00
MHU	Transmission, 10-speed automatic	\$0.00
01U	OPTIONS Special Paint	\$0.00
1FL	Commercial Preferred Equipment Group	\$0.00
6C7	Lighting, red and white front auxiliary dome	\$165.00
AZ3	Seats, front 40/20/40 split-bench	\$0.00
C6C	GVWR, 7400 lbs. (3357 kg)	\$0.00
СТВ	Intersection Automatic Emergency Braking	\$0.00
DRZ	Rear Camera Mirror, inside rearview auto-dimming	\$0.00
FE9	Emissions, Federal requirements	\$0.00
GU5	Rear axle, 3.23 ratio	\$0.00
PQA	1FL Safety Package	\$820.00
PXT	Wheels, 20" x 9" (50.8 cm x 22.9 cm) steel	\$0.00
TGK	Special Paint, one color	\$0.00
TQ5	IntelliBeam, automatic high beam on/off	\$0.00
UEU	Forward Collision Alert	\$0.00
UFB	Rear Cross Traffic Braking	\$0.00
UHY	Automatic Emergency Braking	\$0.00
UKI	Blind Zone Steering Assist	\$0.00
UKM	Lane Keep Assist	\$0.00
UKT	Front Pedestrian and Bicyclist Braking	\$0.00
UOW	Side Bicyclist Alert	\$0.00
URW	Audio system, 17.7" diagonal advanced color LCD display	\$0.00
VK3	License plate front mounting package	\$0.00
WX7	Wiring, auxiliary speaker.	\$55.00
XCS	Tires, 275/55R20SL all-season, blackwall, Firestone Firehawk Pursuit	\$0.00
<b>Z</b> 56	Suspension Package, heavy-duty, police-rated.	\$0.00
	FACTORY OPTIONS	\$1,285.00

NJPA\_OCALA, CITY OF\_61964\_Quote\_6.PDF





### SOURCEWELL CONTRACT # 2025 091521-NAF & 032824-NAF

## www.NationalAutoFleetGroup.com

<b>CONTRACT OPTIONS</b>	DESCRIPTION	
DTF SUV	Deep tint film on SUV with full side and rear glass coverage.	\$410.00
WTF SUV 2	Weather Tech floor liner system (1st & 2nd rows).	\$330.00
D2T	RED LOWER BLACK UPPER DEALER TWO TONE PAINT WITH FACTORY RED VEHICLE, PAINT A-PILLAR, B-PILLAR, ROOF BLACK. UPPER WINDOW TRIM ONLY. HOOD TO REMAIN RED. SEE CUSTOMER PHOTOS FOR CLARIFICATION.	\$3,500.00
TP TAH- WBCON18-FB	TROY PRODUCTS 18" wide-body console with 9" slope / 9" level and open storage on side of console. Includes faceplates, 4" dual cup internal beverage holder, 4" shallow console tray, (1) DC outlet & (1) dual-port USB module, and locking lidded file box with large leather pad that bolts to rear of wide-body console. No floorplate needed.	\$1,365.00
FACE PLATES	APX6500 2PC RADIO AND WHELEN CARBIDE CONTROLLER.	\$0.00
HLF-CC10706	CONNECT FACTORY HEADLAMP TAIL LAMP FLASHER	\$55.00
W STRIPLT-DUO- 4GL-RW	(4) Whelen Strip-Light LED light duo color surface mount light heads mounted in grille with L-brackets (RED/WHITE).	\$1,225.00
W TLI2-2FOG-RW	(2) Whelen ION T-Series DUAL color ultra thin light mounted in the fog light position (RED/WHITE).	\$450.00
W LEGACY-CROT- DT-TAH-RGWA	Whelen Legacy lightbar with full DUO LED Modules, built in SYNC module, traffic advisor, takedown lights, alley lights, mounting kit, CORE Rotary Knob combination light/siren controller, (1) expansion module, (1) external amplifier for dual tone siren, and (2) speakers with mounting brackets (RED WITH FRONT OVERRIDE TO WHITE AND REAR OVERRIDE TO AMBER & RED/GREEN CORNERS).	\$5,395.00
TECH NOTE	CUSTOMER REQUESTS GREEN TO SLOWLY FLASH ON/OFF WHEN ACTIVATED. WHEN SELECTED, MAKE GREEN DEFAULT COLOR EVEN WHEN THE REST OF THE BAR IS ON.	\$0.00
W STRIPLT-DUO- 2RQG-RW	(2) Whelen Strip-Light LED light duo color surface mount light heads mounted in rear quarter glass with L-brackets (RED/WHITE).	\$565.00
W IONV-4-RW	(4) Whelen ION-V series light head with puddle light mounted (1) over each wheel position (RED WITH WHITE PUDDLE).	\$1,480.00
W HOWLER-TAH	Whelen low frequency supplemental siren, with TAHOE Utility mounting bracket.	\$985.00
W OUTTER-TAH- RW	Whelen Tahoe rear outter edge LED lighting includes (3) light heads per side, mounted along exterior surface of rear spoiler.	\$1,280.00
W PILLAR-TAH- DUO-RWA	Whelen Tahoe DUO rear pillar LED lighting includes (3) light heads per side (RED/WHITE & AMBER/WHITE)	\$1,770.00
W TRACER60- DUO-TAH-RWA	(2) Whelen 60" DUAL color Tracers (5 lamp housing) with TAHOE mounting brackets (RED/AMBER with override to WHITE).	\$1,830.00
TP TAH-CARGO- POLY	TROY PRODUCTS rear partition with polycarbonate window. Includes cargo side window panels.	\$1,190.00
TP TAH-FLOOR- ELEC	TROY PRODUCTS tilt-up cargo area replacement floor with electronics tray.	\$1,160.00
E1 KUSSMAUL- DUAL	KUSSMAUL 53-03-1206 auto eject charging System for emergency vehicles with two batteries. KIT includes 2000w onboard charger, charge indicator, auto eject plug, and aluminum weather resistant ejector housing. Includes installation of auto eject plug & housing near driver side rear bumper (must specify on PO if desired installation different than specified)	\$2,240.00
NOTE	CUSTOMER REQUESTS RED KUSSMAUL COVER.	\$0.00
PROGRAMMING	REAR PILLAR LIGHTS: CUSTOMER REQUESTS TOP AND BOTTOM TO BE RED/WHITE AND CENTER TO BE RED/AMBER. WHEN LIGHTS ARE ACTIVATED, PROGRAM TOP AND BOTTOM TO BE REDUNDANT BRAKE LIGHTS/REDUNDANT REVERSE LIGHTS AND CENTER LIGHTS TO BE REDUNDANT TURN SIGNALS. SIDE LIGHTS: PROGRAM ION-V & TRACERS TO COME ON WITH DOOR OPEN AND ALLEY LIGHT. TAKE DOWN: FULL FRONT FLOOD & WHITE OVERRIDE ON M4 PROGRAM SIDE OF LIGHT BAR TO TURN OFF WITH DRIVER/FRONT PASSENGER DOORS ARE OPENED.	\$0.00
NO-TEMP	TEMP TAG NOT REQUESTED, CUSTOMER WILL HANDLE THEIR OWN TAG WORK.	\$0.00
EWD	EXTENDED WARRANTY DECLINED	\$0.00

CONTRACT OPTIONS

\$25,230.00





SOURCEWELL CONTRACT # 2025 091521-NAF & 032824-NAF

www.NationalAutoFleetGroup.com

TRADE IN TOTAL COST \$77,077.00

YES WE TAKE TRADE INS ~~~ ASK ABOUT MUNICIPAL FINANCING ~~~

TOTAL COST LESS TRADE IN(S) QTY 1 \$77,077.00

Estimated Annual payments for 60 months paid in advance: \$17,721.60

Municipal finance for any essential use vehicle, requires lender approval, WAC.

Comments QUOTE SUBJECT TO FACTORY ORDER ACCEPTANCE or 30 DAYS

VEHICLE QUOTED BY ASHLEE WILSON GOVERNMENT ACCOUNT MANAGER Ashlee.Wilson@AlanJay.com

"I Want to be Your Fleet Provider"

I appreciate the opportunity to submit this quotation. Please review it carefully. If there are any errors or changes, please feel free to contact me at any time.

I am always happy to be of assistance.





Note:Photo may not represent exact vehicle or selected equipment.

### **Window Sticker**

#### **SUMMARY**

[Fleet] 2025 Chevrolet Tahoe (CC10706) 2WD 4dr Police

MSRP:\$53,000.00

Interior:Jet Black, Cloth seat trim

Exterior 1:Special Paint

Exterior 2:No color has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic

#### **OPTIONS**

CODE	MODEL	MSRP		
CC10706	[Fleet] 2025 Chevrolet Tahoe (CC10706) 2WD 4dr Police	\$53,000.00		
	OPTIONS			
01U	Special Paint	\$0.00		
1FL	Commercial Preferred Equipment Group	\$0.00		
5T4	Special paint, Victory Red WA 9260	\$250.00		
6C7	Lighting, red and white front auxiliary dome	\$170.00		
AZ3	Seats, front 40/20/40 split-bench	\$0.00		
C6C	GVWR, 7400 lbs. (3357 kg)	\$0.00		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24823. Data Updated: Feb 26, 2025 6:56:00 PM PST.

Feb 28, 2025



# **Alan Jay Fleet**

Ashlee Wilson | 863-402-4234 | ashlee.wilson@alanjay.com

## Vehicle: [Fleet] 2025 Chevrolet Tahoe (CC10706) 2WD 4dr Police ( ✓ Complete )

СТВ	Intersection Automatic Emergency Braking	Inc.	
DRZ	Rear Camera Mirror, inside rearview auto-dimming	Inc.	
FE9	Emissions, Federal requirements		\$0.00
GU5	Rear axle, 3.23 ratio		\$0.00
H1T	Jet Black, Cloth seat trim		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$0.00
MHU	Transmission, 10-speed automatic		\$0.00
PQA	1FL Safety Package		\$825.00
PXT	Wheels, 20" x 9" (50.8 cm x 22.9 cm) steel		\$0.00
TGK	Special Paint, one color		\$0.00
TQ5	IntelliBeam, automatic high beam on/off	Inc.	
UEU	Forward Collision Alert	Inc.	
UFB	Rear Cross Traffic Braking	Inc.	
UHY	Automatic Emergency Braking	Inc.	
UKI	Blind Zone Steering Assist	Inc.	
UKM	Lane Keep Assist	Inc.	
UKT	Front Pedestrian and Bicyclist Braking	Inc.	
UOW	Side Bicyclist Alert	Inc.	
URW	Audio system, 17.7" diagonal advanced color LCD display		\$0.00
VK3	License plate front mounting package		\$0.00
WX7	Wiring, auxiliary speaker.		\$60.00
XCS	Tires, 275/55R20SL all-season, blackwall, Firestone Firehawk Pursuit		\$0.00
Z56	Suspension Package, heavy-duty, police-rated.		\$0.00
	SUBTOTAL		\$54,305.00
	Adjustments Total		\$0.00
	Destination Charge		\$1,995.00
	TOTAL PRICE		\$56,300.00

#### **FUEL ECONOMY**

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24823. Data Updated: Feb 26, 2025 6:56:00 PM PST.

# **Standard Equipment**

Package	
	Identifier for Police Package Vehicle includes, (K47) heavy-duty air filter, (KX4) 250 amp high output alternator, (K6K) 760 cold-cranking amps auxiliary battery, electrical power & vehicle signals for customer connection located at the center front floor. Auxiliary battery circuit for customer connection located in the rear cargo area, (Z56) heavy-duty, police-rated suspension, (XCS) 275/55R20SL all-season tires, (RAV) 275/55R20 all-season spare tire, Police brakes, (RC1) front skid plate, (PXT) 20" steel wheels, Certified speedometer, SEO (5J3) Surveillance Mode interior lighting calibration, SEO (UT7) blunt cut cargo area and blunt cut console area ground wires, (V53) delete luggage rack side rails and (ATD) third row seat delete)
	Remote Keyless Entry Package includes 4 additional transmitters, NOTE: programming of remotes is at customer's expense. Programming remotes is not a warranty expense
Mechanical	
	Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD)
	Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul
	Rear axle, 3.23 ratio
	Suspension Package, heavy-duty, police-rated. Full independent suspension with monotube dampers, linear coil springs, 35mm solid front stabilizer bar and 32mm hollow rear stabilizer bar
	GVWR, 7400 lbs. (3357 kg) (2WD models only.) (STD)
	Keyless start, push button
	Automatic Stop/Start
	Engine control, stop/start system disable button, non-latching
	Engine air filtration monitor
	Fuel, gasoline, E15
	Differential, mechanical limited-slip
	Rear wheel drive
	Air filter, heavy-duty
	Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator
	Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil
	Battery, 850 cold-cranking amps with 95 amp hour rating
	Battery, auxiliary, 760 cold-cranking amps with 70 amp hour rating (packaged behind left rear cargo area panel)
	Alternator, 250 amps
	Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver
	Trailer sway control

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24823. Data Updated: Feb 26, 2025 6:56:00 PM PST.

Mechanical	
	Hitch Guidance
	Recovery hooks, 2 front, frame-mounted, Black Required on all models going to Alaska, Guam, Hawaii, Puerto Rico and Virgin Islands. All Tahoe (9C1) and (5W4) vehicles include front fascia with recovery hook openings.)
	Skid plate, front
	Suspension, front coil-over-shock with stabilizer bar
	Suspension, rear multi-link with coil springs
	Steering, power
	Brake system, heavy duty with front Brembo calipers and 16" front rotors
	Capless Fuel Fill
	Exhaust, single system, single-outlet
	Mechanical Jack with tools
	Ground wires, blunt cut cargo area and blunt cut console area
	Wiring provision, for outside mirrors and cargo side mirrors
	Flasher system, headlamp and taillamp, DRL compatible with control wire
	Calibration, taillamp flasher, Red/White
	Calibration, taillamp flasher, Red/Red
Exterior	
	Wheels, 20" x 9" (50.8 cm x 22.9 cm) steel (STD)
	Tires, 275/55R20SL all-season, blackwall, Firestone Firehawk Pursuit (STD)
	Wheel, full-size spare, matching 20" (50.8 cm) steel wheel without center cap
	Wheel, full-size spare, 17" (43.2 cm) steel
	Tire, spare P265/70R17 all-season, blackwall
	Tire, spare 275/55R20 all-season, blackwall, Firestone Firehawk Pursuit
	Tire carrier, lockable outside spare, winch-type mounted under frame at rear
	Active aero shutters, upper
	Fascia, front
	Fascia, front high-approach angle
	Luggage rack side rails, delete
	Assist steps, Black with chrome accent strip
	Headlamps, LED
	Tail lamps, LED

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24823. Data Updated: Feb 26, 2025 6:56:00 PM PST.



Vehicle: [Fleet] 2025 Chevrolet Tahoe (CC10706) 2WD 4dr Police (

✓ Complete)

Exterior	
	Mirrors, outside heated power-adjustable, manual-folding, body-color
	Mirror caps, body-color
	Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)
	Glass, acoustic, laminated
	Glass, windshield shade band
	Windshield, solar absorbing
	Wipers, front intermittent, Rainsense
	Wiper, rear intermittent with washer
	Exterior ornamentation delete (front & rear Chevrolet bowties will remain)
	Door handles, body-color
	Liftgate, rear manual
Entertainment	
	Audio system, 17.7" diagonal advanced color LCD display with Google built-in compatibility (select service plan required, terms and limitations apply), including navigation capability, connected apps, personalized profiles for each driver's settings, Natural Voice Recognition and Phone Integration (STD)
	Audio system feature, 6-speaker system
	Bluetooth for phone personal cell phone connectivity to vehicle audio system
	5G Wi-Fi Hotspot capable (Requires (UE1) OnStar. Terms and limitations apply. See onstar.com or dealer for details.)
	Wi-Fi Hotspot capable (Requires (UE1) OnStar. Terms and limitations apply. See onstar.com or dealer for details.)
	SiriusXM, delete
	Wireless Apple CarPlay/Wireless Android Auto
Interior	
	Seats, front 40/20/40 split-bench
	Seat adjuster, driver 8-way power
	Seat adjuster, front passenger 6-way power
	Seat adjuster, front passenger 8-way power
	Seat adjuster, driver 2-way power lumbar
	Seat adjuster, front passenger 2-way power lumbar
	Seats, second row 60/40 split-folding bench, manual
	Seat delete, third row (Deletes rear storage compartment.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24823. Data Updated: Feb 26, 2025 6:56:00 PM PST.

Interior	
	Floor covering, Black rubberized vinyl (Deleted when (B30) floor covering is ordered.)
	Electronic Precision Shift
	Steering column lock, electrical
	Steering column, manual tilt and telescopic
	Steering wheel, vinyl
	Steering wheel controls, mounted audio, Driver Information Center, Adaptive Cruise Control, Forward Collision Alert following gap button and heated steering wheel (when equipped)
	Speedometer calibration
	Driver Information Center, 11" diagonal multi-color digital display
	Instrumentation, analog with certified 140 mph speedometer, odometer with trip odometer, engine hour meter, fuel level, voltmeter, engine temperature, oil pressure and tachometer
	Door locks, power programmable with lockout protection and delayed locking
	Keyless Open includes extended range Remote Keyless Entry
	Key, unique (Deleted when (AU7) fleet common key is ordered.
	Remote start
	Window, power with driver Express-Up/Down
	Window, power with front passenger Express-Up/Down
	Windows, power with rear Express-Down
	Cruise control, electronic with set and resume speed
	Universal Vehicle Module
	Theft-deterrent system, electrical, unauthorized entry
	Theft-deterrent system, vehicle, PASS-Key III
	Display, automatic occupant sensing
	Wireless Phone Charging, for portable devices
	USB ports, 2 type-A and C, charge and data, located on front console
	USB ports, 2 type-C, charge-only, located in third row
	Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenge and rear seat occupants
	Air conditioning, rear
	Defogger, rear-window electric
	Power outlets, 2, 120-volt, located on the rear of the center console and rear cargo area
	Power supply, 50-amp, power supply, auxiliary battery, passenger compartment wiring harness

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24823. Data Updated: Feb 26, 2025 6:56:00 PM PST.

Interior	
	Power supply, 100-amp, auxiliary battery, passenger compartment wiring harness
	Power supply, 120-amp, (4) 30-amp circuit, Primary battery, relay controlled, passenger compartment harness wiring
	Sill plates, bright, front and rear door
	Mirror, inside rearview manual day/night
	Visors, driver and front passenger illuminated vanity mirrors, sliding
	Assist handles, overhead, driver and front passenger, located in headliner
	Assist handles, front passenger A-pillar and second row outboard B-pillar
	Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
	Cargo management system
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
	Calibration, Surveillance Mode interior lighting
	Lock control, driver side auto door lock disable
Safety-Mechanical	
	StabiliTrak, stability control system with brake assist, includes traction control
Safety-Interior	
	Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for all rows in outboard seating positions
	Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Seat belts, 3-point, all seating positions
	Hill Start Assist
	Active Hill Hold Assist
	OnStar Services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)
	HD Surround Vision
	Rear Camera Washer
	Rear Pedestrian Alert
	Rear Parking Assist
	Safety Alert Seat

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24823. Data Updated: Feb 26, 2025 6:56:00 PM PST.



Safety-Interior	
	Rear Seat Reminder
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings or Teen Driver menu (Defaulted off. Feature can be turned on in the infotainment menu.)
	Door locks, rear child security, manual
	LATCH system (Lower Anchors and Tethers for CHildren), for child restraint seats lower anchors and top tethers located in all second-row seating positions, top tethers located in third row seating positions
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire)
	Warning tones headlamp on, driver and right-front passenger seat belt unfasten and turn signal on
	OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)
Processing-Other	

Protected idle allows vehicle engine to remain idling and vehicle immobilized while FOB is outside vehicle

#### WARRANTY

Warranty Note: <<< Preliminary 2025 Warranty >>>

Basic Years: 3 Basic Miles/km: 36,000

Drivetrain Miles/km: 60,000

Drivetrain Miles/km: 60,000

Drivetrain Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and

qualified fleet vehicles: 5 years/100,000 miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government,

and qualified fleet vehicles: 5 years/100,000 miles Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24823. Data Updated: Feb 26, 2025 6:56:00 PM PST.

# **Technical Specifications**

## roominoar opcomoation

Ро	wertrain			
Tr	ransmission			
	Drivetrain	Rear Wheel Drive	Trans Order Code	MHS
	Trans Type	10	Trans Description Cont.	Automatic
	Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
	Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
	Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
	Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
	Clutch Size	N/A	Trans Power Take Off	N/A
	Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
	Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
	Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	N/A
	Eighth Gear Ratio (:1)	N/A	Ninth Gear Ratio (:1)	N/A
	Tenth Gear Ratio (:1)	N/A		
М	ileage			
	EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
	EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
	Cruising Range - Hwy	N/A	Estimated Battery Range	N/A
Eı	ngine			
	Engine Order Code	L84	Engine Type	Gas V8
	Displacement	5.3L/-TBD-	Fuel System	Direct Injection
	SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
	Engine Oil Cooler	Yes		
EI	ectrical			
	Cold Cranking Amps @ 0° F (Primary)	850	Cold Cranking Amps @ 0° F (2nd)	N/A
	Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	250
C	ooling System			
	Total Cooling System Capacity	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24823. Data Updated: Feb 26, 2025 6:56:00 PM PST.



Vehicle: [Fleet] 2025 Chevrolet Tahoe (CC10706) 2WD 4dr Police (

✓ Complete)

Vehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
Vehicle			
Rear Door Type	Liftgate		
Chassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3700 lbs
Gross Axle Wt Rating - Rear	4300 lbs	Curb Weight - Front	N/A
Curb Weight - Rear	N/A	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A	As Spec'd Curb Weight	N/A
As Spec'd Payload	N/A	Maximum Payload Capacity	N/A
Gross Combined Wt Rating	14000 lbs	Gross Axle Weight Rating	8000.00 lbs
Curb Weight	N/A	Reserve Axle Capacity N/A	
Total Option Weight	0.00 lbs	Payload Weight Front 0 lbs	
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7400.00 lbs
Trailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	7900 lbs	Wt Distributing Hitch - Max Tongue Wt.	790 lbs
Fifth Wheel Hitch - Max Trailer Wt.	N/A	Fifth Wheel Hitch - Max Tongue Wt.	N/A
Maximum Trailering Capacity	8400 lbs		
Frame			
Frame Type	N/A	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24823. Data Updated: Feb 26, 2025 6:56:00 PM PST.



nassis			
suspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
ïres			
Front Tire Order Code	xcs	Rear Tire Order Code	xcs
Spare Tire Order Code	RAV	Front Tire Size	275/55R20SL
Rear Tire Size	275/55R20SL	Spare Tire Size	P275/55R20
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	20 x 9 in	Rear Wheel Size	20 x 9 in
Spare Wheel Size	17 x -TBD- in	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material Steel	
teering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	39.5 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or )	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24823. Data Updated: Feb 26, 2025 6:56:00 PM PST.



Vehicle: [Fleet] 2025 Chevrolet Tahoe (CC10706) 2WD 4dr Police (

✓ Complete)

akes			
Rear Drum Diam x Width	N/A		
el Tank			
Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
ensions			
erior Dimensions			
Passenger Capacity	6	Front Head Room	42.3 i
Front Leg Room	44.5 in	Front Shoulder Room	65.6 i
Front Hip Room	61.5 in	Second Head Room	38.9 i
Second Leg Room	42.0 in	Second Shoulder Room	64.6 i
Second Hip Room	61.3 in	Third Head Room	38.2 i
Third Leg Room	34.9 in	Third Shoulder Room	62.7 i
Third Hip Room	49.4 in		
erior Dimensions			
Wheelbase	120.9 in	Length, Overall w/rear bumper	N/A
Length, Overall	211.3 in	Width, Max w/o mirrors	81 in
Height, Overall	N/A	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	N/A
	N/A	Cab to End of Frame	N/A
Cab to Axle			
Cab to Axle  Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
	N/A N/A	Ground to Top of Frame Ground Clearance, Front	N/A N/A
Ground to Top of Load Floor			
Ground to Top of Load Floor Frame Width, Rear	N/A	Ground Clearance, Front	N/A
Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear	N/A N/A	Ground Clearance, Front  Body Length	N/A 0.00 f
Ground to Top of Load Floor Frame Width, Rear Ground Clearance, Rear Rear Door Opening Height	N/A N/A N/A	Ground Clearance, Front  Body Length  Rear Door Opening Width	N/A 0.00 f N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 24823. Data Updated: Feb 26, 2025 6:56:00 PM PST.



Vehicle: [Fleet] 2025 Chevrolet Tahoe (CC10706) 2WD 4dr Police ( ✓ Complete )

#### **Dimensions**

#### **Cargo Area Dimensions**

Cargo Area Length @ Floor to Console	N/A	Cargo Area Length @ Floor to Seat 1	N/A
Cargo Area Length @ Floor to Seat 2	N/A	Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A	Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A	Cargo Box Width @ Wheelhousings	49.5 in
Cargo Box (Area) Height	N/A	Tailgate Width	N/A
Cargo Volume	N/A	Cargo Volume to Seat 1	122.7 ft <sup>3</sup>
Cargo Volume to Seat 2	72.5 ft <sup>3</sup>	Cargo Volume to Seat 3	25.5 ft <sup>3</sup>
Cargo Volume to Seat 4	N/A	Ext'd Cab Cargo Volume	N/A

#### **Exterior**

#### **Doors**

N/A Side Door Type

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 24823. Data Updated: Feb 26, 2025 6:56:00 PM PST.

Feb 28, 2025

Page 14