OCALA ELECTRIC UTILITY OCALA, FLORIDA

FIRST REVISED SHEET NO. 19.0 CANCELS ORIGINAL SHEET NO. 19.0

APPLICATION FOR INTERCONNECTION OF CUSTOMER-OWNED RENEWABLE GENERATION SYSTEMS

TIER 1 - Ten (10) kW or Less

TIER 2 - Greater than 10 kW and Less Than or Equal to 100 kW

TIER 3 - Greater than 100 kW and Less Than or Equal to Two (2) MW

Note: These customer-owned renewable generation system size limits may be subject to a cumulative enrollment limit on net-metering customers located in the area served by the City of Ocala Electric Utility. Please refer to the Ocala Electric Utility Net-Metering Rate Schedule.

Ocala Electric Utility customers who install customer-owned renewable generation systems (RGS) and desire to interconnect those facilities with the Ocala Electric Utility system are required to complete this application. When the completed application and fees are returned to Ocala Electric Utility, the process of completing the appropriate Tier 1, Tier 2 or Tier 3 Interconnection Agreement can begin. This application and copies of the Interconnection Agreements may be obtained at Ocala Electric Utility, located at 201 SE 3rd Street, Ocala, Florida 34471, or may be requested by email from OEU@ocalafl.org.

1. Customer Information

Name: Harold B. Pollock	
Mailing Address: 1234 NE 42nd Ave	nue
City: Ocala	State: FI Zip Code: 34470
Phone Number: 203-435-0322	Alternate Phone Number: 352-342-1265
	Fax Number:
Ocala Electric Utility Customer Account	Number: 520953-231178
2. RGS Facility Information	
Facility Location: 1234 NE 42nd Ave	
Ocala Electric Utility Customer Account	Number: 520953-231178
RGS Manufacturer: URECO Solar	
Manufacturer's Address:	
Reference or Model Number: FBM400	MFG-BB 400W
Serial Number:	

(Continued on Sheet No.19.1)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continue from Sheet No. 19.0)

FIRST REVISED SHEET NO. 19.1 CANCELS ORIGINAL SHEET NO. 19.1

3. Facility Rating Information

Gross Power Rating: <u>9.18kWac</u> ("Gross power rating" means the total manufacturer's AC nameplate generating capacity of an on-site customer-owned renewable generation system that will be interconnected to and operate in parallel with Ocala Electric Utility's distribution facilities. For inverter-based systems, the AC nameplate generating capacity shall be calculated by multiplying the total installed DC nameplate generating capacity by 0.85 in order to account for losses during the conversion from DC to AC.)

Fuel or Energy Source: PV Solar

Anticipated In- Service Date: 6/10/24

4. Application Fee

The application fee is based on the Gross Power Rating and must be submitted with this application. The non-refundable application fee is \$375 for Tier 2 and \$750 for Tier 3 installations. There is no application fee for Tier 1 installations.

5. Interconnection Study Fee

For Tier 3 installations, a deposit in the amount of the estimated costs of the study (to be determined at time of application) must be paid along with this application in addition to the application fee referenced in Article 4 above. This deposit will be applied toward the cost of an interconnection study. The customer will be responsible for the actual costs of the study. Should the actual cost of the study be less than the deposit, the difference will be refunded to the customer. Customer agrees to comply with all interconnection requirements identified in the interconnection study report.

6. Required Documentation

Prior to completion of the Interconnection Agreement, the following information must be provided to the Ocala Electric Utility by the customer.

- A. Documentation demonstrating that the installation complies with (or most current version at time of inspection approval):
 - 1. IEEE 1547 (2018) Standard for Interconnecting Distributed Resources with Electric Power Systems.
 - 2. IEEE 1547.1 (2005) Standard Conformance Test Procedures for Equipment Interconnecting Distributed Resources with Electric Power Systems.
 - 3. UL 1741 (2010) Inverters, Converters, Controllers and Interconnection System Equipment for Use with Distributed Energy Resources.

(Continued on Sheet No. 19.2)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 19.1)

FIRST REVISED SHEET NO. 19.2 CANCELS ORIGINAL SHEET NO. 19.2

B. Documentation that the customer-owned renewable generation has been inspected and approved by local code officials prior to its operation in parallel with the Ocala Electric Utility system to ensure compliance with applicable local codes. OEU will also require proof of commission testing by a qualified 3rd party testing company (not affiliated in any way with the manufacturer, vendor or installation contractor), for compliance with all required and applicable codes, standards, and interconnection study requirements, prior to setting of OEU metering equipment.

C. Proof of insurance in the amount of: Tier 1 - \$100,000.00 Tier 2 - \$1,000,000.00 Tier 3 - \$2,000,000.00

Customer

Date: 6/12/24 By: Harold B. Pollock (Print Name)

allach (Signature)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA

FIRST REVISED SHEET NO. 20.0 CANCELS ORIGINAL SHEET NO. 20.0

Tri-Party Net-Metering Power Purchase Agreement

This Tri-Party Net-Metering Power Purchase Agreement (this "Agreement") is entered into this ______day of ______, 20_____, by and between the Florida Municipal Power Agency, a governmental joint action agency created and existing under the laws of the State of Florida (hereinafter "FMPA"), the City of Ocala doing business as Ocala Electric Utility, a body politic (hereinafter "OEU"), and <u>Harold B. Pollock</u>, a retail electric customer of OEU (hereinafter "Customer").

Section 1. Recitals

1.01. OEU and Customer have executed OEU's Standard Interconnection Agreement for a Customer-Owned Renewable Generation System (RGS) pursuant to which OEU has agreed to permit interconnection of Customer's renewable generation to OEU's electric system at Customer's presently-metered location, and Customer has agreed to deliver excess electric energy generated by Customer's Renewable Generation System to OEU's electric distribution system;

1.02. The City of Ocala and FMPA have entered into the All-Requirements Power Supply Contract, dated as of May 1, 1986, (hereinafter the "ARP Contract") pursuant to which the City of Ocala has agreed to purchase and receive, and FMPA has agreed to sell and supply OEU with all energy and capacity necessary to operate the OEU electric system, which limits OEU's ability to directly purchase excess energy from customer-owned renewable generation.

1.03. In order to promote the development of small customer-owned renewable generation by permitting OEU to allow its customers to interconnect with OEU's electric system and to allow OEU's electric customers to offset their electric consumption with customer-owned renewable generation, FMPA, in accordance with the terms and conditions of this agreement, has agreed to purchase excess customer-owned generation from OEU's electric customers interconnected to OEU's electric system.

NOW THEREFORE, for and in consideration of the mutual covenants and agreements set forth herein, the Parties covenant and agree as follows:

Section 2. Interconnection

2.01. Customer shall not begin parallel operations with the OEU electric distribution system until Customer has executed OEU's electric Standard Interconnection Agreement for Small Customer-Owned Renewable Generation and is in compliance with all terms and conditions

OEU requires that the customer install and operate the RGS in accordance with all applicable safety codes and standards. OEU shall establish and enforce terms and conditions of operation and disconnection of all interconnected customer-owned renewable generation as it relates to the effect of the RGS on OEU's electric distribution system.

(Continued on Sheet No. 20.1)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 20.0)

FIRST REVISED SHEET NO. 20.1 CANCELS ORIGINAL SHEET NO. 20.1

Section 3. Metering

3.01 In accordance with the OEU's Standard Interconnection Agreement for Customer-Owned Renewable Generation, OEU shall install metering equipment at the point of delivery capable of recording two separate kWh meter readings: (1) the flow of electricity from OEU to the Customer (Delivered), and (2) the flow of excess electricity from the Customer to OEU. OEU shall take meter readings on the same cycle as the otherwise applicable rate schedule.

Section 4. Purchase of Excess Customer-Owned Renewable Generation

4.01. Customer-owned renewable generation shall be first used for Customer's own load and shall offset Customer's demand for OEU's electricity. All electric power and energy delivered by OEU to Customer shall be received and paid for by Customer to OEU (Received) pursuant to the terms, conditions and rates of the OEU otherwise applicable rate schedule.

4.02. Excess customer-owned renewable generation shall be delivered to the OEU Electric distribution system. For purposes of this Agreement, the term "excess customer-owned renewable generation" means any kWh of electrical energy produced by the customer-owned renewable generation system that is not consumed by Customer and is delivered to the OEU electric distribution system. FMPA agrees to purchase and receive, and Customer agrees to sell and deliver, all excess customer-owned renewable generation at the energy rate established by FMPA, which shall be calculated in accordance with Schedule A. Excess customer-owned renewable generation shall be purchased in the form of a credit on Customer's monthly energy consumption bill from OEU.

4.03. In the event that a given monthly credit for excess customer-owned renewable generation exceeds the total billed amount for Customer's consumption in any corresponding month, then the excess credit shall be applied to the subsequent month's bill. Excess energy credits produced pursuant to the preceding sentence shall accumulate and be used to offset Customer's energy consumption bill for a period of not more than twelve (12) months. At the end of each calendar year, any unused excess energy credits shall be paid by OEU to the Customer in accordance with the OEU Electric Net-Metering Service Rate Schedule.

(Continued on Sheet No. 20.2)

Issued by: Michael Poucher, P.E. Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 20.1)

FIRST REVISED SHEET NO. 20.2 CANCELS ORIGINAL SHEET NO. 20.2

4.04. FMPA and OEU shall not be required to purchase or receive excess customer-owned renewable generation, and may require Customer to interrupt or reduce production of customer-owned renewable generation, (a) when necessary in order to construct, install, maintain, repair, replace, remove, investigate, or inspect any OEU equipment or part of OEU's system; or (b) if either FMPA or OEU determine, in their sole judgment, that curtailment, interruption, or reduction is necessary because of emergencies, forced outages, force majeure, or compliance with any applicable electric code or standard.

4.05. Customer acknowledges that its provision of electricity to OEU hereunder is on a firstoffered, first-accepted basis and subject to diminution and/or rejection in the event the total amount of electricity delivered to OEU pursuant to the Net-Metering Service Rate Schedule (as filed with the Florida Public Service Commission), from all participating OEU customers, exceeds two and one-half percent (2.5%) of the aggregate customer peak demand on the OEU electric system.

Section 5. Renewable Energy Credits

5.01. Customer shall offer FMPA a first right of refusal before selling or granting to any third party the right to the Green Attributes associated with its customer-owned renewable generation that is interconnected to OEU electric distribution system. The term "Green Attributes" shall include any and all credits, certificates, benefits, environmental attributes, emissions reductions, offsets, and allowances, however entitled, attributable to the generation of electricity from the customer-owned-renewable generation and its displacement of conventional energy generation.

5.02. Any additional meter(s) installed to measure total renewable electricity generated by the Customer for the purposes of measuring Green Attributes, including and renewable energy certificates (or similarly titled credits for renewable energy generated), shall be installed at the expense of the Customer, unless determined otherwise during negotiations for the sale of the Customer's credits to FMPA.

Section 6. Term and Termination

6.01. This Agreement shall become effective upon execution by all Parties, and shall remain in effect thereafter on a month-to-month basis until terminated by any Party upon thirty (30) days written notice to all other Parties.

6.02. This Agreement shall terminate immediately and without notice upon: (a) termination of the electric distribution service by OEU or (b) failure by Customer to comply with any of the terms and conditions of this Agreement or OEU's Standard Interconnection Agreement for Customer-Owned Renewable Generation.

(Continued on Sheet No. 20.3)

Issued by: Michael Poucher, P.E. Electric Utility Director

Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 20.2) FIRST REVISED SHEET NO. 20.3 CANCELS ORIGINAL SHEET NO. 20.3

Section 7. Miscellaneous Provisions

7.01. <u>Assignment</u>. It is understood and agreed that no party may transfer, sell, mortgage, pledge, hypothecate, convey, designate, or otherwise assign this Agreement, or any interest herein or any rights or obligations hereunder, in whole or in part, either voluntarily or by operation of law, (including, without limitation, by merger, consolidation, or otherwise), without the express written consent of the other parties (and any such attempt shall be void), which consent shall not be unreasonably withheld. Subject to the foregoing, this Agreement shall inure to the benefit of and be binding upon the parties and their respective successors and permitted assigns.

7.02 <u>Amendment</u>. It is understood and agreed that FMPA and OEU reserve the right, on no less than an annual basis, to change any of the terms and conditions, including pricing, in this Agreement on sixty (60) days advance written notice. FMPA and OEU may make such changes on an immediate basis in the event any applicable law, rule, regulation or court order requires them. In such event, FMPA and OEU will give Customer as much notice as reasonably possible under the circumstances.

7.03. <u>Indemnification</u>. To the fullest extent permitted by laws and regulations, and in return for adequate, separate consideration, Customer shall defend, indemnify, and hold harmless FMPA and OEU, their officers, directors, agents, guests, invitees, and employees from and against all claims, damages, losses to persons or property, whether direct, indirect, or consequential (including but not limited to fees and charges of attorneys, and other professionals and court and arbitration costs) arising out of, resulting from, occasioned by, or otherwise caused by the operation or misoperation of the customer-owned renewable generation, or the acts or omissions of any other person or organization directly or indirectly employed by the Customer to install, furnish, repair, replace or maintain the customer-owned renewable generation system, or anyone for whose acts any of them may be liable.

7.04. <u>Governing Law</u>. The validity and interpretation of this Agreement and the rights and obligations of the parties shall be governed and construed in accordance with the laws of the State of Florida without regard for any conflicts of law provisions that might cause the law of other jurisdictions to apply. All controversies, claims, or disputes arising out of or related to this Agreement or any agreement, instrument, or document contemplated hereby, shall be brought exclusively in the County or Circuit Court for Marion County, Florida, or the United States District Court sitting in Marion County, Florida, as appropriate.

(Continued on Sheet No. 20.4)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 20.3)

FIRST REVISED SHEET NO. 20.4 CANCELS ORIGINAL SHEET NO. 20.4

7.05. <u>Enforcement of Agreement</u>. In the event that either party is required to enforce this Agreement by court proceedings or otherwise, the prevailing party shall be entitled to recover all fees and costs incurred, including reasonable attorney's fees and costs for trial, alternative dispute resolution, and/or appellate proceedings.

7.06. <u>Severability</u>. To the extent any provision of this Agreement is prohibited by or invalid under applicable law, such provision shall be ineffective to the extent of such prohibition or invalidity, without invalidating the remainder of such provision or the remaining provisions of this Agreement.

7.07. <u>Third Party Beneficiaries and Sovereign Immunity</u>. This Agreement is solely for the benefit of FMPA, OEU, and Customer and no right nor shall any cause of action accrue upon or by reason, to or for the benefit of any third party not a formal party to this Agreement. Nothing in this Agreement, expressed or implied, is intended or shall be construed to confer upon any person or corporation other than FMPA, OEU, or Customer, any right, remedy, or claim under or by reason of this Agreement or any of the provisions or conditions of this Agreement; and, all provisions, representations, covenants, and conditions contained in this Agreement shall inure to the sole benefit of and be binding upon FMPA, OEU, and Customer and their respective representatives, successors, and assigns. Further, no term or condition contained in this Agreement shall be construed in any way as a waiver by either FMPA or OEU of the sovereign immunity applicable to either or both of them as established by Florida Statutes, 768.28.

(Continued on Sheet No. 20.5)

Issued by: Michael Poucher, P.E. Electric Utility Director

Effective: October 1, 2019

I

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 20.4)

FIRST REVISED SHEET NO. 20.5 CANCELS ORIGINAL SHEET NO. 20.5

IN WITNESS WHEREOF, Customer and OEU have executed this Agreement the day and year first above written.

City of Ocala Electric Utility
By: Javie Midull
Stream Title: CFO
Date: 7/10/2024

Florida Municipal Power Agency By: By: Title: VP of IT/OT and System Ops Date: 7/10/2024

Customer 6/12/21/-Date: -By: Harold B. Pollock (Print Nange) Signature

Customer's City of Ocala Electric Utility Account Number: 520953-231178-

Approved as to form and legality:

William E. Septon

William E. Sexton, Esq. City Attorney

(Continued on Sheet No. 20.6)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 20.5)

FIRST REVISED SHEET NO. 20.6 CANCELS ORIGINAL SHEET NO. 20.6

Tri-Party Net-Metering Power Purchase Agreement Schedule A

I. All-Requirements Project Calculation of Excess Customer-Owned Renewable Generation Credit

a) FMPA shall pay OEU for the excess kWh energy delivered by customer-owned renewable generation to OEU's electric system. Every month, OEU shall determine the total kWh of customer-owned renewable generation that is delivered to OEU's electric system, and shall send the information to FMPA as soon as it becomes available, but no later than the second working day of every month. FMPA will then provide a monthly payment to OEU in the form of a credit on the ARP power bill for the excess energy delivered to the distribution grid. The ARP Renewable Generation Credit will be calculated as follows:

ARP Renewable Generation Credit = Quarterly Energy Rate * Monthly kWh of excess customer-owned renewable generation

Quarterly Energy Rate = 3 month average of ARP energy rate. FMPA will update the Quarterly Energy Rate every April 1, July 1, October 1 and January 1.

b) As part of the monthly bill adjustment, FMPA will also increase OEU's kWh billing amount by the same kWh amount as the customer-owned renewable generation purchased by FMPA. This adjustment is necessary because excess customer generation that flows onto OEU's electric system has been purchased by FMPA, but will remain on OEU's electric system and be used by OEU to meet its other customers' electric needs. As a result, OEU's monthly ARP bill will be adjusted accordingly to reflect FMPA's subsequent sale of this energy to OEU.

II. Payment for Unused Excess Energy Credits

- a) Monthly excess energy credits shall accumulate and be used to offset the Customer's following month energy consumption bill for a period of not more than twelve (12) months.
- b) At the end of each calendar year, OEU shall pay the Customer for any unused excess energy credits in accordance with the OEU Electric Net-Metering Service Rate Schedule.

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA

FIRST REVISED SHEET NO. 21.0 CANCELS ORIGINAL SHEET NO. 21.0

Tier 1 – Standard Interconnection Agreement Customer-Owned Renewable Generation System

This Agreement is made and entered into this ______day of ______, 20____, by and between <u>Harold B. Pollock</u> _____, (hereinafter called "Customer"), located at <u>1234 NE 42nd Avenue</u> in <u>Ocala</u>, Florida, and the City of Ocala doing business as Ocala Electric Utility (hereinafter called OEU), a body politic. Customer and OEU shall collectively be called the "Parties". The physical location/premise where the interconnection is taking place: <u>1234 NE 42nd Ave</u>.

WITNESSETH

Whereas, a Tier 1 Renewable Generation System (RGS) is an electric generating system that uses one or more of the following fuels or energy sources: hydrogen, biomass, solar energy, geothermal energy, wind energy, ocean energy, waste heat, or hydroelectric power as defined in Section 377.803, Florida Statutes, rated at no more than ten (10) kilowatts (10 kW) alternating current (AC) power output and is primarily intended to offset part or all of the Customer's current electric requirements; and

Whereas, OEU operates an electric system serving the City of Ocala; and

Whereas, Customer has made a written Application to OEU, a copy being attached hereto, to interconnect its RGS with OEU' electrical supply grid at the location identified above; and

Whereas, the City of Ocala and the Florida Municipal Power Agency (hereinafter called "FMPA") have entered into the All-Requirements Power Supply Contract pursuant to which the City of Ocala has agreed to purchase and receive, and FMPA has agreed to sell and supply OEU with all energy and capacity necessary to operate the OEU electric system, which limits OEU' ability to directly purchase excess energy from customer-owned renewable generation; and

Whereas, in order to promote the development of small customer-owned renewable generation by permitting OEU to allow its customers to interconnect with OEU's electric system and to allow OEU customers to offset their electric consumption with customer-owned renewable generation, FMPA, in accordance with the terms and conditions of this agreement, has agreed to purchase excess customer-owned generation from OEU customers interconnected to OEU's electric system; and

Whereas, the OEU desires to provide interconnection of a RGS under conditions which will insure the safety of OEU customers and employees, reliability and integrity of its distribution system;

NOW, THEREFORE, for and in consideration of the mutual covenants and agreements herein set forth, the parties hereto covenant and agree as follows:

(Continued on Sheet No. 21.1)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.0)

FIRST REVISED SHEET NO. 21.1 CANCELS ORIGINAL SHEET NO. 21.1

1. The Customer shall be required to enter into a Tri-Party Net-Metering Purchase Power Agreement with FMPA and the City of Ocala Electric Utility (OEU).

2. "Gross power rating" (GPR) means the total manufacturer's AC nameplate generating capacity of an on-site customer-owned renewable generation system that will be interconnected to and operate in parallel with OEU's distribution facilities. For inverter-based systems, the GPR shall be calculated by multiplying the total installed DC nameplate generating capacity by 0.85 in order to account for losses during the conversion from DC to AC.

3. This agreement is strictly limited to cover a Tier 1 RGS as defined above. It is the Customer's responsibility to notify OEU of any change to the GPR of the RGS by submitting a new application for interconnection specifying the modifications at least 30 days prior to making the modifications. Increase in GPR above the ten kilowatt (10 kW) limit would necessitate entering into a new agreement at either Tier 2 or Tier 3 which may impose additional requirements on the Customer. In no case does the Tier 1, Tier 2 or Tier 3 agreement cover increases in GPR above two megawatts (2MW).

4. The RGS GPR must not exceed 90 percent (90%) of the Customer's OEU calculated distribution service rating at the Customer's location (including shared electric facilities). If the GPR does exceed the 90 percent (90%) limit, the Customer shall be responsible to pay the cost of upgrades to the distribution facilities required to accommodate the GPR capacity and ensure the 90 percent (90%) threshold is not breached. OEU will not allow a RGS GPR greater than required to offset the customer's annual kWh energy consumption (based on customer's historical consumption data or by means of estimated usage of similar type of service as determined by OEU).

5. The Customer shall not be required to pay any special fees due solely to the installation of the RGS.

6. The Customer shall fully comply with OEU's Design Standards following NEC standards as those documents may be amended or revised by OUS from time to time.

7. The Customer certifies that its installation, its operation and its maintenance shall be in compliance with the following standards (or most current version at time of inspection approval):

- a. IEEE-1547 (2018) Standard for Interconnecting Distributed Resources with Electric Power System;
- b. IEEE-1547.1 (2005) Standard Conformance Test Procedures for Equipment Interconnection Distributed Resources with Electric Power Systems;
- c. UL-1741 (2010) Inverters, Converters, Controllers and Interconnection System Equipment for Use with Distributed *Energy Resources*.
- d. The National Electric Code, state and/or local building codes, mechanical codes and/or electrical codes;
- e. The manufacturer's installation, operation and maintenance instructions.

(Continued to Sheet No. 21.2)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

1

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.1)

FIRST REVISED SHEET NO. 21.2 CANCELS ORIGINAL SHEET NO. 21.2

8. The Customer is not precluded from contracting for the lease, operation or maintenance of the RGS with a third party. Such lease may not provide terms or conditions that provide for any payments under the agreement to any way indicate or reflect the purchase of energy produced by the RGS. Customer shall not enter into any lease agreement that results in the retail purchase of electricity; or the retail sale of electricity from the customer-owned renewable generation. Notwithstanding this restriction, in the event that Customer is determined to have engaged in the retail purchase of electricity from a party other than OEU, then Customer shall be in breach of this Agreement and may be subject to the jurisdiction of the Florida Public Service Commission and to fines/penalties.

9. The Customer shall provide a copy of the manufacturer's installation, operation and maintenance instructions to OEU. If the RGS is leased to the Customer by a third party, or if the operation or maintenance of the RGS is to be performed by a third party, the lease and/or maintenance agreements and any pertinent documents related to these agreements shall be provided to OEU.

10. Prior to commencing parallel operation with OEU's electric system, Customer shall have the RGS inspected and approved by the appropriate code authorities having jurisdiction. Customer shall provide a copy of this inspection and approval to OEU.

11. The Customer agrees to permit OEU, if it should so choose, to inspect the RGS and its component equipment and the documents necessary to ensure compliance with this Agreement both before and after the RGS goes into service and to witness the initial testing of the RGS equipment and protective apparatus. OEU will provide Customer with as much notice as reasonably possible, either in writing, email, facsimile or by phone as to when OEU may conduct inspections and or document review. Upon reasonable notice, or at any time without notice in the event of an emergency or hazardous condition, Customer agrees to provide OEU access to the Customer's premises for any purpose in connection with the performance of the obligations required by this Agreement or, if necessary, to meet OEU's legal obligation to provide service to its customers. At least ten (10) business days prior to initially placing the customer-owned renewable generation system in service, Customer shall provide written notification to OEU advising of the date and time at which Customer intends to place the system in service, and OEU shall have the right to have personnel present on the in-service date in order to ensure compliance with the requirements of this Agreement.

(Continued on Sheet No. 21.3)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.2)

FIRST REVISED SHEET NO. 21.3 CANCELS ORIGINAL SHEET NO. 21.3

12. The Customer's RGS must have an appropriately sized grid-tie inverter system that includes applicable protective systems. Customer certifies that the RGS equipment includes an OEU interactive inverter or interconnection system equipment that ceases to interconnect with the OEU system upon a loss of OEU's electric power. The inverter shall be considered certified for interconnected operation if it has been submitted by a manufacturer to a nationally recognized testing laboratory (NRTL) to comply with UL 1741. The NRTL shall be approved by the Occupational Safety & Health Administration (OSHA).

13. If Customer adds another RGS that (i) utilizes the same OEU interactive inverter for both systems, or (ii) utilizes a separate OEU interactive inverter for each system, Customer shall provide OEU with sixty (60) days advance written notice of the addition.

14. The Customer shall not energize the OEU system when OEU's system is deenergized. The Customer shall cease to energize the OEU system during a faulted condition on the OEU system and/or upon any notice from OEU that the deenergizing of Customer's RGS equipment is necessary. The Customer shall cease to energize the OEU system prior to automatic or non-automatic reclosing of OEU's protective devices. There shall be no intentional islanding, as described in IEEE 1547, between the Customer's and OEU' systems.

15. The Customer is responsible for the protection of its generation equipment, inverters, protection devices, and other system components from damage from the normal and abnormal operations that occur on OEU system in delivering and restoring system power. Customer agrees that any damage to any of its property, including, without limitation, all components and related accessories of its RGS system, due to the normal or abnormal operation of OEU system, is at Customer's sole risk and expense. Customer is also responsible for ensuring that the customer-owned renewable generation equipment is inspected, maintained, and tested regularly in accordance with the manufacturer's instructions to ensure that it is operating correctly and safely.

16. The Customer must install, at their expense, a manual disconnect switch of the visible load break type to provide a separation point between the AC power output of the customer-owned renewable generation system and any Customer wiring connected to OEU's system, such that back feed from the customer-owned renewable generation system to OEU's system cannot occur when the switch is in the open position. The manual disconnect switch shall be mounted separate from the meter socket on an exterior surface adjacent to the meter. The switch shall be readily accessible to OEU and capable of being locked in the open position with an OEU padlock. When locked and tagged in the open position by OEU, this switch will be under the control of OEU.

(Continued on Sheet No. 21.4)

Issued by: Michael Poucher, P.E. Electric Utility Director

Effective: October 1, 2019

ł.

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.3)

FIRST REVISED SHEET NO. 21.4 CANCELS ORIGINAL SHEET NO. 21.4

17. Subject to an approved inspection, including installation of acceptable disconnect switch, this Agreement shall be executed by OEU within thirty (30) calendar days of receipt of a completed application. Customer must execute this Agreement and return it to OEU at least thirty (30) calendar days prior to beginning parallel operations with OEU's electric system, subject to the requirements of Section 18, below, and within one (1) year after OEU executes this Agreement.

18. Once OEU has received Customer's written documentation that the requirements of this Agreement have been met, all agreements and documentation have been received and the correct operation of the manual switch has been demonstrated to an OEU representative, OEU will, within fifteen (15) business days, send written notice that parallel operation of the RGS may commence.

19. OEU requires the Customer to maintain general liability insurance for personal injury and property damage in the amount of not less than one hundred thousand dollars (\$100,000.00).

20. OEU will furnish, install, own and maintain metering equipment capable of measuring the flow of kilowatt-hours (kWh) of energy. The Customer's service associated with the RGS will be metered to measure the energy delivered by OEU to Customer, and measure the energy delivered by Customer to OEU. Customer agrees to provide safe and reasonable access to the premises for installation, maintenance and reading of the metering and related equipment. The Customer shall not be responsible for the cost of the installation and maintenance of the metering equipment necessary to measure the energy delivered by the Customer to OEU.

21. The Customer shall be solely responsible for all legal and financial obligations arising from the design, construction, installation, operation, maintenance and ownership of the RGS.

22. The Customer must obtain all permits, inspections and approvals required by applicable jurisdictions with respect to the generating system and must use a licensed, bonded and insured contractor to design and install the generating system. The Customer agrees to provide OEU with a copy of the local building code official inspection and certification of installation. The certification shall reflect that the local code official has inspected and certified that the installation was permitted, has been approved, and has met all electrical and mechanical qualifications.

(Continued on Sheet No. 21.5)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.4)

FIRST REVISED SHEET NO. 21.5 CANCELS ORIGINAL SHEET NO. 21.5

23. In no event shall any statement, representation, or lack thereof, either express or implied, by OEU, relieve the Customer of exclusive responsibility for the Customer's system. Specifically, any OEU inspection of the RGS shall not be construed as confirming or endorsing the system design or its operating or maintenance procedures or as a warranty or guarantee as to the safety, reliability, or durability of the RGS. OEU's inspection, acceptance, or its failure to inspect shall not be deemed an endorsement of any RGS equipment or procedure. Further, as set forth in Sections 15 and 26 of this Agreement, Customer shall remain solely responsible for any and all losses, claims, damages and/or expenses related in any way to the operation or misoperation of its RGS equipment.

24. Notwithstanding any other provision of this Interconnection Agreement, OEU, at its sole and absolute discretion, may isolate the Customer's system from the distribution grid by whatever means necessary, without prior notice to the Customer. To the extent practical, however, prior notice shall be given. The system will be reconnected as soon as practical once the conditions causing the disconnection cease to exist. OEU shall have no obligation to compensate the Customer for any loss of energy during any and all periods when Customer's RGS is operating at reduced capacity or is disconnected from OEU' electrical distribution system pursuant to this Interconnection Agreement. Typical conditions which may require the disconnection of the Customer's system include, but are not limited to, the following:

- a. OEU system emergencies, forced outages, uncontrollable forces or compliance with prudent electric OEU practice.
- b. When necessary to investigate, inspect, construct, install, maintain, repair, replace or remove any OEU equipment, any part of OEU's electrical distribution system or Customer's generating system.
- c. Hazardous conditions existing on OEU's system due to the operation of the Customer's generation or protective equipment as determined by OEU.
- d. Adverse electrical affects (such as power quality problems) on the electrical equipment of OEU's other electric consumers caused by the Customer's generation as determined by OEU.
- e. When Customer is in breach of any of its obligations under this Interconnection Agreement or any other applicable policies and procedures of OEU.
- f. When the Customer fails to make any payments due to OEU by the due date thereof.

25. Upon termination of services pursuant to this Agreement, OEU shall open and padlock the manual disconnect switch and remove any additional metering equipment related to this Agreement. At the Customer's expense, within thirty (30) working days following the termination, the Customer shall permanently isolate the RGS and any associated equipment from OEU's electric supply system, notify OEU that the isolation is complete, and coordinate with OEU for return of OEU's lock.

(Continued to Sheet No. 21.6)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.5)

FIRST REVISED SHEET NO. 21.6 CANCELS ORIGINAL SHEET NO. 21.6

26. To the fullest extent permitted by law, and in return for adequate, separate consideration. Customer shall indemnify, defend and hold harmless OEU, any and all of their members of its governing bodies, and its officers, agents, and employees for, from and against any and all claims, demands, suits, costs of defense, attorneys fees, witness fees of any type, losses, damages, expenses, and liabilities, whether direct, indirect or consequential, related to, arising from, or in any way connected with:

- a. Customer's design, construction, installation, inspection, maintenance, testing or operation of Customer's generating system or equipment used in connection with this Interconnection Agreement, irrespective of any fault on the part of OEU.
- b. The interconnection of Customer's generating system with, and delivery of energy from the generating system to, OEU's electrical distribution system, irrespective of any fault on the part of OEU.
- c. The performance or nonperformance of Customer's obligations under this Interconnection Agreement or the obligations of any and all of the members of Customer's governing bodies and its officers, agents, contractors (and any subcontractor or material supplier thereof) and employees.

Customer's obligations under this Section shall survive the termination of this Interconnection Agreement.

27. Customer shall not have the right to assign its benefits or obligations under this Agreement without OEU's prior written consent and such consent shall not be unreasonably withheld. If there is a change in ownership of the RGS, Customer shall provide written notice to OEU at least thirty (30) days prior to the change in ownership. The new owner will be required to assume, in writing, the Customer's rights and duties under this Agreement, or execute a new Standard Interconnection Agreement. The new owner shall not be permitted to net meter or begin parallel operations until the new owner assumes this Agreement or executes a new Agreement.

28. This Agreement supersedes all previous agreements and representations either written or verbal heretofore made between OEU and Customer with respect to matters herein contained. This Agreement, when duly executed, constitutes the only Agreement between parties hereto relative to the matters herein described. This Agreement shall continue in effect from year to year until either party gives sixty (60) days' notice of its intent to terminate this Agreement.

(Continued on Sheet No. 21.7)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.6)

FIRST REVISED SHEET NO. 21.7 CANCELS ORIGINAL SHEET NO. 21.7

29. This Agreement shall be governed by and construed and enforced in accordance with the laws, rules and regulations of the State of Florida and OEU's tariff as it may be modified, changed, or amended from time to time, including any amendments modification or changes to OEU's Net-Metering Service Rate Schedule, the schedule applicable to this Agreement. The Customer and OEU agree that any action, suit, or proceeding arising out of or relating to this Interconnection Agreement shall be initiated and prosecuted in the state court of competent jurisdiction located in Marion County, Florida, and OEU and the Customer irrevocably submit to the jurisdiction and venue of such court. To the fullest extent permitted by law, each Party hereby irrevocably waives any and all rights to a trial by jury and covenants and agrees that it will not request a trial by jury with respect to any legal proceeding arising out of or relating to this Interconnection Agreement.

None of the provisions of this Interconnection Agreement shall be considered waived by either Party except when such waiver is given in writing. No waiver by either Party of any one or more defaults in the performance of the provisions of this Interconnection Agreement shall operate or be construed as a waiver of any other existing or future default or defaults. If any one or more of the provisions of this Interconnection Agreement or the applicability of any provision to a specific situation is held invalid or unenforceable, the provision shall be modified to the minimum extent necessary to make it or its application valid and enforceable, and the validity and enforceability of all other provisions of this Interconnection Agreement and all other applications of such provisions shall not be affected by any such invalidity or unenforceability. This Interconnection Agreement does not govern the terms and conditions for the delivery of power and energy to non-generating retail customers of OEU's electrical distribution system.

30. This Agreement incorporates by reference the terms of the tariff filed with the Florida Public Service Commission by OEU, including OEU's Net-Metering Service Rate Schedule, and associated technical terms and abbreviations, general rules and regulations and standard electric service requirements (as may be applicable) are incorporated by reference, as amended from time to time. To the extent of any conflict between this Agreement and such tariff, the tariff shall control.

31. OEU and Customer recognize that the Florida Statutes and/or the Florida Public Service Commission Rules, including those directly addressing the subject of this Agreement, may be amended from time to time. In the event that such statutes and/or rules are amended that affect the terms and conditions of this Agreement, OEU and Customer agree to supersede and replace this Agreement with a new Interconnection Agreement, which complies with the amended statutes/rules.

(Continued on Sheet No. 21.8)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.7)

FIRST REVISED SHEET NO. 21.8 CANCELS ORIGINAL SHEET NO. 21.8

32. Customer acknowledges that its provision of electricity to OEU hereunder is on a first-offered. first-accepted basis and subject to diminution and/or rejection in the event the total amount of electricity delivered to OEU pursuant to the OEU's Net-Metering Service Rate Schedule, (as filed with the Florida Public Service Commission), from all participating OEU customers, exceeds two and one-half percent (2.5%) of the aggregate customer peak demand on the OEU system.

33. This Agreement is solely for the benefit of OEU and Customer and no right nor any cause of action shall accrue upon or by reason, to or for the benefit of any third party not a formal party to this Agreement. Nothing in this Agreement, expressed or implied, is intended or shall be construed to confer upon any person or corporation other than OEU or Customer, any right, remedy, or claim under or by reason of this Agreement or any of the provisions or conditions of this Agreement; and, all provisions, representations, covenants, and conditions contained in this Agreement shall inure to the sole benefit of and be binding upon OEU and Customer and their respective representatives, successors, and assigns. Further, no term or condition contained in this Agreement shall be construed in any way as a waiver by OEU of the sovereign immunity applicable to OEU as established by Florida Statutes, 768.28.

(Continued on Sheet No. 21.9)

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

OCALA ELECTRIC UTILITY OCALA, FLORIDA (Continued from Sheet No. 21.8)

FIRST REVISED SHEET NO. 21.9 CANCELS ORIGINAL SHEET NO. 21.9

IN WITNESS WHEREOF, Customer and OEU have executed this Agreement the day and year first above written.

City of Ocala Electric Utility:

Customer:

By: Janice Mitchell

Title: CFO

Date: 7/10/2024

By: Harold B. Pollock (Print Nanc) f ollock (Signature) Date: 6/12/24

City of Ocala Electric Utility Account Number:

520953-231178

Approved as to form and legality:

William E. Scyton William E. Scyton City Attorney

Issued by: Michael Poucher, P.E. Electric Utility Director Effective: October 1, 2019

American Strategic Insurance Corp 1 ASI Way St. Petersburg, FL 33702 Phone: (727) 374-2502

Premises Only Liability Declarations Page

Agent:

Professional Property & Casualty, LLC 2050 Winter Springs Blvd Oviedo, FL 32765

Agent Code: 418438 For Policy Service, Call: (407) 366-7746

Named Insured:

HAROLD POLLOCK 1234 NE 42ND AVE OCALA, FL 34470

<u>Premises Location(s):</u>	
1234 NE 42ND AVE , OCALA, FL 34470-1053	

Coverages		D •
Liability Base Premium	<u>Limit</u> \$ 1,000,000	<u>Premium</u> \$200.00

Surcharges & I

Desired Coverage Limit
Increased Underlying Property Liability
Territory Factor (UIM)
Premises Only Credit
Swimming Pool/Spas
Minimum Limit Premium Adjustment
Managing General Agent Fee
Florida Insurance Guaranty Association Fee
TOTAL POLICY PREMIUM:

All Insureds:

Pollock, Harold

Additional Interest:

Total Policy Premium: \$207 **Policy Number:** FLU165346 **Plan Type:** UMB

Policy Period: From: 08/08/2023 To: 08/08/2024

Effective Date of Transaction: 08/08/2023 Transaction Type: New Business

Coverage Limit: \$1,000,000

emium	\$ 1,000,000	\$200.00
Discounts		<u>Premium</u>
e Limit		\$0.00
ying Property Liability		\$0.00
UIM)		\$0.00
redit		(\$59.00)
Spas		\$40.00
Premium Adjustment		\$0.00
al Agent Fee		\$25.00
e Guaranty Association Fee		\$1.27
Y PREMIUM:		\$207.00
	Policy Forms:	
	Amendment of Policy Provisions - Florida	ASI PUP FL SP 10 20
	Premises Liability	ASI PUP 005 09 99
	Auto Liability Exclusion - Florida	ASI PUP FL ALE 10 20
	Public Or Livery Conveyance Exclusion - Florida	ASI PUP FL PCE 10 20

Personal Umbrella Liability Policy



Savil & Pratt


DL 98 01 06 98

	<u>Required Retained Limits</u> (Does not apply for Premises Only Liability policies)
	\$250,000 / \$500,000 / \$100,000 or \$300,000 CSL for policies with any drivers age 22-79
	\$500,000 / \$500,000 / \$500,000 or \$500,000 CSL for policies with any drivers 21 and younger or 80 and older *
ll Automobiles	and Motorhomes Requesting UM Coverage:
	Required Retained Limits
	UM: \$250,000 / \$500,000 / \$100,000 or \$300,000 CSL for policies with any drivers age 22-79
	UM: \$500,000 / \$500,000 / \$500,000 or \$500,000 CSL for policies with any drivers 21 and younger or 80 and older
Comprehensive !	Personal Liability, Homeowners, or Farm Comprehensive Personal Liability:
-	Required Retained Limits
	\$300,000
Dogidantial D 4	al Duan autics Covered Under the Dwelling Fire Deliay for 1.4 Femily Decidences
<u>cesidential Rent</u>	al Properties Covered Under the Dwelling Fire Policy for 1-4 Family Residences:
	Required Retained Limits
	\$300,000
Personal Iniury	
ersonal Injury	Coverage Endorsed to the Homeowners Policy (whenever available):
Personal Injury	Coverage Endorsed to the Homeowners Policy (whenever available): <u>Required Retained Limits</u> (Does not apply for Premises Only Liability policies)
<u>Personal Injury</u>	Coverage Endorsed to the Homeowners Policy (whenever available):
	Coverage Endorsed to the Homeowners Policy (whenever available): <u>Required Retained Limits</u> (Does not apply for Premises Only Liability policies)
	Coverage Endorsed to the Homeowners Policy (whenever available): <u>Required Retained Limits</u> (Does not apply for Premises Only Liability policies) \$300,000
	Coverage Endorsed to the Homeowners Policy (whenever available): <u>Required Retained Limits</u> (Does not apply for Premises Only Liability policies) \$300,000 Vehicles Including Golf Carts, Utility Vehicles, Trail Bikes or Other Vehicles Not Required to be Licensed:
All Recreational	Coverage Endorsed to the Homeowners Policy (whenever available): Required Retained Limits (Does not apply for Premises Only Liability policies) \$300,000 Vehicles Including Golf Carts, Utility Vehicles, Trail Bikes or Other Vehicles Not Required to be Licensed: Required Retained Limits (Does not apply for Premises Only Liability policies)
	Coverage Endorsed to the Homeowners Policy (whenever available): Required Retained Limits (Does not apply for Premises Only Liability policies) \$300,000 Vehicles Including Golf Carts, Utility Vehicles, Trail Bikes or Other Vehicles Not Required to be Licensed: Required Retained Limits (Does not apply for Premises Only Liability policies) \$250,000 / \$500,000 / \$100,000 or \$300,000 CSL
All Recreational	Coverage Endorsed to the Homeowners Policy (whenever available): Required Retained Limits (Does not apply for Premises Only Liability policies) \$300,000 Vehicles Including Golf Carts, Utility Vehicles, Trail Bikes or Other Vehicles Not Required to be Licensed: Required Retained Limits (Does not apply for Premises Only Liability policies) \$250,000 / \$500,000 / \$100,000 or \$300,000 CSL Required Retained Limits (Does not apply for Premises Only Liability policies) \$250,000 / \$500,000 / \$100,000 or \$300,000 CSL
All Recreational	Coverage Endorsed to the Homeowners Policy (whenever available): Required Retained Limits (Does not apply for Premises Only Liability policies) \$300,000 Vehicles Including Golf Carts, Utility Vehicles, Trail Bikes or Other Vehicles Not Required to be Licensed: Required Retained Limits (Does not apply for Premises Only Liability policies) \$250,000 / \$500,000 / \$100,000 or \$300,000 CSL
All Recreational Watercraft:	Coverage Endorsed to the Homeowners Policy (whenever available): Required Retained Limits (Does not apply for Premises Only Liability policies) \$300,000 Vehicles Including Golf Carts, Utility Vehicles, Trail Bikes or Other Vehicles Not Required to be Licensed: Required Retained Limits (Does not apply for Premises Only Liability policies) \$250,000 / \$500,000 / \$100,000 or \$300,000 CSL Required Retained Limits (Does not apply for Premises Only Liability policies) \$250,000 / \$500,000 / \$100,000 or \$300,000 CSL


Automobiles			
Make	Model		
N/A	N/A		
Motorcycles and Mopeds			
Make N/A	<u>Model</u> N/A		
Watercraft			
<u>Make</u>	<u>Model</u>	Length (ft)	<u>MPH</u>
N/A	N/A	N/A	N/A
Golf Carts, Utility Vehicles or Rec	reational Vehicles		
Make	Model		
N/A	N/A		
<u>Motorhomes</u>			
Make	Model		
N/A	N/A		

٦






SHEET NUMBER		2
	3/4"	FMC OR PVC
	3/4"	R LFMC IN ATTIC
SHEET SIZE	NA	N/A
SHEEL NAME	SIZE	CONDUIT TYPE
ີ∥ທ ≸∣		
HAROLD PO JR RESIDE 1234 NE 42NI OCALA, FL 3		A) A)
NCE	SUPPLY SIDE INTERCONNECTION AT MAIN SERVICE PANEL PER ART. 705.11	SUPPLY SI INTERCON MAIN SERV PER ART. 7
	(E) MAIN SERVICE PANEL,SQUARE D-HOM 200A RATED, 240V	(E) MAIN S PANEL,SQI 200A RATE
	(E) MAIN BREAKER TO HOUSE 240V, 200A/2P	0 (E) MAIN E HOUSE 24
Reviewed and approved Richard Pantel, P.E. FL Lic. 073222 07/02/2024	Tional netrer 1, 3-W	TO UTILITY GRID
AL 05	L IF OTHER DISCONNECT. DPS SHOULD BE SUPPORTS.	EDULE OPTIONAL IF OTHER N 5' OF SERVICE DISCONNEC IGHT ON ROOFTOPS SHOULD JSING CONDUIT SUPPORTS.
REVISIONS DESCRIPTION DATE REV		AL DIAGRAM REPRESENT WIRE
EVOLUTION POWER 13550 VILLAGE PARK DR SUITE 325, ORLANDO, FL 32837	TING HAT IS	90.47(B)] R-LESS TYPE. DR SPLICED TO TEM CONNECT CORRECTED P
	on the date adjacent to the set signature must be verified on E CONDUCTORS . ED TO BE ED TO BE VDING ELECTRODES	rd Pantel, P.E. on the date adjacent sealed and the signature must be ve ELECTRODE CONDUCTORS. BE PERMITTED TO BE 50.54.GROUNDING ELECTROD 50.54.GROUNDING ELECTROD



<page-header><image/> Numerical Structure Nu</page-header>	croinverters per branch in your area.	equirements to define the number of mi	by the utility. (4) Limits may vary. Refer to local r	installations only.	IQ88P-DS-0002-01-EN-US-2022-03-17
<text><image/> Numerican Numerican Numerican Numerican Numerican Numerican Numerican Numerican Numerican Numirican Numirican <</text>	pid Shufdown of PV Systems, for AC and DC con m/module-compatibility and-d havend nominal if required	690.12 and CZ2.1-2018 Rule 64-218 Ra manufacturer's instructions. Ity calculator at https://link.enphase.co	 No enforced DC/AC ratio. See the compatibility Maximum continuous from DC our set is 10 for 	ed with IQ System Controller supports split phase, 240V	2022 Enphase Energy. All rights reserved. Enphase, the Enphase logo, IQ8 Microinverters, and other mes are trademarks of Enphase Energy. Inc. Data subject to change.
<page-header> Number of the state of the state</page-header>	hut Down Equipment and conforms with NEC 201	This product is UL Listed as PV Rapid S			
Not the interaction of the i	.1741/IEEE1547, FCC Part 15 Class B, ICES-0003 (CA Rule 21 (UL 1741-SA), UL 62109-1, UL	CUMPLIANCE	Meets CA Rule 21 (UL 1741-SA) requirements	
Numerican service servi	NEMA Type 6 / outdoor		Environ. category / UV exposure rating	 configurable to support a wide range of grid profiles 	
Numerican Numerican <t< td=""><td>double-insulated, corrosion resistant polymeric e</td><td>Class II</td><td>Enclosure</td><td>Conference la test grid requirements</td><td></td></t<>	double-insulated, corrosion resistant polymeric e	Class II	Enclosure	Conference la test grid requirements	
Image: State	PD3		Pollution degree	Remote automatic updates for	SAFETY
Numerican strate state state strate	Yes		Approved for wet locations	advanced grid support**	
Image: Section of the sectio	Natural convection - no fans		Cooling	 Complies with the latest 	9
Numerican consistence of the state	212 mm (8.3") x 175 mm (6.9") x 30.2 mm (1.2")		Dimensions (HxWxD)	Microarid-forming	
Image: State	MC4		DC Connector type	powered PV modules	
Image: State	4% to 100% (condensing)		Relative humidity range	Optimized for the latest high-	
Example Example <t< td=""><td>-40°C to +60°C (-40°F to +140°F)</td><td></td><td>Ambient temperature range</td><td>Class II double-Insulated enclosure</td><td></td></t<>	-40°C to +60°C (-40°F to +140°F)		Ambient temperature range	Class II double-Insulated enclosure	
Image: Section of the sectio	e		consumption	hours of testing	year limited
Easy to interal light productivity and roliability end dia comparison (EC) between components (EC) betw	3	97		More than one million cumulative	27
Easy to install (I) (I) (I) (I) (I) (I) (I) (I) (I) (I)		97.5		grid is down*	Enphase
Image: Section with simple the communication (SC) protection (SC) Image: SC) (SC)	0.85 leading - 0.85 lagging		Grid-tied power factor (adjustable)	Decluce power such when the	
Easy to install plucibular and compact with plucibular play connectors province ading the Communication province ading the Communication province ading power by connectors plucibular plucibular province ading province ading	10				iergy systems.
Prover line Communication Power line	30 "			two-wire cabling	onm technology with high speed digital logic and has super-fast response times changing loads and grid events, alleviating constraints on battery sizing for home
Prover the communication Prover the prove the prover the prove t	= 23		Overvoltage class AC port	Faster installation with simple	icroinverter to operate in grid-tied or off-grid modes. This chip is built in advanced
Expression bigg-p-play connectors Expression bigg-play Expression bigg-pla	\n.	6	Max units per 20 A (L-L) branch circuit ⁴	 Power Line Communication (PLC) between components 	our proprietary application-specific integrated circuit (ASIC) which enables the
Stand IOS+ Microinverters Same Interventer Same Interventer Same Interventer 1 Interventer Same Interventer Same Interventer Same Interventer Same Interventer	2			plug-n-play connectors	fined microinverters with split-phase power conversion capability to convert DC
Number Numer Number Number	50 - 68			I instant and compact with	ur newest IOR Microinverters are the industry's first microarid-forming software-
Image: Description of the second s	60				Q8 and IQ8+ Microinverters
Image: Notice Production of the pro		1.0			
Image: State Stat	240 / 211 - 264				
Image: State of the state		240			
Image: Notice of the sector		245	-		
Image: Section 1 Image: Section 1 <td< td=""><td>a DC side protection required; AC side protection</td><td>1x1 Ungrounded array; No addition</td><td>PV array configuration output data (ac)</td><td></td><td></td></td<>	a DC side protection required; AC side protection	1x1 Ungrounded array; No addition	PV array configuration output data (ac)		
Image: Section 1000 Control 1000 Contro	0				WARNING
Image: State of the state	. =		t		A the standard s
Image: Section 1000 control 10000 control 1000 control 1000 control 1000 contr	15				
Image: State of the state		50			
Importance Importance Importance I		30 / 48		I	
ICA AND ICA MICROINVERTERS					
ICA AND ICA MICROINVERTERS		27 - 57			
ICA AND ICA MICTOINVETERS		60-cell/120 half-	Module compatibility		
INVERSE. IN TOTAL OF A DECEMBER OF A DECEMBE		235 - 350	module pairings ¹		
ENPHASE.		108-60-2-US	INPUT DATA (DC)		
		oinverters	IQ8 and IQ8+ Micro	DATA SHEET	ENPHASE.

Class B, CAN/CSA-C22.2 NO. 107.1-01 14, NEC 2017, and NEC 2020 section ductors, when installed according to IC8SP-DS-0002-01-EN-US-2022-03-17	enclosure	97.6	ü	n requires max 204 per branch circuit Iosptus: 72-2-us 300 290 1.21	50 60	108PLUS-72-2-US 235 - 440 81 66-cell/132 half-cell and 72-cell/144
DRAWN BY: T.D. REVIEWED BY: B.C. REVISIONS	INVERTER SPECS	SEAL This hern has been digitally signed and sealed by Charl Widup, PE on Sep 10, 2223 using a by Charl Widup, PE. NO. 60002 Charl Widup, PE. NO. 60002 Primed copies of this document are not considered signed and saided and the SHA authenciation code much be vehilded and the SHA	Digitally signed by Chad E Widup Date: 2023.10.12 15:55:26 -04'00'	Chad E Widup	HAROLD POLLOCK JR 1234 NE 42ND AVE OCALA FL 34470	T H E F U T U R E O F E R E R G Y 13550 VILLAGE PARK DR UNIT 325 ORLANDO FL 32837 (407) 470-1551 LICENSE NO: EC13012016

	Provide the result of the r
United Renewable Energy Co., Ltd. Copyright © 2021 URE Corp. All rights reserved uRECO_US_	<section-header><section-header><section-header><image/><image/><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header>




OCCURACIONS and Ratings NSpecifications and Ratings um Voltage: 1,000 Volts um Current: JB-1.2: 80 Amps; JB-1.XL: 12 be Wire: 14 AWG – 6 AWG g: Please maintain a spacing of at least ½ g: Please maintain a spacing of at least ½ log Please maintain a spacing of at least ½ log Please maintain a spacing of at least ½ log Please maintain a spacing of at least ½ log Please maintain a spacing of at least ½ log Please maintain a spacing of at least ½ log Please maintain a spacing of at least ½ or Pass-Through Fitting Size: 1" to Operating Conditions: (-35°C) - (+75°C) ance: ance: JB-1.2: UL1741, CSA C22.2 No. 290; J Approved wire connectors: must conform Marking: Interek Symbol and File #5019 cond same size, Torque Loads and Rat Cond same size to conductor Cond same size to conductor Cond same size to conductor I cond same size to conductor I cond samg to 22 awg to 220 <td col<="" th=""><th>Triple Purposition Constructions Specifications and Ratings Maximum Voltage: 1.000 Volts Maximum Voltage: 1.000 Volts Maximum Voltage: 1.000 Volts Maximum Current: Us-1.2: 80 Amps: Maximum Current: Us-1.2: 80 Amps: Specification Specification</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>•</th><th>•</th><th>•</th><th>•</th><th>•</th><th>•</th><th></th><th>•</th><th>•</th><th>•</th><th>•</th><th>A. Sy</th><th>making solar simple.</th></td>	<th>Triple Purposition Constructions Specifications and Ratings Maximum Voltage: 1.000 Volts Maximum Voltage: 1.000 Volts Maximum Voltage: 1.000 Volts Maximum Current: Us-1.2: 80 Amps: Maximum Current: Us-1.2: 80 Amps: Specification Specification</th> <th></th> <th>•</th> <th>•</th> <th>•</th> <th>•</th> <th>•</th> <th>•</th> <th></th> <th>•</th> <th>•</th> <th>•</th> <th>•</th> <th>A. Sy</th> <th>making solar simple.</th>	Triple Purposition Constructions Specifications and Ratings Maximum Voltage: 1.000 Volts Maximum Voltage: 1.000 Volts Maximum Voltage: 1.000 Volts Maximum Current: Us-1.2: 80 Amps: Maximum Current: Us-1.2: 80 Amps: Specification																						•	•	•	•	•	•		•	•	•	•	A. Sy	making solar simple.
Lictor v v v v v v v v v v v v v v v v v v v	Li 12 IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	თ	ω	14-10	kcmi	Wire ei	Table 2: Min	Brumall 4-	ESP NG-7	ESP NG-5	Dottie DR	WAGO, 22	Ideal, In-S	Ideal 451	Ideal 452	ABB ZS16	ABB ZS10	ABB ZS6 1		between comp	System Markin	- JB-1.2 - Appro	Compliance:	Ambient Opera	Max Floor Pas	Max Side Wall	Roof Slope Ra	Enclosure Rati	conduit, armon			Mavimum Curr	Maximum Volta	/stem Spec	ar simple.	
Lictor v v v v v v v v v v v v v v v v v v v	Li 12 IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	(13.3)	(8.4)	(2.1-5.3)	(mm2)		imum wire-bend	5,3	.17	ω	C75	21-612	UTE Pat #39	Yellow Wire connector		terminal block	terminal block	terminal block		onents, comp	ig: Interek Sy	ved wire conr		ting Conditio	s-Through Fit	Fitting Size: 1	nge: 2.5 – 12	ng: Type 3R	ed cable, and			ont: IR-1 3. 8	age: 1,000 Vo	fications		
Lictor v v v v v v v v v v v v v v v v v v v	Li 12 IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	50.8	38.1	Not Sp	mm		ling space	10-14 a	10-14 a	10-14 a	6-12 av	10-20 a	10-14 8	10-18 a	8-18 a	4-24 av	6-24 a	10-24 a	1 Condu	onents ti	mbol an	A C22.2		าร: (-35°(ting Size	" "	:12		uninsula	AVVG		η Δmne.	lts	and R		
Lictor v v v v v v v v v v v v v v v v v v v	Lictor v v v v v v v v v v v v v v v v v v v	(2)	(1-1/2)	pecified	(inch)	•	for con	ВМ	g vg	i yg	ñ ğ	M M M M M M M M M M M M M M M M M M M	IWG	twg	× v	g	ВM	βŴ		hat are		nust co	2	0) - (+)	 1,				ated liv	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00-1.	R		ating		
Specifican nction Box for Composition/Asphalt Specifican nction Box for Composition/Asphalt Specifican and fittings posite polarity.	Specification Sp					Wires pe	iductors throu					10-24 awg	16-04 0000			10-20 awg	12-20 awg	16-24 awg	2 Conductor) found to be	#5019942	onform to U	i	75°C)					e parts of of			VI - 120 Amr		S	PV Ju	
Specifical Specification Spe	Specification (Specification Specification S				ch)	er termi	gh a wa	Sol/Str	Sol/Str	Sol/Str	Sol/Str	Sol/Str	Sol/Str	Sol/Str	Sol/Str	Sol/Str	Sol/Str	Sol/Str	,) affect		.: UL1/ _1741,	Ĩ						oposite	5	ŭ	ก้			nction	
Specifica Specifica Specifica Specifica Set-Torque cov set-Torque	Specification Specification Specification Specification Sector Specification Structures for the replaced immediately.			L		nal (pole)	II opposite					Self-Torque	Self-Torque	Self-Torque		1.6-2.4	1.0-1.6			ents, ious	-	CSA C2							polarity.						Box for (
Specifica Specifica Ion/Asphalt S 290 290 290 290 290 290 290 290 290 290	Lion/Asphalt Shingle				ch)		terminals	8 5	: 8 t	ћ 8 а		Self-Torque	Self-Torque	Self-Torque	Self-Tornue	14.6-21.24	8.85-14.16) be repla	-	2.2 No. 2							u iive pai						Composi	
fittings fit	Cification S children phalt Shingle phalt Shingle	ı		ı.	-		in mm	200	2000	2000				600V		_		600V	Ŧ	aced in		290 290							ls allu	4)) 5)					Spe ion/As	
	s for thingle				nch)		(inches)	90	V	×		30 amp	20 200		ou amp	50 amp	40 amp	30 amp		any cr Imedia									- Intrinity						cifica	

Enphase	
Q	
Cable	
Accessories	

CONDUCTOR SPECIFICATIONS				
Certification	UL3003 (raw cable), UL 97	UL3003 (raw cable), UL 9703 (cable assemblies), DG cable	cable	
Flame test rating	FT4			
Compliance	RoHS, OIL RES I, CE, UV R	RoHS, OIL RES I, CE, UV Resistant, combined UL for Canada and United States	Canada and United States	
Conductor type	THHN/THWN-2 dry/wet			
Disconnecting means	The AC and DC bulkhead connec disconnect required by NEC 690	connectors have been eva EC 690.	The AC and DC bulkhead connectors have been evaluated and approved by UL for use as the load-break disconnect required by NEC 690.	or use as the load-break
Q CABLE TYPES / ORDERING OPTIONS	SNOL			
Connectorized Models	Size / Max Nominal Voltage	ge Connector Spacing	PV Module Orientation	Connector Count per Box
Q-12-10-240	12 AWG / 277 VAC	1.3 m (4.2 ft)	Portrait	240
Q-12-17-240	12 AWG / 277 VAC	2.0 m (6.5 ft)	Landscape (60-cell)	240
Q-12-20-200	12 AWG / 277 VAC	2.3 m (7.5 ft)	Landscape (72-cell)	200
ENPHASE Q CABLE ACCESSORIES	S			
Name	Model Number	Description		
Raw Q Cable	Q-12-RAW-300	300 meters of 12 AWG	300 meters of 12 AWG cable with no connectors	
Field-wireable connector (male)	Q-CONN-10M	Make connections from any open connector	m any open connector	
Field-wireable connector (female)	Q-CONN-10F	Make connections fro	Make connections from any Q Cable open connector	tor
Cable Clip	Q-CLIP-100	Used to fasten cabling	Used to fasten cabling to the racking or to secure looped cabling	looped cabling
Disconnect tool	Q-DISC-10	Disconnect tool for Q C	Disconnect tool for Q Cable connectors, DC connectors, and AC module mount	tors, and AC module mount
Q Cable sealing caps (female)	Q-SEAL-10	One needed to cover e	One needed to cover each unused connector on the cabling	ne cabling
Terminator	Q-TERM-10	Terminator cap for unused cable ends	used cable ends	
Enphase EN4 to MC4 adaptor ¹	ECA-EN4-S22	Connect PV module u: SOLARLOK). 150mm,	Connect PV module using MC4 connectors to IQ micros with EN4 (TE PV4-S SOLARLOK). 150mm/5.9" to MC4.	nicros with EN4 (TE PV4-S
Enphase EN4 non-terminated adaptor ¹	ECA-EN4-FW	For field wiring of UL c non-terminated cable.	For field wiring of UL certified DC connectors. EN4 (TE PV4-S SOLARLOK) to non-terminated cable. 150mm/5.9"	4 (TE PV4-S SOLARLOK) to
Enphase EN4 to MC4 adaptor (long) ¹	ECA-EN4-S22-L	Longer adapter cable cell modules or PV mc	Longer adapter cable for EN4 (TE PV4-S SOLARLOK) to MC4. Use with split cell modules or PV modules with short DC cable. 600mm/23.6*	OK) to MC4. Use with split 600mm/23.6"
Replacement DC Adaptor (MC4)	Q-DCC-2	DC adaptor to MC4 (max voltage 100 VDC)	ax voltage 100 VDC)	

1. Qualified per UL subject 9703.



SEALING CAPS Sealing caps for unused aggregator and cable connections (Q-BA-CAP-10 and Q-SEAL-10)

SPECIFICATIONS

SHEETS

CABLE CLIP Used to fasten cabling to the racking or to secure looped cabling, sold in packs of one hundred (Q-CLIP-100)

REVIEWED BY:

<u>T.D.</u>

DRAWN BY:

To learn more about Enphase offerings, visit enphase.com

© 2020 Enphase Energy. All rights reserved. Enphase, the Enphase logo, Enphase IQ 7A, Enphase IQ Battery, Enphase Enlighten, Enphase IQ Envoy, and other trademarks or service names are the trademarks of Enphase Energy, Inc. Data subject to change. 2020-06-26

ENPHASE

A

REVISIONS

SPECS

4		
15		
+		
D		

13550 VILLAGE PARK DR UNIT 325 ORLANDO FL 32837 (407) 470-1551 LICENSE NO: EC13012016

EVOLUTION POWER

HAROLD POLLOCK JR 1234 NE 42ND AVE OCALA FL 34470

Widup Digitally signed by Chad E Widup Date: 2023.10.12

Chad E

5:55:45 -04'00'

STATE OF

Chad Widup, P.E. NO. 60302 39905 Grays Airport Road Lady Lake, FL 32159

Printed copies of this document are not considered signed and sealed and the SHA authentication code must be verified on any electronic copies.

SIGNATURE

CHAD WID

This item has been digitally signed and sealed by Chad Widup, PE on Sep 10, 2023 using a Digital Signature.

No. 60302

DocuSian

Certificate Of Completion

Envelope Id: DCA18FDF3C1247C1894988B126CBB66B Subject: FOR SIGNATURES-Net Metering Agreement_ Harold Pollock (ELE/240858) Source Envelope: Document Pages: 27 Signatures: 5 Certificate Pages: 5 Initials: 0 AutoNav: Enabled Envelopeld Stamping: Enabled Time Zone: (UTC-05:00) Eastern Time (US & Canada)

Record Tracking

Status: Original 7/5/2024 2:28:59 PM Security Appliance Status: Connected Storage Appliance Status: Connected

Signer Events

William E. Sexton wsexton@ocalafl.org **City Attorney** City of Ocala Security Level: Email, Account Authentication (None)

Electronic Record and Signature Disclosure: Not Offered via DocuSign

Janice Mitchell jmitchell@Ocalafl.org CFO City of Ocala Security Level: Email, Account Authentication (None)

Electronic Record and Signature Disclosure: Accepted: 7/10/2024 8:42:49 AM

ID: cd4064fb-412c-49a3-9f0c-52be4cc3790e

Chris Gowder

chris.gowder@fmpa.com Security Level: Email, Account Authentication (None)

Electronic Record and Signature Disclosure: Accepted: 7/10/2024 10:14:30 AM

ID: b7e7834d-c325-41a1-919e-e976f55e1b4d

Holder: April Adolf aadolf@ocalafl.gov Pool: StateLocal Pool: City of Ocala - Procurement & Contracting

Signature

DocuSigned by: William E. Sexton B07DCFC4E86E429.

Signature Adoption: Pre-selected Style Using IP Address: 216.255.240.104

DocuSigned by: Janice Mitchell 55198B43858A4E1..

Signature Adoption: Pre-selected Style Using IP Address: 216.255.240.104

Sent: 7/8/2024 12:02:15 PM Viewed: 7/10/2024 8:42:49 AM Signed: 7/10/2024 8:43:42 AM

Sent: 7/10/2024 8:43:44 AM Viewed: 7/10/2024 10:14:30 AM Signed: 7/10/2024 10:14:43 AM

In Person Signer Events	Signature	Timestamp
Editor Delivery Events	Status	Timestamp
Agent Delivery Events	Status	Timestamp
Intermediary Delivery Events	Status	Timestamp

Status: Completed

Envelope Originator: April Adolf 110 SE Watula Avenue City Hall, Third Floor Ocala, FL 34471 aadolf@ocalafl.gov IP Address: 216.255.240.104

Location: DocuSign

Location: DocuSign

Timestamp

Sent: 7/5/2024 2:58:19 PM Viewed: 7/8/2024 12:01:05 PM Signed: 7/8/2024 12:02:13 PM

DocuSigned by: han l 087F58EBB34B474...

Signature Adoption: Uploaded Signature Image Using IP Address: 38.77.131.2

Certified Delivery Events	Status	Timestamp
Carbon Copy Events	Status	Timestamp
Witness Events	Signature	Timestamp
Notary Events	Signature	Timestamp
Envelope Summary Events	Status	Timestamps
Envelope Summary Events Envelope Sent	Status Hashed/Encrypted	Timestamps 7/5/2024 2:58:20 PM
		•
Envelope Sent	Hashed/Encrypted	7/5/2024 2:58:20 PM
Envelope Sent Certified Delivered	Hashed/Encrypted Security Checked	7/5/2024 2:58:20 PM 7/10/2024 10:14:30 AM
Envelope Sent Certified Delivered Signing Complete	Hashed/Encrypted Security Checked Security Checked	7/5/2024 2:58:20 PM 7/10/2024 10:14:30 AM 7/10/2024 10:14:43 AM

ELECTRONIC RECORD AND SIGNATURE DISCLOSURE

From time to time, City of Ocala - Procurement & Contracting (we, us or Company) may be required by law to provide to you certain written notices or disclosures. Described below are the terms and conditions for providing to you such notices and disclosures electronically through the DocuSign system. Please read the information below carefully and thoroughly, and if you can access this information electronically to your satisfaction and agree to this Electronic Record and Signature Disclosure (ERSD), please confirm your agreement by selecting the check-box next to 'I agree to use electronic records and signatures' before clicking 'CONTINUE' within the DocuSign system.

Getting paper copies

At any time, you may request from us a paper copy of any record provided or made available electronically to you by us. You will have the ability to download and print documents we send to you through the DocuSign system during and immediately after the signing session and, if you elect to create a DocuSign account, you may access the documents for a limited period of time (usually 30 days) after such documents are first sent to you. After such time, if you wish for us to send you paper copies of any such documents from our office to you, you will be charged a \$0.00 per-page fee. You may request delivery of such paper copies from us by following the procedure described below.

Withdrawing your consent

If you decide to receive notices and disclosures from us electronically, you may at any time change your mind and tell us that thereafter you want to receive required notices and disclosures only in paper format. How you must inform us of your decision to receive future notices and disclosure in paper format and withdraw your consent to receive notices and disclosures electronically is described below.

Consequences of changing your mind

If you elect to receive required notices and disclosures only in paper format, it will slow the speed at which we can complete certain steps in transactions with you and delivering services to you because we will need first to send the required notices or disclosures to you in paper format, and then wait until we receive back from you your acknowledgment of your receipt of such paper notices or disclosures. Further, you will no longer be able to use the DocuSign system to receive required notices and consents electronically from us or to sign electronically documents from us.

All notices and disclosures will be sent to you electronically

Unless you tell us otherwise in accordance with the procedures described herein, we will provide electronically to you through the DocuSign system all required notices, disclosures, authorizations, acknowledgements, and other documents that are required to be provided or made available to you during the course of our relationship with you. To reduce the chance of you inadvertently not receiving any notice or disclosure, we prefer to provide all of the required notices and disclosures to you by the same method and to the same address that you have given us. Thus, you can receive all the disclosures and notices electronically or in paper format through the paper mail delivery system. If you do not agree with this process, please let us know as described below. Please also see the paragraph immediately above that describes the consequences of your electing not to receive delivery of the notices and disclosures electronically from us.

How to contact City of Ocala - Procurement & Contracting:

You may contact us to let us know of your changes as to how we may contact you electronically, to request paper copies of certain information from us, and to withdraw your prior consent to receive notices and disclosures electronically as follows: To contact us by email send messages to: contracts@ocalafl.org

To advise City of Ocala - Procurement & Contracting of your new email address

To let us know of a change in your email address where we should send notices and disclosures electronically to you, you must send an email message to us at contracts@ocalafl.org and in the body of such request you must state: your previous email address, your new email address. We do not require any other information from you to change your email address.

If you created a DocuSign account, you may update it with your new email address through your account preferences.

To request paper copies from City of Ocala - Procurement & Contracting

To request delivery from us of paper copies of the notices and disclosures previously provided by us to you electronically, you must send us an email to contracts@ocalafl.org and in the body of such request you must state your email address, full name, mailing address, and telephone number. We will bill you for any fees at that time, if any.

To withdraw your consent with City of Ocala - Procurement & Contracting

To inform us that you no longer wish to receive future notices and disclosures in electronic format you may:

i. decline to sign a document from within your signing session, and on the subsequent page, select the check-box indicating you wish to withdraw your consent, or you may;

ii. send us an email to contracts@ocalafl.org and in the body of such request you must state your email, full name, mailing address, and telephone number. We do not need any other information from you to withdraw consent.. The consequences of your withdrawing consent for online documents will be that transactions may take a longer time to process..

Required hardware and software

The minimum system requirements for using the DocuSign system may change over time. The current system requirements are found here: <u>https://support.docusign.com/guides/signer-guide-signing-system-requirements</u>.

Acknowledging your access and consent to receive and sign documents electronically

To confirm to us that you can access this information electronically, which will be similar to other electronic notices and disclosures that we will provide to you, please confirm that you have read this ERSD, and (i) that you are able to print on paper or electronically save this ERSD for your future reference and access; or (ii) that you are able to email this ERSD to an email address where you will be able to print on paper or save it for your future reference and access. Further, if you consent to receiving notices and disclosures exclusively in electronic format as described herein, then select the check-box next to 'I agree to use electronic records and signatures' before clicking 'CONTINUE' within the DocuSign system.

By selecting the check-box next to 'I agree to use electronic records and signatures', you confirm that:

- You can access and read this Electronic Record and Signature Disclosure; and
- You can print on paper this Electronic Record and Signature Disclosure, or save or send this Electronic Record and Disclosure to a location where you can print it, for future reference and access; and
- Until or unless you notify City of Ocala Procurement & Contracting as described above, you consent to receive exclusively through electronic means all notices, disclosures, authorizations, acknowledgements, and other documents that are required to be provided or made available to you by City of Ocala Procurement & Contracting during the course of your relationship with City of Ocala Procurement & Contracting.