

CONTRACT PLANS COMPONENTS

ROADWAY
SIGNING AND PAVEMENT MARKING

INDEX OF ROADWAY PLANS

SHEET NO.	SHEET DESCRIPTION
1	KEY SHEET
2 - 3	TYPICAL SECTIONS
4 - 6	PROJECT CONTROL
7	GENERAL NOTES
8 - 29	ROADWAY PLANS
30	TRAFFIC MONITORING SITE
31 - 35	SPECIAL DETAILS
36 - 41	TEMPORARY TRAFFIC CONTROL PLANS
42 - 61	UTILITY ADJUSTMENTS

GOVERNING STANDARD PLANS:

Florida Department of Transportation, FY2025-26 Standard Plans for Road and Bridge Construction and applicable Interim Revisions (IRs).

Standard Plans for Road Construction and associated IRs are available at the following website: <http://www.fdot.gov/design/standardplans>

APPLICABLE IRs: N/A

GOVERNING STANDARD SPECIFICATIONS:

Florida Department of Transportation, FY 2025-26 Standard Specifications for Road and Bridge Construction at the following website: <http://www.fdot.gov/programmanagement/Implemented/SpecBooks>

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

ROADWAY PLANS

FINANCIAL PROJECT ID 450952-1-52-01

MARION COUNTY (36080)

STATE ROAD NO. 40 (E. SILVER SPRINGS BLVD)
MILLING AND RESURFACING FROM US 441 TO 25TH AVENUE

PROJECT LOCATION URL: <https://tinyurl.com/yc8rzrtp>



PROJECT LIMITS: BEGIN MP 0.000 – END MP 2.356

EXCEPTIONS: NONE

BRIDGE LIMITS: NONE

RAILROAD CROSSING: #627200U MP 0.318

THIS PROJECT TO BE LET TO CONTRACT
WITH FINANCIAL PROJECT ID(S):
450948-1-52-01, 450951-1-52-01



THIS ITEM HAS BEEN DIGITALLY
SIGNED AND SEALED BY

ON THE DATE ADJACENT TO THE SEAL

PRINTED COPIES OF THIS DOCUMENT ARE
NOT CONSIDERED SIGNED AND SEALED
AND THE SIGNATURE MUST BE VERIFIED
ON ANY ELECTRONIC COPIES.

ROADWAY PLANS
ENGINEER OF RECORD:


JASON M. SMITH, P.E.
P.E. LICENSE NUMBER 84309
SRD, INC.
17425 BRIDGE HILL COURT SUITE 200
TAMPA, FL 33647
813-621-3250
CONTRACT NO.: CAN41
VENDOR NO.: 65-1080679

FDOT PROJECT MANAGER:

RANDALL TURNER

PHASE II SUBMITTAL
MAY 29, 2024

CONSTRUCTION CONTRACT NO.	FISCAL YEAR	SHEET NO.
XXXXXX	26	1



TYPICAL SECTION
SR 40
STA. 1000+96.95 TO STA. 1019+06.49

MILLING MAINLINE
STA. 1000+96.95 TO STA. 1019+06.49
MILL EXISTING ASPHALT PAVEMENT (3" FOR DEPTH)

MILLING TURN LANES & SIDE STREETS*
STA. 1000+96.95 TO STA. 1019+06.49
MILL EXISTING ASPHALT PAVEMENT (1 1/2" FOR DEPTH)

RESURFACING MAINLINE
STA. 1000+96.95 TO STA. 1019+06.49
TYPE SP STRUCTURAL COURSE (TRAFFIC C) (1 1/2")
FRICTION COURSE FC-12.5 (TRAFFIC C) (1 1/2") (PG 76-22)


RESURFACING TURN LANES & SIDE STREETS*
STA. 1000+96.95 TO STA. 1019+06.49
FRICTION COURSE FC-12.5 (TRAFFIC C) (1 1/2") (PG 76-22)

* WESTBOUND TURN LANES FROM STA. 1000+96.95
TO STA. 1004+93.10 ARE TO BE MILLED &
RESURFACED USING THE MAINLINE DESIGN

TRAFFIC DATA

CURRENT YEAR = 2024 AADT = 29200
ESTIMATED OPENING YEAR = 2026 AADT = 29800
ESTIMATED DESIGN YEAR = 2046 AADT = 35600
K = 9.0% D = 50.0% T = 5.59% (24 HOUR)
DESIGN HOUR T = 2.8%
DESIGN SPEED = 35 MPH
CONTEXT CLASSIFICATION: C4

REVISIONS				ENGINEER OF RECORD	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			TYPICAL SECTIONS (1)	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
				JASON SMITH, P.E. LICENSE NUMBER: 84309 SRD, INC. 17425 BRIDGE HILL COURT, SUITE 200 TAMPA, FL 33647	SR 40	MARION	450952-1-52-01		2



TYPICAL SECTION
SR 40
STA. 1019+06.49 TO STA. 1124+39.67

MILLING MAINLINE
STA. 1019+06.49 TO STA. 1124+39.67
MILL EXISTING ASPHALT PAVEMENT (3" FOR DEPTH)

MILLING TURN LANES & SIDE STREETS
STA. 1019+06.49 TO STA. 1022+66.53
MILL EXISTING ASPHALT PAVEMENT (1 1/2" FOR DEPTH)

MILLING RIGHT TURN LANES & SIDE STREETS
STA. 1022+66.53 TO STA. 1124+39.67
MILL EXISTING ASPHALT PAVEMENT (1 1/2" FOR DEPTH)

RESURFACING MAINLINE
STA. 1019+06.49 TO STA. 1124+39.67
TYPE SP STRUCTURAL COURSE (TRAFFIC C) (1 1/2")
FRICTION COURSE FC-12.5 (TRAFFIC C) (1 1/2") (PG 76-22)

RESURFACING TURN LANES & SIDE STREETS
STA. 1019+06.49 TO STA. 1022+66.53
FRICTION COURSE FC-12.5 (TRAFFIC C) (1 1/2") (PG 76-22)

RESURFACING RIGHT TURN LANES & SIDE STREETS
STA. 1022+66.53 TO STA. 1124+39.67
FRICTION COURSE FC-12.5 (TRAFFIC C) (1 1/2") (PG 76-22)


TRAFFIC DATA

CURRENT YEAR = 2024 AADT = 29200
ESTIMATED OPENING YEAR = 2026 AADT = 29800
ESTIMATED DESIGN YEAR = 2046 AADT = 35600
K = 9.0% D = 50.0% T = 5.59% (24 HOUR)
DESIGN HOUR T = 2.8%
DESIGN SPEED = 35 MPH (STA 1019+06.49-1024+81.60)
= 40 MPH (STA 1024+81.60-1042+76.80)
= 45 MPH (STA 1042+76.80-1124+39.67)
CONTEXT CLASSIFICATION: C4 (STA 1019+06.49-1118+79.99)
C3C (STA 1118+79.99-1124+39.67)

MILLING TWO-WAY LEFT TURN LANE
AND LEFT TURN LANES
STA. 1022+66.53 TO STA. 1124+39.67
MILL EXISTING ASPHALT PAVEMENT (2" FOR DEPTH)

RESURFACING TWO-WAY LEFT TURN LANE
AND LEFT TURN LANES
STA. 1022+66.53 TO STA. 1124+39.67
FRICTION COURSE FC-12.5 (TRAFFIC C) (2") (PG 76-22)

REVISIONS				ENGINEER OF RECORD		STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			TYPICAL SECTIONS (2)	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION	JASON SMITH, P.E. LICENSE NUMBER: 84309 SRD, INC. 17425 BRIDGE HILL COURT, SUITE 200 TAMPA, FL 33647		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
						SR 40	MARION	450952-1-52-01		3



HORIZONTAL AND VERTICAL CONTROL

1. ANY PROJECT CONTROL MONUMENT WITHIN THE LIMITS OF CONSTRUCTION IS TO BE PROTECTED. IF A MONUMENT IS IN DANGER OF BEING DESTROYED THE PROJECT ADMINISTRATOR SHOULD NOTIFY THE DISTRICT SURVEYOR AND MAPPER, WITHOUT DELAY, BY TELEPHONE AT (386) 943-5115 OR BY E-MAIL AT nicholas.campanile@dot.state.fl.us.

2. THE SECONDARY HORIZONTAL CONTROL POINTS FOR THIS PROJECT ARE RELATIVE TO THE FLORIDA STATE PLANE COORDINATE SYSTEM, EAST ZONE, 1983 NORTH AMERICAN DATUM, 2011 ADJUSTMENT, AS ESTABLISHED FROM FLORIDA PERMANENT REFERENCE NETWORK CONTINUOUS OPERATING REFERENCE STATIONS DELAND, DUNNELLON, WYSONG DAM, GAINESVILLE, OCALA AND PALATKA.

3. THE VERTICAL CONTROL DATA SHOWN HEREON IS BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988, AS ESTABLISHED FROM NATIONAL GEODETIC SURVEY BENCHMARK U423 AND FROM FLORIDA DEPARTMENT OF TRANSPORTATION VERTICAL CONTROL POINTS NGAR1923-2009, 61301006-2007 AND 61302006.

4. HORIZONTAL POSITION INFORMATION FOR VERTICAL CONTROL, IF SHOWN TO THE NEAREST FOOT FOR COORDINATE (X AND Y) POSITIONS AND NEAREST TENTH OF A SECOND FOR LATITUDE AND LONGITUDE, ARE FOR RECON PURPOSES ONLY AND ARE NOT INTENDED FOR USE AS HORIZONTAL CONTROL.

5. DATA AS SHOWN HEREON IS EXPRESSED IN ENGLISH UNITS.


6. CENTERLINE OF CONSTRUCTION FOR STATE ROAD 40 WAS PROVIDED BY SRD, INC. AND HAS NOT BEEN STAKED OR REFERENCED IN THE FIELD.
- LEGEND**

 - = VERTICAL CONTROL POINT
 - = HORIZONTAL CONTROL POINT
 - △ = HORIZONTAL & VERTICAL CONTROL POINT
 - ○ = $\varnothing$ SURVEY CONTROL POINTS

POINT ID	C/L STATION SR 40	OFFSET	ELEV. (Z)	DESCRIPTION / "STAMPING"	NORTHING (Y)	EASTING (X)	LATITUDE	LONGITUDE	SCALE FACTOR
GPS1	991+53.48	857.14' RT	N/A	5/8" IRC "FDOT TRAV PT LB 6556"	1764229.2196	610514.5309	N/A	N/A	N/A
GPS2	1001+05.33	34.29' LT	N/A	5/8" IRC "FDOT TRAV PT LB 6556"	1764387.8954	611468.1255	N/A	N/A	N/A
BM1	1002+12	43' LT	70.34'	N&D "GEODATA LB 6556 BENCHMARK"	1764395	611575	N/A	N/A	N/A
BM2	1008+59	37' RT	89.74'	N&D "GEODATA LB 6556 BENCHMARK"	1764286	612220	N/A	N/A	N/A
GA1	1010+20.79	7.95' RT	N/A	5/8" IRC "FDOT TRAV PT LB 6556"	1764313.3542	612381.9879	N/A	N/A	N/A
BM3	1018+99	60' RT	91.20'	N&D "GEODATA LB 6556 BENCHMARK"	1764279	613262	N/A	N/A	N/A
GA2	1019+31.55	40.98' RT	N/A	5/8" IRC "FDOT TRAV PT LB 6556"	1764298.5678	613292.1676	N/A	N/A	N/A
BM4	1028+56	42' LT	99.39'	N&D "GEODATA LB 6556 BENCHMARK"	1764372	614217	N/A	N/A	N/A
GA3	1029+17.82	31.56' LT	N/A	5/8" IRC "FDOT TRAV PT LB 6556"	1764361.2881	614278.2454	N/A	N/A	N/A
GA4	1038+55.73	41.24' LT	N/A	5/8" IRC "FDOT TRAV PT LB 6556"	1764361.5726	615216.1943	N/A	N/A	N/A
BM5	1038+91	52' LT	119.61'	N&D "GEODATA LB 6556 BENCHMARK"	1764372	615251	N/A	N/A	N/A
BM6	1046+65	43' RT	129.31'	N&D "GEODATA LB 6556 BENCHMARK"	1764271	616025	N/A	N/A	N/A
GPS3	1047+24.29	34.65' RT	N/A	5/8" IRC "FDOT TRAV PT LB 6556"	1764279.2611	616084.2557	N/A	N/A	N/A

REVISIONS				ENGINEER OF RECORD		STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			PROJECT CONTROL (1)	SHEET NO.
DATE	DESCRIPTION		DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
				JASON SMITH, P.E. LICENSE NUMBER: 84309 SRD, INC. 17425 BRIDGE HILL COURT, SUITE 200 TAMPA, FL 33647		SR 40	MARION	450952-1-52-01		4

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



HORIZONTAL AND VERTICAL CONTROL

1. ANY PROJECT CONTROL MONUMENT WITHIN THE LIMITS OF CONSTRUCTION IS TO BE PROTECTED. IF A MONUMENT IS IN DANGER OF BEING DESTROYED THE PROJECT ADMINISTRATOR SHOULD NOTIFY THE DISTRICT SURVEYOR AND MAPPER, WITHOUT DELAY, BY TELEPHONE AT (386) 943-5115 OR BY E-MAIL AT nicholas.campanile@dot.state.fl.us.

2. THE SECONDARY HORIZONTAL CONTROL POINTS FOR THIS PROJECT ARE RELATIVE TO THE FLORIDA STATE PLANE COORDINATE SYSTEM, EAST ZONE, 1983 NORTH AMERICAN DATUM, 2011 ADJUSTMENT, AS ESTABLISHED FROM FLORIDA PERMANENT REFERENCE NETWORK CONTINUOUS OPERATING REFERENCE STATIONS DELAND, DUNNELLON, WYSONG DAM, GAINESVILLE, OCALA AND PALATKA.

3. THE VERTICAL CONTROL DATA SHOWN HEREON IS BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988, AS ESTABLISHED FROM NATIONAL GEODETIC SURVEY BENCHMARK U423 AND FROM FLORIDA DEPARTMENT OF TRANSPORTATION VERTICAL CONTROL POINTS NGAR1923-2009, 61301006-2007 AND 61302006.

4. HORIZONTAL POSITION INFORMATION FOR VERTICAL CONTROL, IF SHOWN TO THE NEAREST FOOT FOR COORDINATE (X AND Y) POSITIONS AND NEAREST TENTH OF A SECOND FOR LATITUDE AND LONGITUDE, ARE FOR RECON PURPOSES ONLY AND ARE NOT INTENDED FOR USE AS HORIZONTAL CONTROL.

5. DATA AS SHOWN HEREON IS EXPRESSED IN ENGLISH UNITS.

6. CENTERLINE OF CONSTRUCTION FOR STATE ROAD 40 WAS PROVIDED BY SRD, INC. AND HAS NOT BEEN STAKED OR REFERENCED IN THE FIELD.
- LEGEND

 - = VERTICAL CONTROL POINT
 - = HORIZONTAL CONTROL POINT
 - Δ = HORIZONTAL & VERTICAL CONTROL POINT
 - ○ = CL SURVEY CONTROL POINTS

POINT ID	C/L STATION SR 40	OFFSET	ELEV. (Z)	DESCRIPTION / "STAMPING"	NORTHING (Y)	EASTING (X)	LATITUDE	LONGITUDE	SCALE FACTOR
GPS4	1058+29.35	32.52' LT	N/A	5/8" IRC "FDOT TRAV PT LB 6556"	1764338.6367	617189.6045	N/A	N/A	N/A
BM7	1058+79	44' LT	122.87'	N&D "GEODATA LB 6556 BENCHMARK"	1764350	617239	N/A	N/A	N/A
BM8	1067+47	44' LT	128.81'	N&D "GEODATA LB 6556 BENCHMARK"	1764343	618107	N/A	N/A	N/A
GA5	1067+88.64	33.33' LT	N/A	5/8" IRC "FDOT TRAV PT LB 6556"	1764331.9919	618148.8720	N/A	N/A	N/A
U423	1075+80	42' LT	133.56'	NGS VERTICAL CONTROL DISK SET IN TOP OF CM "U 423 1994"	1764333	618939	29 11 13.5	82 07 00.0	N/A
GA6	1077+40.40	35.48' LT	N/A	5/8" IRC "FDOT TRAV PT LB 6556"	1764326.2781	619100.7607	N/A	N/A	N/A
BM9	1078+23	56' LT	135.08'	N&D "GEODATA LB 6556 BENCHMARK"	1764346	619184	N/A	N/A	N/A
GPS5	1085+34.35	35.00' LT	N/A	5/8" IRC "FDOT TRAV PT LB 6556"	1764316.2542	619894.6496	N/A	N/A	N/A
BM10	1085+87	50' LT	129.90'	N&D "GEODATA LB 6556 BENCHMARK"	1764330	619948	N/A	N/A	N/A
BM11	1093+40	89' LT	109.64'	N&D "GEODATA LB 6556 BENCHMARK"	1764361	620701	N/A	N/A	N/A
GPS6	1093+47.85	35.27' LT	N/A	5/8" IRC "FDOT TRAV PT LB 6556"	1764306.7539	620708.0909	N/A	N/A	N/A
GA7	1101+65.52	35.50' LT	N/A	5/8" IRC "FDOT TRAV PT LB 6556"	1764297.1483	621525.7128	N/A	N/A	N/A
BM12	1102+63	51' LT	102.56'	N&D "GEODATA LB 6556 BENCHMARK"	1764312	621623	N/A	N/A	N/A

REVISIONS				ENGINEER OF RECORD		STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			PROJECT CONTROL (2)	SHEET NO.
DATE	DESCRIPTION		DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
				JASON SMITH, P.E. LICENSE NUMBER: 84309 SRD, INC. 17425 BRIDGE HILL COURT, SUITE 200 TAMPA, FL 33647		SR 40	MARION	450952-1-52-01		5

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

GENERAL NOTES
=====

1. BENCHMARK ELEVATIONS SHOWN ON THE PLANS ARE BASED ON NAVD88 DATUM.
2. ALL SURVEY INFORMATION WAS OBTAINED FROM A LICENSED FLORIDA PROFESSIONAL SURVEYOR AND MAPPER AND UTILIZED AS SUPPORTING DATA IN THE PRODUCTION OF DESIGN PLANS AND FOR CONSTRUCTION ON SUBJECT PROJECT. THE PROFESSIONAL SURVEYOR AND MAPPER OF RECORD IS:

CHRISTOPHER J. LEFTAKIS, P.S.M.
P.S.M. NO: 6556
GEODATA CONSULTANTS, INC.
1349 S. INTERNATIONAL PARKWAY, STE. 2401
LAKE MARY, FL 32746
LICENSED BUSINESS NO: 6556
3. START WORK NOTIFICATIONS:

ROB BALMES, OCALA/MARION COUNTY, TPO DIRECTOR (352) 438-2630 ROB.BALMES@MARIONFL.ORG
STEVEN NEAL, TRANSIT MANAGER (352) 629-8286 SNEAL@OCALAFL.GOV
4. THE LOCATIONS OF THE UTILITIES SHOWN IN THE PLANS (INCLUDING THOSE DESIGNATED Vv, Vh, AND Vvh) ARE BASED ON LIMITED INVESTIGATION TECHNIQUES AND SHOULD BE CONSIDERED APPROXIMATE ONLY. THE VERIFIED LOCATIONS/ELEVATIONS APPLY ONLY AT THE POINTS SHOWN. INTERPOLATIONS BETWEEN THESE POINTS HAVE NOT BEEN VERIFIED.
5. UTILITY/AGENCY OWNERS; COMPANY CONTACT TELEPHONE NUMBERS

AT&T DISTRIBUTION LUISMER MENDOZA (786) 635-4840
AT&T TRANSMISSION GREG JACOBSON (813) 342-0512
CENTURYLINK LEVEL 3 MICHAEL HUNT (716) 480-2073
CENTURYLINK LOCAL KURT JUDD (352) 326-1722
COX COMMUNICATIONS MATHEW BERRY (602) 859-8672
OCALA ELECTRIC UTILITY RANDY HAHN (352) 351-6638
CITY OF OCALA FIBER NETWORK OSHANE PARKER (352) 351-6772
CITY OF OCALA WATER AND SEWER SEAN LANIER (352) 351-6772
TECO PEOPLES GAS BRUCE STOUT (407) 420-2678
UNITI FIBER MICHAEL CHESSER (904) 506-7208
6. EXISTING CONCRETE DRAINAGE STRUCTURES MAY BE ENCOUNTERED DURING MILLING OPERATIONS AT STA. 1076+05.36 LT. AND STA. 1076+75.86 LT.
7. TWO PORTABLE TRAFFIC MONITORING SITES ARE WITHIN THE PROJECT LIMITS:

PORTABLE TRAFFIC MONITORING SITE NUMBER: 36-0491
RCI SECTION: 36080000
MILEPOST: 0.551
SITE INCLUDES VEHICLE DETECTORS IN ROADWAY, BASE MOUNTED CABINET, AND BURIED CABLE.

PORTABLE TRAFFIC MONITORING SITE NUMBER: 36-5005
RCI SECTION: 36080000
MILEPOST: 1.290
SITE INCLUDES VEHICLE DETECTORS IN ROADWAY, PEDESTAL MOUNTED CABINET, AND BURIED CABLE.

CONTACT D5 TRAFFIC OPS TWO WEEKS PRIOR TO CONSTRUCTION OF TRAFFIC MONITORING SITE.
D5 TRAFFIC OPS CONTACT: CHERYL BURKE (386) 943-5380

8. DURING MILLING OPERATIONS, BASE EXPOSURE MAY OCCUR AT CERTAIN LOCATIONS. THE LOCATIONS OF BASE EXPOSURE ARE AS FOLLOWS:

EB OUTSIDE LANE FROM STA. 1017+26.56 TO STA. 1025+13.28
WB OUTSIDE LANE FROM STA. 1039+54.72 TO STA. 1043+13.76
EB OUTSIDE LANE FROM STA. 1047+78.40 TO STA. 1055+22.88
EB/WB INSIDE LANES FROM STA. 1078+67.20 TO STA. 1090+55.20
WB OUTSIDE LANE FROM STA. 1097.57+44 TO STA. 1106+49.76

PHASE II NOTES FOR REVIEWERS
=====


1. A DESIGN VARIATION IS BEING PROCESSED FOR ADA CURB RAMP GRADE AND CROSS SLOPE.
2. COORDINATION WITH FLORIDA NORTHERN RAILROAD ONGOING FOR CROSSING 627200-U. FLAGGING OPERATION ANTICIPATED. NOTES TO BE ADDED PRIOR TO PHASE III.


REVISIONS				ENGINEER OF RECORD	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			GENERAL NOTES	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
				JASON SMITH, P.E. LICENSE NUMBER: 84309 SRD, INC. 17425 BRIDGE HILL COURT, SUITE 200 TAMPA, FL 33647	SR 40	MARION	450952-1-52-01	7	

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

GPS2


BM






REVISIONS				ENGINEER OF RECORD		STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			ROADWAY PLANS (10)	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION	JASON SMITH, P.E. LICENSE NUMBER: 84309 SRD, INC. 17425 BRIDGE HILL COURT, SUITE 200 TAMPA, FL 33647		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
						SR 40	MARION	450952-1-52-01		17


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.





<

<



1.5" MILLING & RESURFACING

2.0" MILLING & RESURFACING

3.0" MILLING & RESURFACING

DETECTABLE WARNING

6" CONCRETE

CR-#

SEE SPECIAL DETAILS

SOD / CLEAR & GRUB

REVISIONS				ENGINEER OF RECORD		STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			ROADWAY PLANS (19)	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION	JASON SMITH, P.E. LICENSE NUMBER: 84309 SRD, INC. 17425 BRIDGE HILL COURT, SUITE 200 TAMPA, FL 33647		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		26
						SR 40	MARION	450952-1-52-01		

<

