

Case Number ENV25-0229

City of Ocala

Description: ILLICIT DI	UILDING		Status: HEARING		
Type: ENVIRONMENTAL			Subtype: ILLICIT DISCHARGE		
Opened: 9/10/2025 Closed: L			ast Action: 11/13/2025 FIlw Up: 11/12/2025		
Site Address: 3405 SV	V COLLEGE RD OCALA, FL 3	447	74		
Site APN: 23790-001-00			Officer: JEFFREY GUILBAULT		
Details:					



ADDITIONAL SITES

LINKED CASES

	CHRONOLOGY										
CHRONOLOGY TYPE	STAFF NAME	ACTION DATE	COMPLETION DATE	NOTES							
ADMIN POSTING	SHANEKA GREENE	10/10/2025	10/10/2025	NOVPH							
CERTIFIED MAIL	SHANEKA GREENE	10/10/2025	10/10/2025	NOVPH MAILED 9489 0090 0027 6697 0020 88 CARRIAGE HILL INVESTMENTS LTD SCHNORR J PHILLIP (REGISTERED AGENT) 442 SW 54TH CT OCALA, FL. 34474-1893							
CONTACT	JEFFREY GUILBAULT	9/10/2025	9/10/2025	I made contact with the manager of Tony's Sushi and informed her of the discharge coming from the sewer system. She informed me they do not own the building but the will forward the pictures I took of the sewer and inform the landlord of the issue. CLTO being sent to the property owners.							
CONTACT	JEFFREY GUILBAULT	10/10/2025	10/10/2025	health department was called and i left a voicemail with Evan informing him of my findings.							

Case Number ENV25-0229

				I spoke to the property owner, Phillip Schhnorr, he informed me one of the tenants flushed to many feminine hygiene products down the toilet causing the illicit discharge to occur back in September. He hired a company to come snake the drain, and thought this was the only issue. I informed him in
CONTACT	JEFFREY GUILBAULT	10/24/2025	10/24/2025	September i see the discharge occurring and verified in October that the discharge was still occurring and was able to follow the discharge from the starting point to a private storm system, to a city storm system, and ending at a city drainage retention area (map of storm drain system is in case). He informed me today he thought the issue was fixed and that he will have a company come out and take a look at it again. I informed him as well since the discharge has indeed made it to the city storm systems that the violation is irreversible. He was understanding and apologetic for the incident occurring.
				561.248.1301
CONTACT	JEFFREY GUILBAULT	11/6/2025	11/6/2025	I made contact with the registered agent i informed him i verified the discharge has been stopped. I informed him since the discharge did make it into the city storm network that the case cannot be closed and the corrective action is irreversible. This information has been told to him before. So the case will still be presented in the code board next week. He informed me he cannot be present for the hearing. I informed him when i present the case i will provide all correspondence that has occurred since the start of the case. I also filled in stormwater on the case to ask someone to be present for the hearing.

Case Number ENV25-0229

				Subject: Tony's Sushi
EMAIL	JEFFREY GUILBAULT	9/10/2025	9/10/2025	All, We received a call about an overflow behind Tony's Sushi off SR200. We found what appears to be a sewer illicit discharge. It's concerning because the back of the property flows East to an inlet the eventually makes it's way to A City DRA. Can Jeffery take a look please. Thank you, Brian Herrick Stormwater Systems Manager City of Ocala – Public Works 1805 NE 30th Ave Bldg 300 Ocala, FI 34470 (352) 351-6733 bherrick@ocalafl.gov
EMAIL	JEFFREY GUILBAULT	10/24/2025	10/24/2025	ATTACHED EMAIL ON 10.24.25
EMAIL	JEFFREY GUILBAULT	11/6/2025	11/6/2025	Received email from the property owner in regards to BMPS being hired to clean and jet the lines that are overflowing. PER the attachment it states the lines have been cleared of all blockages. I will go by today to verify. Both the email and scope of work are attached to the case.
HEARING SPECIAL MAGISTRATE	YVETTE J GRILLO	11/13/2025		NEW BUSINESS
OFFICER POSTING	JEFFREY GUILBAULT	10/13/2025	10/13/2025	NOVPH READY FOR POSTING NOVPH POP AT 1000 ON SIGN. SIGN WAS POSTED TO THE LEFT OF THE SEWER THAT IS STILL DISCHARGING A PUNGENT LIQUID INTO CITY STORM DRAINS EVENTUALLY LEADING TO A CITY OWNED DRA.



Case Number ENV25-0229

PREPARE NOTICE	SHANEKA GREENE	9/10/2025	9/10/2025	ССТО
PREPARE NOTICE	SHANEKA GREENE	10/10/2025	10/10/2025	NOVPH SOONEST HEARING PLEASE
REGULAR MAIL	SHANEKA GREENE	9/10/2025	9/10/2025	CLTO MAILED
STAFF RECOMMENDATION	DALE HOLLINGSWORTH	10/31/2025	11/6/2025	Find the Respondent(s) guilty of violating city code section(s): 102-308 and order to: 1.) Immediately prohibit the discharge of any liquids, solids, or waters containing any wastewater, pollutants, or hazardous materials other than stormwater. 2.) Pay \$1,000 to the City of Ocala, assessed as a fine for the irreversible violation of section 102-308 by December 4th, 2025. 3.) Pay the cost of prosecution of \$219.21 by December 4th, 2025.

	CONTACTS									
NAME TYPE	NAME	ADDRESS	PHONE	FAX	EMAIL					
OWNER	CARRIAGE HILL INVESTMENTS LTD	442 SW 54TH CT OCALA, FL 34474-1893								
REGISTERED AGENT	SCHNORR, J. PHILLIP	442 SW 54th Court OCALA, FL 34474	(561)248-1301							
RESPONDENT 1	CARRIAGE HILL INVESTMENTS LTD	442 SW 54TH CT OCALA, FL 34474-1893								

	FINANCIAL INFORMATION									
DESCRIPTION ACCOUNT QTY AMOUNT PAID PAID DATE RECEIPT #							CHECK #	METHOD	PAID BY	CLTD BY
CERTIFIED POSTAGE	001-359-000-000-06- 35960	2	\$17.72	\$0.00						
CLERICAL AND CASEWORK TIME	001-359-000-000-06- 35960	6	\$132.00	\$0.00						



Case Number ENV25-0229

City of Ocala

DESCRIPTION	ACCOUNT	QTY	AMOUNT	PAID	PAID DATE	RECEIPT #	CHECK #	METHOD	PAID BY	CLTD BY
INSPECTION FEE	001-359-000-000-06- 35960	4	\$50.00	\$0.00						
RECORDING COSTS	001-359-000-000-06- 35960	1	\$18.75	\$0.00						
REGULAR POSTAGE	001-359-000-000-06- 35960	1	\$0.74	\$0.00						

Total Paid for CASE FEES: \$219.21

\$219.21

\$0.00

TOTALS:

\$0.00

INSPECTIONS										
INSPECTION TYPE	INSPECTOR	SCHEDULED DATE	COMPLETED DATE	RESULT	REMARKS	NOTES				
CASE WORK	JGB	10/13/2025	10/13/2025	NON COMPLIANT		NOVPH POP AT 1000 ON SIGN. SIGN WAS POSTED TO THE LEFT OF THE SEWER THAT IS STILL DISCHARGING A PUNGENT LIQUID INTO CITY STORM DRAINS EVENTUALLY LEADING TO A CITY OWNED DRA.				
FOLLOW UP	JGB	11/6/2025	11/6/2025	NON COMPLIANT		I verified today that the discharge has been stopped and that violation has been brought into compliance. However the discharge did make it to the city storm system and the case will still be presented in code board. REGISTERED AGENT HAS BEEN INFORMED and he let me know he cannot be in attendance for the hearing.				



Case Number ENV25-0229

FOLLOW UP	JGB	10/10/2025	10/10/2025	NON COMPLIANT		Today at 1105 I verified there is a fowl smell coming from the back of the shopping plaza. I also verified there is a cloudy substance flowing from the sewer into the city storm drains. I took a video to provide evidence of my findings. I will attach a copy of the storm drains system map, the video taken today and have office staff schedule this case for the soonest hearing. As of today i have not had contact with property owners of this property.
HEARING INSPECTION	JGB	11/12/2025				
INITIAL	JGB	9/10/2025	9/10/2025	NON COMPLIANT		I verified that the sewer system is overflowing. I noticed puddles around the sewer system and i also noticed what looks like pieces of toilet paper on the cover of the sewer system. I spoke with Brian Herrick, Stormwater Systems Manager, and he stated they were unable to determine if the discharge made it into the storm drains. I took some photos to show the area of the discharge and the storm drain that the discharge is closest too. CLTO sent to admin see photos. See chronology of emails from Stormwater.
				VIOLATI	ONS	
VIOLATION TYPE	USER NAME	OBSERVED DATE	CORRECTED DATE	LOCATION	REMARKS	NOTES
SECTION 102-308 ILLICIT DISCHARGE PROHIBITIONS AND EXCEPTIONS	JEFFREY GUILBAULT	10/10/2025				Verified that on 10.10.25 at 1100 there is a white substance with a fowl smell following from the septic man cover into a private storm system that flows into a city storm system that eventually leads to a city owned and maintained DRA. I am able to track the same substance in the storm boxes all the way to the DRA.

Case Number ENV25-0229

Section 102-312 Requirement to prevent, control and reduce stormwater pollutants	JEFFREY GUILBAULT	9/10/2025	11/6/2025		Sewer behind building is overflowing. Please maintenance the sewer system to prevent a illicit discharge into the city stormwater system. Please clean up any waste or items discharged from the sewer system. Verified the discharge has been stopped as of 11-6-25	
--	----------------------	-----------	-----------	--	---	--

BEFORE THE CODE ENFORCEMENT SPECIAL MAGISTRATE OCALA, MARION COUNTY, FLORIDA

THE CITY OF OCALA

CASE NO: ENV25-0229

Petitioner.

VS.

CARRIAGE HILL INVESTMENTS LTD

Respondents

1

AFFIDAVIT OF CASE PROSECUTION COSTS FSS. 162.07(2)

STATE OF FLORIDA COUNTY OF MARION

BEFORE ME, the undersigned authority, personally appeared, JEFFREY GUILBAULT, Code Inspector for the City of Ocala, who being duly sworn, deposes and says: Listed in exhibit below are the costs involved in the prosecution of the respondent(s) in this case.

1. Code Enfo	orcement Sp	ecial Magistrate H	learing:					
Attorney Fees	Cost	# of hour(s)	# of hour(s)					
2. Inspector	(s) Time:							
Inspection(s)	Cost \$12.50	# @ .5 hour(s 4)		Total: \$50.00			
3. Clerical &								
Clerical:	Cost \$22.00	# of hour(s) 6	# of hour(s)					
4. Recording	Cost(s): (i.e	. Lien(s) / Lien rel	ease(s) / Satisfa	ction, etc.)	\$132.00			
	Cost	# of page(s)	Addl. page(s)		Total:			
Fee(s):	\$18.75	1			\$18.75			
5. Copies of	Related Doci	ument(s):						
Clerical:	Cost	# of page(s)			Total:			
6. Postage C	ost(s):							
Postage:	Cost \$0.74	# of Regular 1	Cost \$17.72	# of Certified 2	\$17.72			

Total Costs: \$219.21

FURTHER. AFFIANT SAYETH NOT. Dated This: 11/6/2025

STATE OF FLORIDA **COUNTY OF MARION**

YGUILBAULT

Environmental Inspector, City of Ocala

The foregoing Affidavit of Case Prosecution Costs was acknowledged before me this: 6th day November 2025 by JEFFREY GUILBAULT who is personally known to me and who did take an oath.

Secretary and Notary Public, State of

Florida

YVETTE J. GRILLO Notary Public - State of Florida Commission # HH 335985
My Comm. Expires Mar 17, 2027
Bonded through National Notary Assn.

Jimmy H. Cowan, Jr., CFA

Marion County Property Appraiser



501 SE 25th Avenue, Ocala, FL 34471 Telephone: (352) 368-8300 Fax: (352) 368-8336

2025 Property Record Card

23790-001-00

GOOGLE Street View

Property Information

M.S.T.U. PC: 16

Acres: 2.97

CARRIAGE HILL INVESTMENTS LTD

442 SW 54TH CT

OCALA FL 34474-1893

Taxes / Assessments:
Map ID: 163

Millage: 1001 - OCALA

More Situs

Situs: 3405 SW COLLEGE RD ALL

Ex Codes:

UNITS OCALA

Current Property Value by Income

Land Just Value	N/A
Buildings	N/A
Miscellaneous	N/A
Total Just Value	\$3,240,492
Total Assessed Value	\$3,240,492
Exemptions	\$0

Exemptions \$0 Total Taxable \$3,240,492

History of Assessed Values

Year	Land Just	Building	Misc Value	Mkt/Just	Assessed Val	Exemptions	Taxable Val
2024	\$1,875,908	\$1,885,810	\$35,668	\$2,965,589	\$2,965,589	\$0	\$2,965,589
2023	\$1,875,908	\$1,966,150	\$35,716	\$2,936,668	\$2,936,668	\$0	\$2,936,668
2022	\$1,875,908	\$1,670,283	\$35,764	\$2,760,722	\$2,760,722	\$0	\$2,760,722

Property Transfer History

Book/Page	Date	Instrument	Code	Q/U	V/I	Price
2760/1263	02/2000	07 WARRANTY	0	U	I	\$100
1860/1162	08/1992	06 SPECIAL WARRANTY	9 UNVERIFIED	U	I	\$885,000
<u>1860/1156</u>	08/1992	05 QUIT CLAIM	0	U	I	\$100
1558/0570	01/1989	07 WARRANTY	4 V-APPRAISERS OPINION	Q	I	\$2,054,400
NA86/0752	02/1987	EI E I	0	U	V	\$417,585

Property Description

SEC 26 TWP 15 RGE 21

COM AT NLY COR LOT 27 BLK M COLLEGE PARK 2ND ADD TH

S 48-18-41 E 225 FT TH S 41-37-53 W 150 FT TH

S 48-23-07 E 175 FT TH S 41-07-55 W 237.61 FT TH

N 48-26-41 W 401.50 FT TH N 41-32-48 E 388.31 FT TO POB

Land Data - Warning: Verify Zoning

Use CUse Front Depth Zoning **Units Type** Rate Loc Shp Phy **Class Value** Just Value GCSF 1610 B2 129,373.00 SF 16.0000 1.00 1.00 1.00 2,069,968 .0 2,069,968 Neighborhood 9932 Total Land - Class \$2,069,968 Mkt: 2 70 Total Land - Just \$2,069,968

Traverse

Building 1 of 1

COM01=L268D20L50D51R7D20L13D203R38U15R37U174A315|29L26U20A45|20R20A135|20R247U64.D64

CAN02=L69D8R72U66L3D58.L70

CAN03=D8L77U8R77.L78

CAN04=D8L77U8R77.L79


CAN05=D8L68U8A45|20R20A135|20R10.L69D28R38D13R20

CAN06=A315|29A45|12A135|28D60L8U50.D51

CAN07=D76R8U76L8.D78

CAN08=D44L37D15L38D7R63A45|29U46L8.U162L3

CAN09=R8D22A315|11U14.



Building Characteristics

Structure 4 - MASONRY NO PILAST

Effective Age 5 - 20-24 YRS

Condition 4

Quality Grade 600 - AVERAGE **Inspected on** 1/28/2022 by 117

Year Built 1987 Physical Deterioration 0% Obsolescence: Functional 0% Obsolescence: Locational 0% Base Perimeter 1342

Exterior Wall 32 CONC BLK-STUCO

Section Wal	ll HeightS	torie	s Year Buil	Basement % G	round Flr Area Interior Finish		Sprinkl	er A/C
1	14.0	1.00	1987	0	34,238 M16 COMMUNITY SHOP CTR	97 %	N	Y
					M48 WAREHOUSE/DISTRIBUTE	3 %	N	Y
2	9.0	1.00	1987	0	750 CAN CANOPY-ATTACHD	100 %	N	N
3	9.0	1.00	1987	0	616 CAN CANOPY-ATTACHD	100 %	N	N
4	9.0	1.00	1987	0	616 CAN CANOPY-ATTACHD	100 %	N	N
5	9.0	1.00	1987	0	1,027 CAN CANOPY-ATTACHD	100 %	N	N
6	9.0	1.00	1987	0	779 CAN CANOPY-ATTACHD	100 %	N	N
7	9.0	1.00	1987	0	608 CAN CANOPY-ATTACHD	100 %	N	N
8	9.0	1.00	1987	0	1,433 CAN CANOPY-ATTACHD	100 %	N	N
9	9.0	1.00	1987	0	142 CAN CANOPY-ATTACHD	100 %	N	N

Section: 1

Elevator Shafts: 0 Aprtments: 0 Kitchens: 2 4 Fixture Baths: 0 2 Fixture Baths: 25 Elevator Landings: 0 Escalators: 0 Fireplaces: 0 3 Fixture Baths: 2 Extra Fixtures: 46

Miscellaneous Improvements

Туре	Nbr Units	Type	Life	Year In	Grade	Length	Width
144 PAVING ASPHALT	42,533.00	SF	5	1987	3	0.0	0.0
120 FENCE MASONRY	1,722.00	SF	50	1987	3	0.0	0.0
159 PAV CONCRETE	2,670.00	SF	20	1987	3	0.0	0.0
159 PAV CONCRETE	340.00	SF	20	1987	5	0.0	0.0
159 PAV CONCRETE	344.00	SF	20	2017	3	0.0	0.0
						Total Value -	- \$35,621

Appraiser Notes

COLOURS PLAZA AS OF10/22/2020

101-	REVOND	BRONZE	SUN	STDIO	& SPA	3-2FX 5X
101-	DLIOND	DIVOLVE	DUIN	σ	α or α	3 - 41 / 1 3/ 1

103- TONYS SUSHI......1-3FX 1-2FX X11 COL 96SF

105- LAKIS GREEK RESTAURANT.....2-2FX X=11

107- LAKIS GREEK RESTAURANT

109- METABOLIC WEIGHT LOSS.....2-2FX EST

111- VACANT......1-2FX EST

113- I.STERN & CO......1-2FX

201-LIFE TOUCH NATIONAL PHOTOGRAPHY......1-2FX

203- PRESTIGE PORTRAITS.....1-2FX

205- VACANT......1-2FX EST

207- TRI-COUNTY HEARING......1-2FX

209- ALPHA TEAM......3-2FX 2X

213- COCOS......1-2FX 5X

215- MODEL NAILS 2......1-2FX 3X

217- INCREDIBLE CUTZ......1-2FX 2X

219- ANNIE SEXY BROWS.....1-2FX

221- NEXT LEVEL1-2FX

225- NEXT LEVEL PERSONAL TRAINING STUDIO...1-2FX 1-3FX 1X 227- INDIA GROCERY......2-2FX 3X COL=84SF

Planning and Building
** Permit Search **

Date IssuedD		
8/15/2025		AUDIO NOVA SIGN
	7/15/2025	CARRIAGE HILL 2 HVAC CHG OUT
5/6/2025	-	CARRIAGE HVAC CHANGE OUT
10/29/2024	11/6/2024	TONYS SUSHI HVAC CHANGE OUT
9/8/2021	-	NEXT LEVEL STUDIO/ INT RENO
5/1/2019	5/28/2019	REPAIR/RENOVATION / 209&211
11/7/2018	-	ADD SHOWER / UNIT 225
5/4/2017	6/27/2017	PARKING LOT REPAIRS
12/20/2016	3/23/2017	UNIT 101
8/1/2016	-	UNIT 101 DEMO
5/31/2016	12/8/2016	INDIA GROCERY
8/4/2014	-	INT RENO #113
2/19/2014	-	RENO #203
4/10/2013	-	BANNER FEMME ADDICTION
9 2/19/2013	-	BANNERS ACCOUNTING OFFICE
	3/1/2012	COMPUTERIZED ACCOUNTING & TAX SPECIALIST INC 4/4/12 - 4/18/1
3/1/2012	3/1/2012	COMPUTERIZED ACCOUNTING & TAX SPECIALIST INC 3/5/12 - 3/19/1
3/1/2012	3/1/2012	COMPUTERIZED ACCOUNTING & TAX SPECIALIST INC 3/20/12 - 4/3/1
2/17/2012	2/17/2012	FEMME ADDICTION / BANNER / 2/18/12 - 3/3/12
7/13/2011	7/20/2011	FEMME ADDICTION / BANNER 7/23-8/6/11
5/18/2011	6/10/2011	CONSTRUCT 6 OFFICES/ STE #227
5/4/2011	-	REPAIR/RENOVATION STE#227
12/2/2010	12/2/2010	BANNER
7/30/2010	7/30/2010	PAGES OF THE MIND / TEMP BANNER 8/2-8/16/10
6/2/2010	6/2/2010	PAGES OF THE MIND / TEMP BANNER 6/17-6/30/10
8/19/2009	9/22/2009	INT. PARTITION
1/1/2007	-	GRID CEILING UNIT 219
12/1/2006	-	FIRE SUPPR 103
11/1/2006	12/1/2006	2 GRILLS AND HOOD 103
3/1/2005	4/1/2005	INT 205
4/1/2004	-	INT RENO 221
12/1/2003	-	INT. BUILDOUT
11/1/2003	-	INTERIOR RENO.
10/1/2003	-	CMRA
1/1/2002	-	LAKIS
11/1/2001	-	LAKIS RESTAURANT
10/1/2000	-	AT & T
10/1/1999	-	WEIGHT WATCHERS
1/1/1999	-	EQUITY ONE
12/1/1998	-	JAPANESE STEAKHOUSE
7/1/1998	-	POLLUTION CONTROL DEV.201
5/1/1998	-	SIGN-A-RAMA 221
7/1/1997	-	#219 HARDWOOD FLOOR
1/1/1997	-	CMRA
1/1/1997	-	MIKE'S PIZZERIA
2/1/1995	-	DELI-ITIOUS DELI
2/1/1995	-	CMRA
8/1/1994	-	BLDG01=CMRA
8/1/1994	-	BLDG01=CMRA
1/1/1994	-	BLDG01=CMRA
10/1/1993	-	BLDG01=CMRA
	8/15/2025 7/1/2025 5/6/2025 10/29/2024 9/8/2021 5/1/2019 11/7/2018 5/4/2017 12/20/2016 8/1/2016 5/31/2016 8/4/2014 2/19/2014 4/10/2013 9/2/19/2013 3/1/2012 3/1/2012 3/1/2012 3/1/2012 7/13/2011 5/18/2011 5/4/2011 12/2/2010 7/30/2010 6/2/2010 8/19/2009 1/1/2007 12/1/2006 11/1/2007 12/1/2006 11/1/2007 12/1/2006 11/1/2007 12/1/2006 11/1/2007 12/1/2007 12/1/2006 11/1/2007 12/1/2006 11/1/2007 12/1/2007 12/1/2006 11/1/2007 12/1/2008 11/1/2009 1/1/2009	7/1/2025

/25, 11:27 AM				MCPA Property	Record Card		
OC01735	10/1/1993	-	BLDG01=	:CMRA			
OC01622	10/1/1993	-	BLDG01=	:CMRA			
OC01280	8/1/1993	-	BLDG01=	:CMRA			
OC01160	7/1/1993	-	BLDG01=	:CMRA			
OC00156	2/1/1993	-	BLDG01=	CMRA			
OC01879	12/1/1992	-	BLDG01=	CMRA			
OC01817	11/1/1992	-	BLDG01=	CMRA			
OC01908	11/1/1991	-	INTERIO	R REMDL.			
OC01932	11/1/1990	-	ADD				
OC01713	10/1/1990	-	ADD				
OC01744	9/1/1989	-	REMODE	L			
OC00101	1/1/1987	-	ADD				
OC00087	1/1/1987	-	ADD				
OC00086	1/1/1987	-	ADD				
OC00088	1/1/1987	-	RESTUAI	RANT			
OC01791	11/1/1986	-	ADD				
OC00912	6/1/1986	-	ADD				
OC00665	4/1/1986	-	SH0PPING	G CENTER			
OC00529	4/1/1986	-	SHOPPIN	G CENTER			
			Cost	t Summary			
Buildings R.C.N.	\$3,	106,590	1/31/2022				
Total Depreciation	(\$1,1	49,438)					
Bldg - Just Value		957,152		Bldg Nbr	RCN	Depreciation	Depreciated
Misc - Just Value		\$35,621	10/27/2017	1	\$3,106,590	(\$1,149,438)	\$1,957,152
Land - Just Value	\$2,0	069,968	1/3/2019				
Total Just Value		062,741					



Department of State / Division of Corporations / Search Records / Search by Entity Name /

Detail by Entity Name

Florida Limited Partnership CARRIAGE HILL INVESTMENTS, LTD.

Filing Information

 Document Number
 A99000002093

 FEI/EIN Number
 65-0969740

 Date Filed
 12/15/1999

State FL

Status ACTIVE

Principal Address
442 S.W. 54th Court

Ocala, FL 34474

Changed: 03/17/2014

Mailing Address

442 S.W. 54th Court Ocala, FL 34474

Changed: 03/17/2014

Registered Agent Name & Address

SCHNORR, J. PHILLIP 442 S.W. 54th Court Ocala, FL 34474

Address Changed: 03/17/2014

General Partner Detail

Name & Address

Document Number P99000108124

CARRIAGE HILL INVESTMENTS, INC. 442 S.W. 54th Court

Ocala, FL 34474

Annual Reports

Report Year Filed Date 2023 04/27/2023

2024 04/19/2024 2025 04/24/2025

Document Images

Document images	
04/24/2025 ANNUAL REPORT	View image in PDF format
04/19/2024 ANNUAL REPORT	View image in PDF format
04/27/2023 ANNUAL REPORT	View image in PDF format
04/06/2022 ANNUAL REPORT	View image in PDF format
03/11/2021 ANNUAL REPORT	View image in PDF format
03/25/2020 ANNUAL REPORT	View image in PDF format
02/14/2019 ANNUAL REPORT	View image in PDF format
03/19/2018 ANNUAL REPORT	View image in PDF format
03/27/2017 ANNUAL REPORT	View image in PDF format
01/21/2016 ANNUAL REPORT	View image in PDF format
02/25/2015 ANNUAL REPORT	View image in PDF format
03/17/2014 ANNUAL REPORT	View image in PDF format
04/29/2013 ANNUAL REPORT	View image in PDF format
04/30/2012 ANNUAL REPORT	View image in PDF format
02/21/2011 ANNUAL REPORT	View image in PDF format
04/30/2010 ANNUAL REPORT	View image in PDF format
03/26/2009 ANNUAL REPORT	View image in PDF format
01/16/2008 ANNUAL REPORT	View image in PDF format
03/29/2007 ANNUAL REPORT	View image in PDF format
02/27/2006 ANNUAL REPORT	View image in PDF format
04/18/2005 ANNUAL REPORT	View image in PDF format
03/15/2004 ANNUAL REPORT	View image in PDF format
04/02/2003 ANNUAL REPORT	View image in PDF format
03/18/2002 ANNUAL REPORT	View image in PDF format
02/21/2001 ANNUAL REPORT	View image in PDF format
04/13/2000 ANNUAL REPORT	View image in PDF format
12/15/1999 Domestic LP	View image in PDF format

Florida Department of State, Division of Corporations

GROWTH MANAGEMENT DEPARTMENT CODE ENFORCEMENT DIVISION 201 SE 3RD STREET (2ND FLOOR) OCALA, FL 34471

9/10/2025 CASE NO: ENV25-0229

CARRIAGE HILL INVESTMENTS LTD SCHNORR J PHILLIP (REGISTERED AGENT) 442 SW 54TH CT OCALA, FL. 34474-1893

RE: 23790-001-00 | 3405 SW COLLEGE RD

Dear Property Owner:

Many times, homeowners and business owners are unaware of violations of the City of Ocala's Code of Ordinances existing on their property. A complaint has been reported to, or a violation was personally observed by a City of Ocala Code Enforcement Officer on the referenced property listed above. Please review the violations and how to abate them as follows:

Compliance Requested on or before: 10/03/2025

Violations:

Section 102-312. - Requirement to prevent, control and reduce stormwater pollutants

Sewer behind building is overflowing. Please maintenance the sewer system to prevent a illicit discharge into the city stormwater system. Please clean up any waste or items discharged from the sewer system.

Our goal is to assist you in becoming compliant with City Code. The City of Ocala Code Enforcement believes a reasonable time to correct the above violation(s) would be by the date indicated. Should the violation(s) continue beyond the time specified for correction, the case may proceed to the Code Board/Special Magistrate for a hearing.

You may contact the officer assigned as indicated below. We appreciate all your efforts to help the City of Ocala, and our division in keeping Ocala a clean and safe place to live.

JEFFREY GUILBAULT, Code Enforcement Officer 352-598-7571 jguilbault@ocalafl.gov



City of Ocala

GROWTH MANAGEMENT DEPARTMENT CODE ENFORCEMENT DIVISION ENVIRONMENTAL ENFORCEMENT DIVISION 201 SE 3rd STREET (2nd floor) OCALA, FLORIDA 34471

NOTICE OF VIOLATION AND PUBLIC HEARING

10/13/2025

CARRIAGE HILL INVESTMENTS LTD SCHNORR J PHILLIP (REGISTERED AGENT) 442 SW 54TH CT OCALA, FL. 34474-1893

Respondent(s)	/
1 (Capolidelitta)	1

Location of Violation: 3405 SW COLLEGE RD|23790-001-00

Case Number: ENV25-0229

Officer Assigned: Jeff Guilbault

Required Compliance Date: 10/10/2025

Public Hearing Date & Time: 11/13/2025 17:30

Violation(s) and How to Abate:

Section 102-312. - Requirement to prevent, control and reduce stormwater pollutants Sewer behind building is overflowing. Please maintenance the sewer system to prevent a illicit discharge into the city stormwater system. Please clean up any waste or items discharged from the sewer system.

SECTION 102-308 ILLICIT DISCHARGE PROHIBITIONS AND EXCEPTIONS Verified that on 10.10.25 at 1100 there is a white substance with a fowl smell following from the septic man cover into a private storm system that flows into a city storm system that eventually leads to a city owned and maintained DRA. I am able to track the same substance in the storm boxes all the way to the DRA.

Dear property owner, or agent,

You are hereby notified that the above listed violation(s) exists relating to the City of Ocala Code of Ordinances.

This correspondence will serve as notification that the above stated violation(s) must be corrected by the date indicated. IT SHALL BE THE RESPONSIBILITY OF YOU, THE RESPONDENT, TO REQUEST A RE-INSPECTION TO VERIFY COMPLIANCE ON, OR BEFORE THIS DATE. If you, the respondent, fails to verify compliance on or before the aforementioned date, or if the code enforcement officer elects to proceed to a public hearing even after compliance is met, the public hearing will be conducted on the date at time indicated at:

City of Ocala - City Hall – 2nd Floor (Council Chambers) 110 SE Watula Avenue Ocala, FL 34471

The Municipal Code Enforcement Board/Special Magistrate has the authority to levy fines up to \$250 per day for a first violation and up to \$500 per day for a repeat violation, and to levy a lien on the real and personal property of the violator(s). A cost of prosecution will be levied in this case pursuant to Florida Statutes section 162.07(2).

You are entitled to be represented by counsel, present testimony, and evidence, and to testify on your behalf. Subpoenas for witnesses and for records, surveys, plats, and other materials may be requested and will be issued by this Board/ Special Magistrate through the office of the City Clerk of the City of Ocala, Florida. If you should decide to appeal any decision made by this Code Enforcement Board/Special Magistrate with respect to any matter considered at this meeting, you will need a record of the proceedings, and that, for such purpose, you may need to ensure that a verbatim record of the proceedings is made, on which the appeal is to be based.

IF SPECIAL ACCOMMODATIONS ARE NEEDED FOR YOU TO ATTEND OR PARTICIPATE IN THIS MEETING, PLEASE CALL 48 HOURS IN ADVANCE SO ARRANGEMENTS CAN BE MADE. PLEASE CALL THE SECRETARY OF THE MUNICIPAL CODE ENFORCEMENT BOARD/SPECIAL MAGISTRATE AT (352) 629-8309 TO MAKE SPECIAL ARRANGEMENTS.

For further information regarding your code enforcement case, you may contact the person assigned to your case by email or telephone below:

Jeff Guilbault Environmental Enforcement Officer jguilbault@ocalafl.gov
352-598-7571

CITY OF OCALA GROWTH MANAGEMENT DEPARTMENT CODE ENFORCEMENT DIVISION ENVIRONMENTAL ENFORCEMENT DIVISION 201 SE 3rd STREET (2nd floor), OCALA, FLORIDA 34471

CASE NO: ENV25-0229

AFFIDAVIT OF POSTING

Section 2-446 (b) 2 (b)

STATE OF FLORIDA COUNTY OF MARION

COUN	TY OF MA	RION						
	•	•	• •	onally appeared, _ uly sworn, deposes			, for the Code Enforcemen	t
1.	l did on 3405 SV	10/13/2025 W COLLEGE R	•	e of Violation & Pub	lic Hearing to _	the property	/, located at	
2.	This Affic	davit is provid	ed pursuant to Se	ection 2-446(b) 2(b)), Code of Ordina	ances of the C	City of Ocala.	
FURTI	HER, AFFI	ANT SAYETI	I NAUGHT.		1	10/13/2025 Mariental Enforcer	— ment Officer	
STATE	OF FLOI	RIDA						

STATE OF FLORIDA MARION COUNTY

SWORN TO (or affirmed) before me: 10/13/2025 by Shaneka Greene Code Enforcement Specialist, City of Ocala, who is personally known to me.

Notary Public, State of Florida

SHANEKA GREENE
Notary Public - State of Florida
Commission # HH 692333
My Comm. Expires Jun 26, 2029
Bonded through National Notary Assn.



November 10, 2025

Dear CityofOcala CodeEnforcement:

The following is in response to your request for proof of delivery on your item with the tracking number: **9489 0090 0027 6697 0020 88**.

Item Details

Status: Delivered, Front Desk/Reception/Mail Room

Status Date / Time: October 20, 2025, 1:22 pm

Location:OCALA, FL 34474Postal Product:First-Class Mail®Extra Services:Certified Mail™

Return Receipt Electronic

Shipment Details

Weight: 0.7oz

Recipient Signature

Signature of Recipient:

Address of Recipient:

Note: Scanned image may reflect a different destination address due to Intended Recipient's delivery instructions on file.

Thank you for selecting the United States Postal Service® for your mailing needs. If you require additional assistance, please contact your local Post Office™ or a Postal representative at 1-800-222-1811.

Sincerely, United States Postal Service® 475 L'Enfant Plaza SW Washington, D.C. 20260-0004



Balanced Mechanical and Plumbing Services 1865 NE Jacksonville Road Ocala, FL 34470 352-351-5560

BILL TO RCV Properties 1238 SE 19th St Ocala, FL 34471 USA

INVOICE 20181

11/4/2025

JOB ADDRESS
Colours Plaza Carriage Hill Investments

3405 SW College Rd.
Ocala , FL 34474 USA

Completed Date 11/4/2025
Customer PO #
Payment Term Due Upon Receipt
Due Date 11/4/2025

PAID 11/06/25

DESCRIPTION OF WORK

Emergency after hours call.

Balanced Mechanical and Plumbing Services (BMPS) was called out on 9-16-2025 regarding sewage overflowing from the manhole behind the plaza. Once on site, BMPS addressed the issue and began utilizing the k60 sewer machine from one manhole to the other. The line was cleared after multiple attempt but found the other manhole further down the line was filling up but draining slowly. PMPS will return during normal business hours to bring the Jetter and jet the main line.

.9-2025 BMPS returned to jet and camera the line. Once on site, BMPS utilized the Jetter for approximately 100 feet down the line. After jetting the line, a camera was run through the line to check for any blockages or issues with the sewer line. However, no issues were found. BMPS left the site with no blockages.

DESCRIPTION	QTY	PRICE	TOTAL
Overtime rate for Plumber 9/16 TV	2.00	\$165.00	\$330.00
K60 Sewer Machine	1.00	\$90.00	\$90.00
Overtime rate for Plumber 9/16 RG	2.00	\$165.00	\$330.00
Sewer Jetter Machine	1.00	\$250.00	\$250.00
Sewer Camera Machine	1.00	\$150.00	\$150.00
Labor Plumber 9/19 TV	2.00	\$110.00	\$220.00
Labor Plumber 9/19 RG	2.00	\$110.00	\$220.00
Labor Plumber Apprentice 9/19 GM	2.00	\$70.00	\$140.00

SUB-TOTAL LABOR SUB-TOTAL MATERIALS

\$1,240.00

DTAL \$1,730 X 0% \$1,730 DUE \$1,730 DUE \$1,730	80.00 80.00 80.00
X 0% \$1,730 DUE \$1,730 DUE \$1,730	80.00 80.00 80.00
DUE \$1,730 DUE \$1,730	80.00 80.00
DUE \$1,730	0.00
DUE \$1,730	
•	0.00
(18% APR) on overdue pay all collection costs,	
_	

Sign here	Date
-----------	------

CUSTOMER ACKNOWLEDGEMENT

Acknowledgement of work.

Date Sign here



Balanced Mechanical and Plumbing Services 1865 NE Jacksonville Road Ocala, FL 34470 352-351-5560

BILL TO RCV Properties 1238 SE 19th St Ocala, FL 34471 USA

DECCRIPTION

20581

INVOICE DATE 10/30/2025

JOB ADDRESS

Colours Plaza Carriage Hill Investments 3405 SW College Rd. Ocala, FL 34474 USA Completed Date 10/30/2025
Customer PO #
Payment Term Due Upon Receipt
Due Date 10/30/2025

Pain 11/05/25 CK # 2407)

DESCRIPTION OF WORK

Balanced Mechanical and Plumbing Services (BMPS) was called out on 10-30-2025 regarding a stoppage. Once on site, BMPS checked all manholes and clean outs around the back of the building. The water was slowly flowing, but nothing looked fully stopped up. The k60 machine was utilized with approximately 135 feet up and down the line from the center manhole. Any debris that could be seen in the line had passed by; however, the sewage ran slow in the line as had previously done even when extensively jetting the "9. The manhole covers were replaced, area cleaned, and BMPS left the site.

DESCRIPTION	QTY	PRICE	TOTAL
Labor Plumber	2.00	\$110.00	\$220.00
Labor Plumber Apprentice	2.00	\$70.00	\$140.00
K60 Sewer Machine	1.00	\$90.00	\$90.00
	SUB-TOTAL LABOR SUB-TOTAL MATERIALS		\$360.00
	SUB-TOTAL OTHER		\$90.00
	SUB-TOTAL TAX 0%		\$450.00 \$0.00
	TOTAL DUE PAYMENT		\$450.00 \$0.00
	BALANCE DUE		\$450.00

1* is always a pleasure to serve you. Please contact the office if you have any questions.

/ment is due upon work completion. Invoices unpaid after 30 days shall incur 1.5% monthly interest (18% APR) on overdue amounts. A 3.5% surcharge applies to credit card payments. For non-payment, the customer agrees to pay all collection costs, including court and attorney fees. Acceptance of this invoice constitutes agreement to these terms.

Authorization of work.

Sign her

Date 10/30/2025

CUSTOMER ACKNOWLEDGEMENT

Acknowledgement of work.

Sign here hun

Date 10/30/2025

