

Case File # 358 COA 24 - 45856	
Meeting Date: 11 - 7 - 24	
Product Approval #	

# Application for a Certificate of Appropriateness (COA)

As required by Section 94-82(g) of the City of Ocala Code of Ordinances, Ocala Historic Preservation

Advisory Board (OHPAB) decisions on the COAs will be based on the Secretary of the Interior's Standards

for Rehabilitation and Guidelines for Rehabilitating Historic Buildings the Ocala Historic Preservation

Design Guidelines, and the Ocala Historic Preservation Code.

#### **COA Application Procedure:**

- 1. Arrange an informal pre-application conference with Planning staff.
- 2. Fill out and submit COA application and required material to Planning staff 30 days prior to OHPAB meeting. Please email application packets: <a href="https://historic@ocalafl.org">historic@ocalafl.org</a>.
- 3. Attend OHPAB meeting or send a representative with a letter of authorization.
- 4. Meetings are held the 1st Thursday of each month at 4:00 p.m.
- 5. Meeting Location: City Council Chambers, 2<sup>nd</sup> floor of City Hall (110 SE Watula Ave.)

If applicant fails to notify staff and does not attend the meeting, the application <u>may</u> be tabled for one month. If applicant fails to notify staff and does not attend the next monthly meeting, the application <u>may</u> be denied without prejudice.

There is no application fee; however, if work is performed without an approved COA, a fee of \$100 will be assessed.

			22 232 222		
Parcel #:	2820-028-009		Property Address:		718 SE 2nd St
Owner:	Joe and Kelli Carvalho		Owner Address:		727 SE 3rd St, Ocala FL 34471
Owner Phone #:	352 304 1593		Owner Email:		mrjoecarvalho@gmail.com
Will there be an additional meeting representative? Yes ☐ No x ma (If yes, representative will need a letter of authorization*)					be
If yes, name of representative:					
Rep. Phone	: #:			Rep. Email:	

Project Type:	☐ Addition ☐ Alteration	x New Construction ☐ Reroof	☐ Site Work ☐ Fence
	☐ Repair	☐ Relocation	□ Other

### City of Ocala Application for Certificate of Appropriateness Form revised: January 2023



City of Ocala Growth Management Department 201 S.E. 3<sup>rd</sup> Street, 2<sup>nd</sup> Floor

352-629-8421 | www.ocalafl.org

COA 24 - 458 56

Meeting Date: 11-7-24

Case File # 358

Product Approval #\_\_\_\_\_

Describe, by list, specific changes you are requesting to do to your property. Include the types of materials to be used, as well as dimensions. A site plan must be provided for additions to buildings, new construction (including garages, sheds, other accessory buildings), fences and site work (including driveways, parking areas and other improvements). The site plan must show setbacks of the proposed new work items from property lines. Attach additional pages as necessary.

New windows for home.

**Front Main Floor Windows** 

36x71" Jeld-Wen 2/2 double hung to be replaced by:

36x96" Anderson 400 Series 2/4 casement.

**Second Story Windows** 

30x60" Jeld-Wen 2/2 double hung to be replaced by:

24x60" Anderson 400 Series 2/4 casement.

Solarium Windows replaced by 48x82" Anderson 400 Series 4/6 fixed

Solarium Door replaced by:

60x96" Two ThermaTru 60x96" Double Doors with 2/4 Glass Insert

Rear Patio Door replaced by:

72x96" ThermaTru Double Doors with Glass Insert

Jimmy H. Cowan, Jr., CFA

# Marion County Property Appraiser



501 SE 25th Avenue, Ocala, FL 34471 Telephone: (352) 368-8300 Fax: (352) 368-8336

# 2024 Property Record Card

# Real Estate

2820-028-009

GOOGLE Street View

Prime Key: 3533534

MAP IT+

**Property Information** 

CARVALHO JOSEPH P CARVALHO KELLY A 205 SE SANCHEZ AVE OCALA FL 34471-2231

Taxes / Assessments: Map ID: 179 Millage: 1001 - OCALA M.S.T.U. PC: 00

Acres: .11

Situs: Situs: 718 SE 2ND ST OCALA

Current Value

Land Just Value\$101,556Buildings\$0Miscellaneous\$202Total Just Value\$101,758Total Assessed Value\$54,845Exemptions\$0Total Taxable\$54,845School Taxable\$101,758

Impact Ex Codes:

(\$46,913)

History of Assessed Values

Year	Land Just	Building	Misc Value	Mkt/Just	Assessed Val	Exemptions	Taxable Val
2024	\$101,556	\$0	\$202	\$101,758	\$54,845	\$0	\$54,845
2023	\$67,704	\$0	\$202	\$67,906	\$49,859	\$0	\$49,859
2023 2022	\$56,420	\$0	\$202	\$56,622	\$45,326	\$0	\$45,326

### Property Transfer History

Book/Page	Date	Instrument	Code	Q/U	V/I	Price
UNRE/INST	05/2008	76 MAR CER	0	U	V	\$100
4923/1912	10/2007	06 SPECIAL WARRANTY	8 ALLOCATED	U	V	\$87,500
4923/1909	10/2007	08 CORRECTIVE	0	U	I	\$100
4875/0541	08/2007	05 QUIT CLAIM	0	U	I	\$100
4837/0379	06/2007	31 CERT TL	0	U	V	\$2,000
4480/0473	06/2006	07 WARRANTY	0	U	V	\$100
2671/1593	07/1999	07 WARRANTY	2 V-SALES VERIFICATION	Q	I	\$85,000

Property Description

SEC 17 TWP 15 RGE 22

PLAT BOOK E PAGE 004

CALDWELLS ADD OCALA

THE E 91.26 FT OF THE FOLLOWING DESC PROPERTY:

BEG AT THE NW COR OF LOT 28 TH E ALONG THE N BOUNDARY OF

SAID LOT 28 A DISTANCE OF 209.3 FT TO A LINE RUNNING S

WHICH EQUALLY DIVIDED SAID LOT 28 TH S ALONG SAID LINE 54

FT TH W PARALLEL WITH THE N BOUNDARY OF SAID LOT 28 A

DISTANCE OF 209.45 FT TO THE W BOUNDARY OF SAID LOT 28 TH N

ALONG SAID W BOUNDARY 54 FT TO THE POB

Parent Parcel: 2820-028-001

#### Land Data - Warning: Verify Zoning

Use	CUse	Front	Depth	Zoning	<b>Units Type</b>	Rate	Loc	Shp	Phy	Class Value	Just Value
0001		91.0	54.0	R3	91.00 FF	1,800.0000	1.00	0.62	1.00	101,556	101,556
Neig	hborhood 5310	OCALA HI	STORIC I	DISTRICT					,	Total Land - Cla	ss \$101,556
Mkt										Total Land - Ju	ıst \$101,556

#### Miscellaneous Improvements

Type	Nbr Units	Type	Life	Year In	Grade	Length	Width
Type 111 FENCE WOOD	144.00	LF	10	2005	1	0.0	0.0
						Total Valu	ie - \$202

## Appraiser Notes

#### Planning and Building \*\* Permit Search \*\*


Permit Number	Date Issued		te Issued Date Completed		Description	
		Cost	Summary			
Buildings R.C.N. Total Depreciation Bldg - Just Value Misc - Just Value Land - Just Value	\$0 \$0 \$0 \$202 \$101,556	1/1/2000 3/26/2010 2/27/2024	Bldg Nbr	RCN	Depreciation	Depreciated
Total Just Value	\$101,758	*				


Kitchen Window Replaced by: 72"72" Kolbe Preserve Double 2/3 Casement window
Front door to be replaced by: 72x96" Custom Wooden Arched-top door
Porch Rail and Fence 42" Antique Salvaged Iron
Required additional materials for submission:
<ul> <li>□ Completed and signed COA application</li> <li>□ Detailed drawings and specifications for all new materials – windows, doors, siding, roofing materials, fencing etc.</li> <li>□ Site plan</li> <li>□ Copy of property deed or proof of ownership</li> <li>□ Authorization letter for non-property owner representative*</li> <li>□ For New Construction: a set of building plans, no larger than 11 x 17, for structural changes or new construction. This includes all four elevations with drawn to scale dimensions. * □ Please list any additional attachments:</li> </ul>
3000 atura Mo 10/7/2024

**Applicant Signature Date** 


City of Ocala Application for Certificate of Appropriateness Form revised: January 2023



























#### **Clad Complementary Venting French Casement Window Details**


Scale  $1^{1/2}$ " (38) = 1'-0" (305) - 1:8






**Horizontal Section** 

French Casement and French Arch Casement



French Springline™ and French Arch Casement



**Vertical Section** 

French Springline™ and French Arch Casement

1 5/16" (33)

14/ (6)

14 (6)


4 9/16" (116) Jamb Depth 3 3/8" (86)


1 1/8" (29)

French Casement and French Arch Casement

#### **Clad Complementary Stationary French Casement Window Details**

Scale  $1^{1}/2$ " (38) = 1'-0" (305) - 1:8





**Horizontal Section** French Casement and French Arch Casement


Minimum Rough Opening Height 3 1/8 7/8" (22) Unit Dimension Height Extension Jamb Unobstructed **Head - Lineal** Glass 3 1/8" 1 1/8" (29) 1 1/8" (29)

Sill **Vertical Section** 

French Casement and French Arch Casement

- •4  $^{9}/_{16}$ " (116) overall jamb depth and 3  $^{3}/_{8}$ " (86) base jamb depth measurement is from back side of installation flange.
- · Light-colored areas are parts included with window. Dark-colored areas are additional Andersen\* parts required to complete window assembly as shown.
- . Dimensions in parentheses are in millimeters
- · Minimum rough openings may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items. See installation information on pages 210-211.
- Details are for illustration only and are not intended to represent product installation methods or materials. Refer to unit installation guides at andersenwindows com.

Sill Stop to Subfloor Dimension



3'0" x 6'8" A

3'0" x 6'8" A

3'0" x 6'8" A



FCM62 \* 2 6 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"





Mahogany

FCM6021 \* 2 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM6041 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM670 ■ 19E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Mahogany

FCM62SL | FCM862SL \* 26 \* 26 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"



FC62 **\* 2 9 E** 2'6" x 6'8" 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

81929P \* 16 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC670 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



81971P \* **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC48SL 81929PSL \* 26 12" x 8'0" **26** 12" x 6'8" 14"x 6'8" | 14" x 8'0"



2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") S206



S81929P

S6021 \* 2 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S86021 **\* 2 6 E** 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



S4315 S84315 2'8" x 6'8" 2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



S6041 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth S104 . 19E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S105 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S30 S830 \* 2 6 2'8" x 6'8" 2'10" x 6'8" \* **16** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S210SL S85910SL