

Case File #_	358	
COA 23	45129	< gmend
Meeting Date	e:5-2-21	1 mem
Product Approval		5

Application for a Certificate of Appropriateness (COA)

As required by Section 94-82(g) of the City of Ocala Code of Ordinances, Ocala Historic Preservation

Advisory Board (OHPAB) decisions on the COAs will be based on the Secretary of the Interior's Standards

for Rehabilitation and Guidelines for Rehabilitating Historic Buildings the Ocala Historic Preservation

Design Guidelines, and the Ocala Historic Preservation Code.

COA Application Procedure:

- 1. Arrange an informal pre-application conference with Planning staff.
- 2. Fill out and submit COA application and required material to Planning staff 30 days prior to OHPAB meeting. Please email application packets: historic@ocalafl.org.
- 3. Attend OHPAB meeting or send a representative with a letter of authorization.
- 4. Meetings are held the 1st Thursday of each month at 4:00 p.m.
- 5. Meeting Location: City Council Chambers, 2nd floor of City Hall (110 SE Watula Ave.)

If applicant fails to notify staff and does not attend the meeting, the application <u>may</u> be tabled for one month. If applicant fails to notify staff and does not attend the next monthly meeting, the application <u>may</u> be denied without prejudice.

There is no application fee; however, if work is performed without an approved COA, a fee of \$100 will be assessed.

			DC GOOGSO					
Parcel #:	2820-028-009	Property Address:						
Owner:	Joe and Kelli Carvalho		Owner Address:		727 SE 3rd St, Ocala FL 34471			
Owner Phone #:	352 304 1593		Owner Email:		mrjoecarvalho@gmail.com			
	Will there be an additional meeting representative? Yes ☐ No x maybe (If yes, representative will need a letter of authorization*)							
If yes, nam	Megan Me	Megan McBride						
Rep. Phone	e #:	352 875 7263 Rep. Email:		Rep. Email:	meganrebekah@yahoo.com			

Project Type:	☐ Addition	x New Construction	☐ Site Work ☐ Fence	
	☐ Alteration ☐ Repair	☐ Reroof☐ Relocation	☐ Other	

City of Ocala Application for Certificate of Appropriateness Form revised: January 2023



City of Ocala Growth Management Department 201 S.E. 3rd Street, 2nd Floor 352-629-8421 | www.ocalafl.org

COA 23	45129 a mendmen 5-2-24
Meeting Date:	5-2-2
Case File #	<i>358</i>
Product Approval #	-

Describe, by list, specific changes you are requesting to do to your property. Include the types of materials to be used, as well as dimensions. A site plan must be provided for additions to buildings, new construction (including garages, sheds, other accessory buildings), fences and site work (including driveways, parking areas and other improvements). The site plan must show setbacks of the proposed new work items from property lines. Attach additional pages as necessary.

See attached email.

*SIX foof privacy fence to major existing

Required additional materials for submission:						
 □ Completed and signed COA application □ Detailed drawings and specifications for all new materials – windows, doors, siding, roofing materials, fencing etc. □ Site plan □ Copy of property deed or proof of ownership □ Authorization letter for non-property owner representative* □ For New Construction: a set of building plans, no larger than 11 x 17, for structural changes or new construction. This includes all four elevations with drawn to scale dimensions. * □ Please list any additional attachments: 						
2 Col alwallo						

Applicant Signature Date

City of Ocala Application for Certificate of Appropriateness Form revised: January 2023



Luis Morales

QUOTE BY: Luis Morales QUOTE # : JW240300TH4 - Version 0

SOLD TO : SHIP TO :


Joe

PO# : Carvalho PROJECT NAME : Ship Via : Ground REFERENCE :

U-Factor Weighted Average: 0.29 SHGC Weighted Average: 0.19

Primed Interior,

LINE	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT PRICE	QTY	EXTENDED PRICE	
Line 1		Frame Size: 32 X 72				
RO Size : 32 3/4 X 72 3/4		(Outside Casing Size: 34 3/4 X 73 15/16)				
RO BIZE . 32	2 3/ 1 11 / 2 3/ 1	Custom Wood Double Hung, Auralast Pine,				
		Primed Exterior,				



4 9/16 Jamb, 4/4 Thick, Standard Double Hung, Beige Jambliner, Concealed Interior Jamb Liner White Hardware, Deluxe Cam Lock(s) w/Concealed Tilt Latch No Finger

Brickmould, Standard Sill Nosing, Casing & Nosing Loose,

FBC/TDI-WDMA, PG 35, FL/TDI# 10943.16

Insulated SunResist Annealed Glass, Neat, Protective Film, Black Spacer,

Argon Filled, Traditional Glz Bd,

5/8" Flat GBG Brilliant White Grid, Colonial All Lite(s) 3 Wide 3 High Top,

3 Wide 3 High Btm,

UltraVue Mesh Brilliant White Screen,

Product Warranty Covers Accidental* Glass Breakage *Refer to the JELD-WEN warranty for additional information, IGThick=0.756(1/8 / 1/8), (Note: Color Tone Of Grille May Vary As A Result Of Glass Option). Clear

Opening:28.7w, 31.1h, 6.2 sf

U-Factor: 0.29, SHGC: 0.18, VLT: 0.42, Energy Rating: 14.00, CPD: JEL-N-

672-12977-00001

PEV 2024.1.0.4577/PDV 7.394 (03/03/24)PW


\$1,369.85 4 \$5,479.40

Last Modified: 03/26/2024

Ouote Date: 03/22/2024

LINE	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT PRICE	QTY		TENDED PRICE	
Line 2		Frame Size : 28 X 64					
RO Size: 28	3/4 X 64 3/4	(Outside Casing Size: 30 3/4 X 65 15/16)) no				
		Custom Wood Double Hung, Auralast Pi	ne,				
		Primed Exterior,					
		Primed Interior, Brickmould, Standard Sill Nosing, Casin	a & Nosina I a	oose			
		4 9/16 Jamb, 4/4 Thick,	g & Mosning Ex	,			
M		Standard Double Hung, Beige Jambliner,	Concealed In	terior Ja	amb	Liner	
		White Hardware, Deluxe Cam Lock(s) w	/Concealed Ti	lt Latch	ı No	Finger	
		Lifts,	,			Ü	
		FBC/TDI-WDMA, PG 35, FL/TDI# 10943.16					
		Insulated SunResist Annealed Glass, Nea	at, Protective F	ilm, Bl	ack S	Spacer,	
Viewed from	Exterior. Scale: 1/2" =1'	PIN 1 TO THE LOT DI					
viewed from	Exterior, Scale, 1/2	5/8" Flat GBG Brilliant White Grid, Colonial All Lite(s) 3 Wide 2 High Top,					
		3 Wide 2 High Btm,					
		UltraVue Mesh Brilliant White Screen,					
		Product Warranty Covers Accidental* Glass Breakage *Refer to the JELD-					
		WEN warranty for additional information, IGThick=0.756(1/8 / 1/8), (Note:					
		Color Tone Of Grille May Vary As A Re	sult Of Glass	Option)). Cle	ear	
		Opening:24.7w, 27.1h, 4.6 sf					
		U-Factor: 0.29, SHGC: 0.18, VLT: 0.42,	Energy Rating	g: 14.00), CP	D: JEL-N-	
		672-12977-00001	ADTT				
		PEV 2024.1.0.4577/PDV 7.394 (03/03/2		_		00 555 05	
			\$1,192.35	3		\$3,577.05	
Line 3		CCCP4060					
		E G: 40 V (0					

RO Size: 40 3/4 X 60 3/4



Viewed from Exterior. Scale: 1/2"=1'

Frame Size: 40 X 60

(Outside Casing Size: 40 X 60 5/8)

Custom Casement/Awning Product, Clad Fixed Auralast Pine,

Stationary,

Black Exterior-AAMA 2605 Finish Extruded Clad Sash/Panel,

Primed Interior,

Nail Fin (Standard), Standard Sill Nosing, Standard DripCap,

4 9/16 Jamb, 5/4 JE - 5/4 Reveal Thick,

FBC/TDI-WDMA, PG 35, FL/TDI# 13699.4

Insulated SunResist Annealed Glass, Neat, Protective Film, Black Spacer,

Argon Filled, Traditional Glz Bd,

5/8" Flat GBG Brilliant White Grid, Colonial 3 Wide 4 High

Traditional Screen Stop

Product Warranty Covers Accidental* Glass Breakage *Refer to the JELD-WEN warranty for additional information, IGThick=0.756(1/8 / 1/8), The selected colors may vary slightly in appearance between their AAMA-2604 and AAMA-2605 versions. Please contact your sales representative to review color samples as needed prior to finalizing order.. (Note: Color Tone Of

Grille May Vary As A Result Of Glass Option).

U-Factor: 0.29, SHGC: 0.20, VLT: 0.47, Energy Rating: 15.00, CPD: JEL-N-

671-10603-00001

PEV 2024.1.0.4577/PDV 7.394 (03/03/24)PW

\$3,255.24 \$1,627.62

Page 2 of 5 (Prices are subject to change.)

JW240300TH4 (Ver:0) -03/26/2024 10.32 AM


Last Modified: 03/26/2024

cust-64604

Quote Date: 03/22/2024

Drawings are for visual reference only and may not be to exact scale. All orders are subject to review by JELD-WEN

LINE	LOCATION SIZE INFO	BOOK CODE DESCRIPTION	NET UNIT PRICE	QTY	EXTENDED PRICE
	0 3/4 X 60 3/4 The state of th	CCCP6060 Frame Size: 60 X 60 (Outside Casing Size: 60 X 60 5/8) Custom Casement/Awning Product, Clastationary, Black Exterior-AAMA 2605 Finish Extractionary, Nail Fin (Standard), Standard Sill Nosin 4 9/16 Jamb, 5/4 JE - 5/4 Reveal Thick, FBC/TDI-WDMA, PG 35, FL/TDI# 136 Insulated SunResist Annealed Glass, New Argon Filled, Traditional Glz Bd, 5/8" Flat GBG Brilliant White Grid, Contraditional Screen Stop Product Warranty Covers Accidental* Company Wenner and AAMA-2605 versions. Please contactor samples as needed prior to finalized Grille May Vary As A Result Of Glass 60 U-Factor: 0.29, SHGC: 0.20, VLT: 0.46671-10948-00001 PEV 2024.1.0.4577/PDV 7.394 (03/03/2)	g, Standard Dri 599.4 eat, Protective Formula 5 Wide 4 Glass Breakage on, IGThick=0.1 earance between eat your sales realing order (Noto Option).	ipCap, ipCap, ilm, Bl High *Refer 898(3/1 in their epresent e: Color	ack Spacer, to the JELD- 6 / 3/16),The AAMA-2604 ative to review r Tone Of 0, CPD: JEL-N-
Line 5 RO Size : 64	4 3/4 X 60 3/4	Frame Size: 64 X 60 (Outside Casing Size: 64 X 60 5/8) Custom Casement/Awning Product, Clastationary,			
		Black Exterior-AAMA 2605 Finish Ext	ruded Clad Sas	h/Panel	,



Viewed from Exterior. Scale: 1/2" =1'

Primed Interior,

Nail Fin (Standard), Standard Sill Nosing, Standard DripCap,

4 9/16 Jamb, 5/4 JE - 5/4 Reveal Thick,

FBC/TDI-WDMA, PG 35, FL/TDI# 13699.4

Insulated SunResist Annealed Glass, Neat, Protective Film, Black Spacer,

Argon Filled, Traditional Glz Bd,

5/8" Flat GBG Brilliant White Grid, Colonial 6 Wide 4 High

Traditional Screen Stop

Product Warranty Covers Accidental* Glass Breakage *Refer to the JELD-WEN warranty for additional information, IGThick=0.898(3/16 / 3/16), The selected colors may vary slightly in appearance between their AAMA-2604 and AAMA-2605 versions. Please contact your sales representative to review color samples as needed prior to finalizing order.. (Note: Color Tone Of

Grille May Vary As A Result Of Glass Option).

U-Factor: 0.29, SHGC: 0.20, VLT: 0.46, Energy Rating: 15.00, CPD: JEL-N-

671-10948-00001

PEV 2024.1.0.4577/PDV 7.394 (03/03/24)PW

\$2,359.51 \$7,078.53

Last Modified: 03/26/2024

JW240300TH4 (Ver:0) -03/26/2024 10.32 AM Page 3 of 5 (Prices are subject to change.)


cust-64604

Ouote Date: 03/22/2024

LINE	LOCATION	BOOK CODE	NET UNIT	QTY EXTENDED
LINE	SIZE INFO	DESCRIPTION	PRICE	PRICE

Line 6

RO Size: 24 3/4 X 24 3/4



Viewed from Exterior. Scale: 1/2" =1'

CCA2424

Frame Size: 24 X 24

(Outside Casing Size: 24 X 24 5/8) Custom Clad Awning, Auralast Pine,

Black Exterior-AAMA 2605 Finish Extruded Clad Sash/Panel,

Primed Interior.

Nail Fin (Standard), Standard Sill Nosing, Standard DripCap,

4 9/16 Jamb, 5/4 JE - 5/4 Reveal Thick,

Venting,

Nesting Crank Handle, White Hardware,

Stainless Steel Operator/Hinge,

FBC/TDI-WDMA, PG 35, FL/TDI# 10938.1

Insulated SunResist Annealed Glass, Neat, Protective Film, Black Spacer,

Argon Filled, Traditional Glz Bd,

5/8" Flat GBG Black Grid, Colonial 2 Wide 2 High

UltraVue Mesh Brilliant White Screen, Traditional Screen Stop


Product Warranty Covers Accidental* Glass Breakage *Refer to the JELD-WEN warranty for additional information, IGThick=0.756(1/8 / 1/8),The selected colors may vary slightly in appearance between their AAMA-2604 and AAMA-2605 versions. Please contact your sales representative to review color samples as needed prior to finalizing order.. (Note: Color Tone Of

Grille May Vary As A Result Of Glass Option). PEV 2024.1.0.4577/PDV 7.394 (03/03/24)PW

\$912.08 1 \$912.08

Line 7

RO Size: 60 3/4 X 36 3/4



Viewed from Exterior. Scale: 1/2" =1'

Ouote Date: 03/22/2024

CCA6036

Frame Size: 60 X 36

(Outside Casing Size: 60 X 36 5/8) Custom Clad Awning, Auralast Pine,

Black Exterior-AAMA 2605 Finish Extruded Clad Sash/Panel,

Primed Interior,

Nail Fin (Standard), Standard Sill Nosing, Standard DripCap,

4 9/16 Jamb, 5/4 JE - 5/4 Reveal Thick,

Venting,

Nesting Crank Handle, White Hardware,

Stainless Steel Operator/Hinge,

FBC/TDI-WDMA, PG 35, FL/TDI# 10938.1

Insulated SunResist Annealed Glass, Neat, Protective Film, Black Spacer,

Argon Filled, Traditional Glz Bd,

5/8" Flat GBG Black Grid, Colonial 5 Wide 2 High

UltraVue Mesh Brilliant White Screen, Traditional Screen Stop

Product Warranty Covers Accidental* Glass Breakage *Refer to the JELD-WEN warranty for additional information, IGThick=0.756(1/8 / 1/8), The selected colors may vary slightly in appearance between their AAMA-2604 and AAMA-2605 versions. Please contact your sales representative to review color samples as needed prior to finalizing order.. (Note: Color Tone Of

Grille May Vary As A Result Of Glass Option). PEV 2024.1.0.4577/PDV 7.394 (03/03/24)PW

\$1,725.29 1 \$1,725.29

LINE	LOCATION	BOOK CODE	NET UNIT Q	TY EXTENDED
	SIZE INFO	DESCRIPTION	PRICE	PRICE

Total:

\$26,263.79

Total Units:

16

Protect yourself when you choose JELD-WEN AuraLast pine products backed by a limited lifetime warranty against wood rot and termite damage.

Last Modified: 03/26/2024

All orders are subject to review by JELD-WEN

8507 Sunstate St TAMPA, FL 33634

Phone: 813-488-6008

Fax:

Email: mfhomesales@gmail.com

Prepared by:

M&f Home Solutions Llc Client Name:

Charles Macio

Job Name:

Joseph Carvalho new


Client Address: 8507 Sunstate St TAMPA, FL 33634

Rep:

Mark	Qty	Product	Width	Height	Config.	Frame	Screen	90 Days Bluemax	Pressure
1	4	MG-200 LMI	36.0"	76.0"	EQUAL	Black Matte	Yes	No	+80/ -80
Glass	1/8 CL	EAR HS + 0.090 PVE	+ 1/8 CLEA	R HS (U-FAC	ΓOR: 1.117, SI	HGC: 0.602)			


Looking from the outside

463732



Sell total Hardware \$4,600.94 \$1,150.23 N/A

Mark	Qty	Product	Width	Height	Config.	Frame	Screen	90 Days Bluemax	Pressure
2	3	MG-200 LMI	32.0"	74.0"	EQUAL	Black Matte	Yes	No	+80/ -80
Glass	ass 1/8 CLEAR HS + 0.090 PVB + 1/8 CLEAR HS (U-FACTOR: 1.117, SHGC: 0.602)								



Looking from the outside

Hardware N/A

\$1,055.27

Sell total \$3,165.82

3/22/2024

Page 1 of 6

463732

8507 Sunstate St TAMPA, FL 33634

Phone: 813-488-6008

Fax:

Email: mfhomesales@gmail.com

Prepared by: M&f Home Solutions Llc Client Name:


Job Name: Joseph Carvalho new


ent Name: Charles Macio

Client Address: 8507 Sunstate St TAMPA, FL 33634

Rep: D

Mark	Qty	Product	Width	Height	Config.	Frame	Screen	90 Days Bluemax	Pressure
3	1	MG-600 LMI	60.0"	30.0"	SINGLE	Black Matte	Yes	No	+80/ -80
Glass	1/8 CI	1/8 CLEAR HS + 0.090 PVR + 1/8 CLEAR HS (U-FACTOR: 1.102, SHGC; 0.482)							





Hardware

N/A

At Grade Level

Not Apply

463732

Looking from the outside

8507 Sunstate St TAMPA, FL 33634

Phone: 813-488-6008

Fax:

Email: mfhomesales@gmail.com

Prepared by: M&f Home Solutions Llc


Job Name: Joseph Carvalho new

Client Name: Charles Macio

Client Address: 8507 Sunstate St TAMPA, FL 33634

Rep: DP

Mark	Qty	Product	Width	Height	Config.	Frame	90 Days Bluemax	Pressure
6	1	Mg3000 LMI	108.0"	72.0"	OXXO	Black Matte	No	+80/-80
Glass	3/16 CLE	EAR HS + 0,090 PVB +	3/16 CLEAR I	HS (U-FACTOR	: 1.016, SHGC:	0.433)		




 Hinges
 Three Point
 Two Point
 Flush Bolt
 Handle
 Sell each
 Sell each
 Sell total

 6
 N/A
 N/A
 4
 N/A
 \$4,682.43
 \$4,682.43

90 Days Bluemax **Pressure** Screen Config. Frame Width Height Product Mark Qty +70.5/ -70.5 No TRIPLE Black Matte No 120.0" 48.0" MG-600 LMI

Glass 1/8 CLEAR HS + 0.090 PVB + 1/8 CLEAR HS (U-FACTOR: 1.102, SHGC: 0.482)



3/22/2024

Page 3 of 6

8507 Sunstate St TAMPA, FL 33634

Phone: 813-488-6008

Fax:

Email: mfhomesales@gmail.com

Prepared by: M&f Home Solutions Llc Client Name: Job Name: Joseph Carvalho new


Charles Macio

Client Address: 8507 Sunstate St TAMPA, FL 33634

Rep:

DP

Mark 5 Glass	Qty 1 3/16 CL	Product Mg3000 LMI .EAR HS + 0.090 PVB	Width 78.0" + 3/16 CLEAR	Height 98.0"	Config.	Frame Black Matte	90 Days Bluemax No	Pressure +80/ -80
	3/16 CLEAR HS + 0.090 PVB + 3/16 CLEAR HS (U-FACTOR: 1.016, SHGC: 0.433)							



Three Point Two Point Flush Hinges Sell total Lock Lock Bolt \$4,025.38 \$4,025.38 N/A N/A 4 N/A

3/22/2024

6

Page 4 of 6

Looking from the outside

463732

8507 Sunstate St TAMPA, FL 33634

Phone: 813-488-6008

Fax:

Email: mfhomesales@gmail.com

Job Name:

Prepared by: M&f Home Solutions Llc

Client Name:

Charles Macio

Joseph Carvalho new

Client Address: 8507 Sunstate St TAMPA, FL 33634

Rep:



Summary

System Summary		Sell Sum	mary
Total Products French Door (MG-3000)	3 2	Total:	\$22,549.00
Single Hung (MG-200) Casement (MG-600)	7 4	Sqft Sum Single Hung (MG-200) Casement (MG-600)	125.33 sqft 76.5 sqft
		French Door (MG-3000)	107.08 sqft
		Total Soft	308.91 sqft

3/25/24, 1:48 PM

MrglassManufacturing

Quote #

8507 Sunstate St TAMPA, FL 33634

Phone: 813-488-6008

Fax:

Email: mfhomesales@gmail.com

Prepared by: M&f Home Solutions Llc Client Name:

Charles Macio

Job Name:

Joseph Carvalho new

Client Address: 8507 Sunstate St TAMPA, FL 33634

Rep:

DP

Notes: We are upgrading the software, please go to the NOA to check compliance

All rates apply, only line items mentioned are included. Customer agrees to pay all cost/expenses incurred collecting any amount due, including attorney's fees and associated expenses. A \$25 charge is added to checks returned and 1.5% monthly interest fee for past due balance. Quote valid for 30 days.

THIS QUOTE IS SUBJECT TO FIELD VERIFICATION.

ACCEPTED B	Y:
-------------------	----

Print Name:

Date:

Title:

Signature:

(please complete if party to this quote is a corporation only)

WEN.

SEARCH


ood Window: Double-Hung



Explore the options

On-screen colors/finishes vary from actual products.

Grille Designs



Exterior Colors \vee


Bone White

See all options and features >



PRICING

od Exterior Door: 6203 Glass Panel



Explore the options

On-screen colors/finishes vary from actual products.

Wood Options





Hemlock

Meranti Mahogany

See all options and features >

(\$)



PRICING

Breah Miller

From:

Joe Carvalho <mrjoecarvalho@gmail.com>

Sent:

Wednesday, March 27, 2024 10:53 AM

To:

Breah Miller

Subject:

Re: Proposed Carvalho Residence

Attachments:

Carvalho Quote (Amended).pdf; Certificate of Appropriate (2).pdf; Joshep.pdf

Follow Up Flag: Flag Status:

Follow up Flagged

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Breah,

Here are the materials that will be used. Please let me know if you have any questions or need anything else. I also included an alternative option for the windows, in case the board does not approve of the first option. I know that that is typically not done, but I don't want to delay the whole building process for the sake of these details.

Material List for Proposed House 720 SE 2nd St, Ocala FL 34471 Joe and Kelli Carvalho

Windows

Jeld-wen Custom Wood Double Hung Windows, Seedy Reamy Glass https://www.jeld-wen.com/en-us/products/windows/custom-wood/double-hung

Qty 4 32x72 double hung, wood, colonial grill

Qty 3 28x64 double hung, wood, no grill

Qty 2 40x60 colonial grill, black aluminum, fixed

Qty 1 120x60 colonial grill, black aluminum, fixed

Qty 1 192x60 colonial grill, black aluminum, fixed

Qty 1 24x24 awning

Qty 1 36x60 awning

Doors

3 36x96 black aluminum, colonial grill

1 60x120 black aluminum, colonial grill

https://www.jeld-wen.com/en-us/products/windows/custom-wood/double-hung

Front Door: solid wood with glass. Jeld-Wen 6203 Glass Panel

https://www.jeld-wen.com/en-us/products/exterior-doors/authentic-wood/6203-glass-panel

Roofing:

Natural Slate. Each piece is approximately 8x12"

Cladding: Limestone Plaster, off-white. Natural Marble. https://arcusstone.com/products/arcus-stonecoat/ image.png

Fencing: 6' Wooden Privacy Fence, to match existing.

On Tue, Mar 19, 2024 at 3:46 PM Breah Miller < bmiller@ocalafl.gov > wrote:

The deadline for the May meeting will be April 2, 2024. You can not start building prior to receiving full approval.

Breah Miller

Planner II

Growth Management Department

201 SE 3rd Street Ocala, Florida 34471

352.629.8341

From: Joe Carvalho < mrjoecarvalho@gmail.com >

Sent: Tuesday, March 19, 2024 11:15 AM
To: Breah Miller < bmiller@ocalafl.gov >
Subject: Re: Proposed Carvalho Residence

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Breah,

I guess that I will submit everything for the next meeting.

I am allowed to start the building, without those details (windows, doors, and roofing) being clarified?

Of course, I would have those aspects approved before I install them.

Joe

415-339-4060





Arcus Stonecoat™

Arcus Stonecoat™ is a field-applied limestone coating consisting of a proprietary mix of quarried, crushed limestone, select polymers and Portland cement for added strength. The product is hand-tooled on vertical or horizontal surfaces to produce the look of cut stone finishes, complete with grout lines. Arcus Stonecoat™ can also be used to create beautifully durable countertops, dramatic fireplaces, door and window surrounds, custom columns, arches, quoins, flooring, wainscoting, and numerous other decorative stone elements.

Arcus Stonecoat is installed exclusively by trained applicators, and can be textured, honed and finished like cut stone, or given the look of a more rustic field stone. The coating can be either hand-troweled or sprayapplied to a variety of substrates including Portland cement, cement plaster (stucco), gypsum board, poured-in-place concrete, CMU blocks, brick masonry, cement backer boards, lightweight concrete, ceramic or natural stone tile, and EPS foam.

The range of aesthetic objectives that can be realized with Arcus Stonecoat is virtually limitless — from elegant and authentic, to modern and organic. Whether it be a luxury residence, resort, commercial project, architectural features such as fireplaces, range hoods, counter tops, pool copings, fountains, etc., interior or exterior wall surfaces, adding a decorative Arcus Stonecoat finish can enhance the appearance of any architectural design.

Extends What You Can Do With Stone

- Not a "faux" finish. Instead: authentic limestone
- Naturally looks and feels like stone. It is stone
- No fastening. Adheres to almost anything
- Sustainable qualities good for LEED ratings
- Resists UV light degradation and fading
- Safe: no outgassing or chemical hazards
- Compressive strength exceeds concrete
- Lasts decades. No foreseeable maintenance
- One 50-lb bag will cover 15 sq ft @ 3/8" thickness


A Palette for the Artist in You

- Offers design flexibility and aesthetic choices
- Enhances any exterior or interior surface
- Apply it over any shape or decorative surface
- Creative range of textures, carvings and castings
- Perfect for casting columns, fireplaces & shapes
- Integrally-colored using mineral oxide pigments
- Hone it or polish it for a natural stone finish
- Complements ArcusStone lime & cement plasters
- A cost-effective alternative to using cut stone

Document Downloads

- Arcus Stonecoat and ArcusPlaster Brochure
- 🕹 Arcus Stonecoat PDS
- 🚣 🛮 Arcus Stonecoat SDS

Color Samples



Request a Sample

Copyright © 2024 ArcusStone® · Produced by **Protospace**







Features & Benefits